

WELIVE FORTHE WINTER

The days are shorter. The lakes are frozen. The wait is over.

Cold air fills the lungs. Frost bites the skin. All senses awaken.

Start of the engine. Squeeze of the throttle. Gateway to our realm.

Where titles don't matter. A place free from chatter. A true purpose to be found.

This is what we work for.

This is what we live for.



VEHICLE SPECIFICATIONS

8 Rave RE

9 Rave RE with Enduro Package

10 Adventure Core

11 Adventure Limited

12 Adventure LX

13 Adventure Electric

14 Xterrain Core

15 Xterrain Limited

16 Xterrain RE

17 Brutal RE

18 Commander Core

19 Commander Limited

20 Commander RE

21 Shredder Core

22 Shredder RE

23 Shredder DS

24 49 Ranger Core

25 49 Ranger PRO

26 59 Ranger Core

27 59 Ranger PRO

28 59 Ranger Alpine

29 69 Ranger Alpine

30 69 Ranger PRO

31 Models and platforms

32 Comparison table

ACCESSORIES

37 LinQ accessories

38 Accessory bundles

40 Storage

56 Seats & Accessories

61 Wind protection & Mirrors

70 Bumpers

74 Towing

75 Skid plates, Protectors & Reinforcement

80 Ergonomics

82 Lights

84 Electrical

89 Rave 120 & 200

Accessories

90 59 Ranger & 69 Ranger Alpine Accessories

92 Suspension

95 Covers

97 Skis

101 Universal

103 Cooling

104 Trailing & Covers

107 Parts & Performance

108 PDrive Pulley Service Kits

109 XPS Oils and

Maintenance Products

111 Tracks and Drive Belts

APPAREL

114 Shell layer comparison chart

116 Stamina

121 Technology guide: Exo Float Assist

122 Squadron

123 Technology guide: Sympatex

124 Technology guide: Primaloft

125 Apparel technologies

126 Technology guide: Deep Snow apparel

comparison

127 Radiant Electronics Pocket

128 Quantum

134 How to layer right

136 Tec Layer

138 Lynx x Svala

144 Racing

147 Active Wear

148 Oxygen Helmets

150 Advex Helmets

152 Vibe Communication System

154 Pyra Helmets

155 Exome Helmets

156 Radien Helmets

157 M-Forge, eLinQ and Fidlock technologies

158 Goggles

160 Bags

161 Handwear

163 Headwear

166 Sportswear

172 Footwear

174 How to measure



2026 WHAT'S NEW

THRILLING POWER. UNFAILING GRIP.

THE ULTIMATE DEEP SNOW SNOWMOBILE

NTHE CORE OF LYNX



BRUTAL RE 500 mm

Brutally powerful and capable crossover sled for bold on and off trail adventures. Brutal RE with 500 mm wide track gets the new Radien² design with stunning looks and latest technical innovations.



COMMANDER RE

True adventurers forge their own paths. The next-generation Commander combines sporty trail features with power of a wide-track snowmobile in deep snow. It's fast. It grinds. It lasts. The new chief of snow is here.



SHREDDER RE & DS

Experience a new level of agility and precision. Conquer the steepest slopes and deepest snow with confidence. From the rear part of the tunnel to the ski tip, the new Shredder is reimagined for ultimate control.



XTERRAIN LIMITED

Xterrain Limited is an adventurous crossover snowmobile designed for long-distance trail journeys. It offers great engine performance, comfort and capability to tame any trail you encounter on your adventure.



CORE PACKAGE

Rich in features, moderately priced. Powerful and efficient Rotax engines, high-performance KYB shock absorbers, and powerful LED headlights are examples of the features designed for demanding Nordic conditions in the Core package.



10.25" TOUCHSCREEN

The 10.25" touchscreen display now includes enhanced user experience with added altitude and scale. For more navigation features, connect your phone and use the free BRP GO! App.

QUANTUM 2.0

- Flexible and adaptable shell that is specially designed for active riding in deep snow. New Radiant-technology.
- 100% waterproof & windproof, optimally breathable Sympatex material
- Cordura reinforcement fabric on high wear areas
- Two-way water repellent YKK zippers on front



























RADIANT ELECTRONICS POCKET

Highly water resistant, insulated chest pocket for protecting electronic devices from water and cold.





WARMTH WITHOUT WEIGHT



THERMAL BARRIER



WATER PROOF











DURABLE LIGHTWEIGHT

LYNX WARM-UP **JACKET**

- Warm coat to wear over.
- Use by the Lynx racing team members.
- S/M and L/XL sizes available.
- Fixed hood and spacious pockets on both sides.
- Lynx Racing spirited design







WARMTH



ROTAX® ENGINES

ROTAX 2-STROKE ENGINES

Heart-thumping power, lightweight design, proven reliability – E-TEC direct-injection engine technology delivers the most sought-after attributes in the snowmobile industry.

Our lineup of 2-stroke engines now includes the brand-new 600 EFI (Electronic Fuel Injection) engine. Reliable, affordable and easy to use, it's an entry-level engine that far exceeds what you thought an entry-level engine had to be.

With E-TEC engine lineup you also get:

- Industry-leading fuel economy²
- · Excellent oil economy
- · Virtually no smoke or smell
- · Light, linear throttle pull
- Automatic summerization process

850 E-TEC TURBO R

- 180 hp up to 2400 meters1
- World's first factory-built
 2-stroke turbo
- Water injection system for optimal intake air temperatures (trail models only)

850 E-TEC

- 165 horsepower¹
- Down to 12.3 L/100 km²

600R E-TEC

- 125 horsepower¹
- Down to 11.3 L/100 km²

600 EFI

- 85 horsepower¹
- Down to 13.3 L/100 km²

E-TEC engines are the best-selling 2-stroke engines in snowmobiling.⁴

ROTAX ACE™ 4-STROKE ENGINES

With the Advanced Combustion Efficiency (ACE) family of engines, BRP engineers optimized the combustion system, reduced mechanical friction, and freed intake and exhaust breathing. The result is the most efficient engines in snowmobiling. Not only are they efficient, they're a pleasure to operate and own. Very little maintenance is required; they run smoothly and produce a nice, solid – yet quiet – sound.

900 ACE TURBO R

- Rotax-designed turbocharger
- 180 horsepower¹
- Cable-activated throttle with reconfigured iTC

900 ACE TURBO WITH ITC

- 130 horsepower¹
- Down to 12.1 L/100 km³

900 ACE WITH ITC

- 3 cylinders
- 95 horsepower¹
- Down to 10.8 L/100 km³

600 ACE WITH ITC

- 2 cylinders
- 62 horsepower¹
- Down to 8 L/100 km the most fuelefficient in the entire industry³

ACE engines are the best-selling 4-stroke engines in snowmobiling.⁴

INTELLIGENT THROTTLE CONTROL

Standard on the ACE engines, the iTC™ system delivers a whole different snowmobiling experience.

- Driving Modes: A button on the console enables you to select one of three driving modes. Standard mode ensures a smooth start and linear acceleration; Sport enables full performance and quicker acceleration; ECO* limits top speed and acceleration rates for a more relaxed, fuel-conserving ride.
- Finger Throttle (only on 600 ACE and 900 ACE engines without Turbo): The throttle block can be rotate forward for use as a finger throttle, if preferred. Great for changing hand positions on a long ride and for more control through bumps.

⁴ Based on retail sale results as of December 31, 2019.



¹ Observed metric horsepower based on internal dyno test performed in optimal conditions

² Data based on internal engineering trail testing.

³ Data based on internal engineering trail testing in ECO mode.



RAVE RE

Trail

Built with pure racing pedigree. Unbeatable in aggressive trail riding especially on rough trails.

WHAT'S NEW

- LFS-R front suspension
- Electric Starter standard on 850 and 600R E-TEC
- 38 mm Ice Ripper XT studded track standard on 850 Turbo R and 850 E-TEC

PACKAGE HIGHLIGHTS

- Launch Control and E-TEC SHOT starter (850 E-TEC Turbo R only)
- 10.25 in. touchscreen display with BRP Connect and built-in GPS
- High-Performance 4-piston brake caliper with adjustable brake lever
- Kashima coated high-performance KYB PRO 46 HLCR shocks
- PPS³ rear suspension
- Premium LED headlights
- Rail Reinforcements

SPRING OPTIONS

• Black color (850 E-TEC® Turbo R)



| | Viper Red / | Black |
|-------|-------------|---------------|
| COLOR | Black | (spring only) |
| | | |

3040 mm

1270 mm

1140 mm

1097 mm

Cobra: 381 x 3487 x 41 mm (600R) Ice Ripper XT studded: 381 x 3487 x 38 mm (on 850 and 850 Turbo)

| ROTAX® ENGINE | 850 E-TEC® Turbo R | 850 E-TEC® | 600R E-TEC® | |
|--------------------------|------------------------------|---------------|-----------------------------------|--|
| Engine details | two-stroke, two-s | | -cooled, stroke, A.V.E.™ | |
| Cylinders / Displacement | 2 - 849 cc | | 2 - 599.4 cc | |
| Bore / Stroke (mm) | 82 x 80.4 | | 72.3 x 73 | |
| Maximum engine speed | 7,900 RPM | | 8,100 RPM | |
| Carburation | additional booster injectors | | Electronic Direct Injection | |
| Fuel type / Octane | Unleaded - 95 | | | |
| Fuel tank (L) | 37 37 | | 37 | |
| Oil capacity (L) | 3.4 | 3.4 | 3.4 | |

| SU | SPEN | SION |
|----|------|------|
| | | |
| | | |

DIMENSIONS

Available Tracks

Ski stance

Vehicle overall length* Vehicle overall width

Vehicle overall height

| Front suspension | LFS-R |
|------------------|----------------------------|
| Front shock | KYB PRO 46 HLCR Kashima |
| Rear suspension | PPS ³ |
| Center shock | KYB PRO 46 HLCR Kashima |
| Rear Shock | KYB PRO 46 HLCR Kashima |

POWERTRAIN

Drive clutch pDrive™ with clickers **Driven clutch** QRS

DRY WEIGHT

240 238 229 Dry Weight (kg)

| Starter SHOT (850 E-TEC Tu Electric and man (850 E-TEC & 600R I) Reverse RER™ | | | |
|---|-----------------------------|--------------------|-------|
| | | Riser block height | 90 mm |
| Handlebar | U-type aluminium with hooks | | |
| Seating | Sport, 1-up | | |
| Skis | Blade XC+ | | |
| Headlights | Premium LED | | |
| Platform | Radien ² | | |

| Brake system | Brembo 4-Piston with adjustable lever Standard | |
|-------------------------------|--|--|
| Heated throttle lever / grips | | |
| Gauge type | 10.25 in. touchscreen (standard on 850 E-TEC and 850 E-TEC Turbo R) 7.2 in. digital | |
| Windshield | Low | |
| Visor Plug (Front/Rear) | Front | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) | Std / Std | |

^{*} Vehicle overall length without snowflap.

RAVE RE WITH ENDURO PACKAGE

4

The ultimate machine for cross-country racing and conquering the toughest trails.

WHAT'S NEW

• LFS-R front suspension

PACKAGE HIGHLIGHTS

- High-Performance 4-piston brake caliper with adjustable brake lever
- Kashima coated high-performance KYB PRO 46 HLCR shocks
- PPS³ rear suspension
- Premium LED headlights
- 3269 mm long track
- Rail Reinforcements
- Aluminium throttle lever body





| ROTAX® ENGINE | 600R E-TEC® | | |
|--------------------------|--|--|--|
| Engine details | Liquid-cooled, two-stroke, 3-D R.A.V.E.™ | | |
| Cylinders / Displacement | 2 - 599.4 cc | | |
| Bore / Stroke (mm) | 72.3 x 73 | | |
| Maximum engine speed | 8,100 RPM | | |
| Carburation | Electronic Direct Injection | | |
| Fuel type / Octane | Unleaded - 95 | | |
| Fuel tank (L) | 37 | | |
| Oil capacity (L) | 3.4 | | |

| POWERTR | AIN |
|----------------|-----|
|----------------|-----|

| Drive clutch / Driven clutch | pDrive™ with clickers |
|------------------------------|-----------------------|
| | QRS |

DRY WEIGHT

| Dry Weight | 219 |
|------------|-----|

| COLOR | Viper Red / Black | | |
|-------|-------------------|--|--|
| | | | |

| וט | M | 42 | IO | NS |
|----|---|----|----|----|
| | | | | |

| Vehicle overall length* | 2920 mm |
|-------------------------|-----------------------------|
| Vehicle overall width | 1270 mm |
| Vehicle overall height | 1140 mm |
| Ski stance | 1097 mm |
| Available Tracks | Cobra 381 x 3269 x 41 mm |

SUSPENSION

| Front suspension | LFS-R |
|------------------|----------------------------|
| Front shock | KYB PRO 46 HLCR Kashima |
| Rear suspension | PPS ³ |
| Center shock | KYB PRO 46 HLCR Kashima |
| Rear Shock | KYB PRO 46 HLCR Kashima |

| Radien ² |
|-----------------------------|
| Premium LED |
| Blade XC+ |
| Sport, 1-up |
| U-type aluminium with hooks |
| 90 mm |
| Manual |
| RER™ |
| |

| Brake system | Brembo 4-Piston with adjustable lever |
|-------------------------------|--|
| Heated throttle lever / grips | Standard |
| Gauge type | 7.2 in. digital |
| Windshield | Low |
| Visor Plug (Front/Rear) | Front |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Std / Std |

^{*} Vehicle overall length without snowflap.

ADVENTURE CORE

A trail snowmobile that makes traveling smooth and comfortable no matter conditions.

WHAT'S NEW

- Radien² platform
- LED headlights
- 3500 mm track length

PACKAGE HIGHLIGHTS

- PPS³ rear suspension
- iTC-system
- KYB shocks





| ROTAX® ENGINE | 600 ACE™ |
|--------------------------|-------------------------------------|
| Engine details | Liquid-cooled, four-stroke D.O.H.C. |
| Cylinders / Displacement | 2 - 599.5 cc |
| Bore / Stroke (mm) | 74 x 69.7 |
| Maximum engine speed | 7,250 RPM |
| Carburation | EFI |
| Fuel type / Octane | Unleaded - 95 |
| Fuel tank (L) | 37 |
| | |

| Fuel tank (L) | 37 | |
|------------------------------|------------------|--|
| POWERTRAIN | | |
| Drive clutch / Driven clutch | eDrive II QRS | |
| DRY WEIGHT | | |
| Dry Weight | 225 | |

| COLOR | Viper Red / Black |
|-------------------------|---|
| DIMENSIONS | |
| Vehicle overall length* | 3090 mm |
| Vehicle overall width | 1280 mm |
| Vehicle overall height | 1315 mm |
| Ski stance | 1097 mm |
| Available Tracks | Ripsaw [†] 381 x 3489 x 32 mm |

| SUSPENSION | |
|------------------|------------------|
| Front suspension | LFS+ |
| Front shock | KYB 36 |
| Rear suspension | PPS ³ |
| Center shock | KYB 36 |
| Rear Shock | KYB 36 |
| | |

| Platform | Radien² |
|--------------------|-------------------------|
| Headlights | LED |
| Skis | Blade DS+ |
| Seating | Sport, 1-up |
| Handlebar | U-type steel with hooks |
| Riser block height | 120 mm |
| Starter | Electric |
| Reverse | Mechanical |
| | |

| Brake system | Brembo |
|-------------------------------|-----------------------------|
| Heated throttle lever / grips | Standard |
| Gauge type | 4.5 in. digital |
| Windshield | Medium with side deflectors |
| Visor Plug (Front/Rear) | Front |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Std / Heavy Duty |

^{*} Vehicle overall length without snowflap.

ADVENTURE LIMITED

44

An adventurous trail snowmobile that combines high-end riding comfort with a sporty edge.

WHAT'S NEW

• 3500 mm track length

PACKAGE HIGHLIGHTS

- Premium LED headlights
- Heated Seat
- Optional passenger kit (2-up heated seat)
- Premium KYB shocks
- PPS³ rear suspension
- iTC-system





| ROTAX® ENGINE | 900 ACE™ |
|--------------------------|-------------------------------------|
| Engine details | Liquid-cooled, four-stroke D.O.H.C. |
| Cylinders / Displacement | 3 - 899 cc |
| Bore / Stroke (mm) | 74 x 69.7 |
| Maximum engine speed | 7,250 RPM |
| Carburation | EFI |
| Fuel type / Octane | Unleaded - 95 |
| Fuel tank (L) | 37 |

POWERTRAIN

| Drive clutch / Driven clutch | pDrive™ with slider shoes |
|------------------------------|---------------------------|
| | QRS |
| | |

DRY WEIGHT

| COLOR | | |
|-------|--|--|

Noble Bronze / Black

DIMENSIONS

| Vehicle overall length* | 3090 mm |
|-------------------------|-------------------------------|
| Vehicle overall width | 1280 mm |
| Vehicle overall height | 1315 mm |
| Ski stance | 1097 mm |
| Available Tracks | Ripsaw† 381 x 3489 x 32 mm |

SUSPENSION

| Front suspension | LFS+ |
|------------------|---------------------|
| Front shock | KYB 36 Plus R |
| Rear suspension | PPS ³ |
| Center shock | KYB 36 Plus Kashima |
| Rear Shock | KYB 46 Plus Kashima |

| Platform | Radien² | |
|--------------------|----------------------------|--|
| Headlights | Premium LED | |
| Skis | Blade DS+ | |
| Seating | Sport, 1-up or 2-up heated | |
| Handlebar | U-type steel with hooks | |
| Riser block height | 120 mm | |
| Starter | Electric | |
| Reverse | Electromechanical | |
| | | |

| Brake system | Brembo |
|-------------------------------|---------------------------------------|
| Heated throttle lever / grips | Standard (driver and passenger) |
| Gauge type | 7.2 in. digital |
| Windshield | Medium with side deflectors |
| Visor Plug (Front/Rear) | Front (1-up) Front and rear (2-up) |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Std / Heavy Duty |

^{*} Vehicle overall length without snowflap.

ADVENTURE LX

A trail snowmobile that offers memorable winter adventures for the whole family.

WHAT'S NEW

- Radien² platform
- LED headlights

PACKAGE HIGHLIGHTS

- Learning Key
- Air Radiator with fan
- KYB shocks
- iTC-system
- Ultra-high Windshield
- Passenger seat and backrest





| ROTAX® ENGINE | 600 ACE™ |
|--------------------------|-------------------------------------|
| Engine details | Liquid-cooled, four-stroke D.O.H.C. |
| Cylinders / Displacement | 2 - 599.5 cc |
| Bore / Stroke (mm) | 74 x 69.7 |
| Maximum engine speed | 7,250 RPM |
| Carburation | EFI |
| Fuel type / Octane | Unleaded - 95 |
| Fuel tank (L) | 37 |

| POWERTRAIN | | |
|------------------------------|------------------|--|
| Drive clutch / Driven clutch | eDrive II QRS | |
| DRY WEIGHT | | |
| Dry Weight | 240 | |

| COLOR | Viper Red / Black |
|-------------------------|---|
| DIMENSIONS | |
| Vehicle overall length* | 3090 mm |
| Vehicle overall width | 1280 mm |
| Vehicle overall height | 1470 mm |
| Ski stance | 1097 mm |
| Available Tracks | Ripsaw [†] 381 x 3489 x 32 mm |

| SUSPENSION | |
|------------------|------------------|
| Front suspension | LFS+ |
| Front shock | KYB 36 |
| Rear suspension | PPS ³ |
| Center shock | KYB 36 |
| Rear Shock | KYB 36 |
| | |

| Platform | Radien² |
|--------------------|-------------------------|
| Headlights | LED |
| Skis | Blade DS+ |
| Seating | 2-up |
| Handlebar | U-type steel with hooks |
| Riser block height | 120 mm |
| Starter | Electric |
| Reverse | Mechanical |
| | |

| Air radiator with fan | Yes |
|-------------------------------|---------------------------|
| Brake system | Brembo |
| Heated throttle lever / grips | Standard |
| Gauge type | 4.5 in. digital |
| Windshield | Ultra-high |
| Visor Plug (Front/Rear) | Front |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Std / Heavy Duty |

^{*} Vehicle overall length without snowflap.

ADVENTURE ELECTRIC



A new way to experience winter without engine noise and exhaust fumes.

Family Fun Trail

PACKAGE HIGHLIGHTS

- The Adventure Electric is the first fully-electric Lynx snowmobile. It is powered by the proprietary ROTAX E-POWER electric engine.
- Originally designed for guided snowmobile safari operators and commercial use.
 Now also available to consumers.
- Offers a zero-emission snowmobiling experience.
- A studded track is available as an accessory for the 3500 mm long version, providing extra grip for usage such as ski resorts.
- The 8.9 kWh lithium-ion battery charges from 20% to 80% in about 1.5 to 3 hours, depending on the battery temperature and charge level.
- The 10.25" in. touchscreen digital display with simple easy-to-read instructions.
- Speed limitation options are available for inexperienced riders.
- Up to 50 km (3050) / 30 km (3500) range**





| ROTAX® MOTOR | E-POWER | |
|---------------|--|--|
| Battery | Integrated lithium-ion | |
| Charger type | On-board charger, level 2 | |
| Connector | J1772 type 2 | |
| Charging time | 1.5 h for 10%-80%. Less than 3 h for 0-100% | |
| Range | Up to 50 km (3050)** Up to 30 km (3500)** | |

**Estimated total range when the snowmobile is fully charged and operated under ideal driving conditions. The actual range may decrease significantly (50% or more) depending on multiple factors. The estimated range is based on a maximum speed of 25 km/h used during the test.

| COLOR | Viper Red / Bright White |
|-------|--------------------------|
| LULUK | |

| DIMENSIONS | |
|------------------------------|---|
| Vehicle overall length (mm)* | 2940 mm (3050) 3060 mm (3500) |
| Vehicle overall width (mm) | 1250 mm |
| Vehicle overall height (mm) | 1470 mm |
| Ski stance (mm) | 1097 mm |
| Available Tracks | High-Efficiency: 356 x 3048 x 19 mm (3050) Ripsaw [†] 381 x 3489 x 32 mm (3500) |

POWERTRAIN

| Transmission | Clutchless direct drive with chaincase | |
|----------------------|--|--|
| Drive sprocket pitch | 73 mm | |
| | | |
| DRY WEIGHT | | |

SUSPENSION

| Front suspension | LFS+ |
|------------------|-------------------------------------|
| Front shock | Motion Control |
| Rear suspension | Revised SC-5 (3050) SC-5M (3500) |
| Center shock | Motion Control |
| Rear Shock | KYB 36 |

| Platform | Radien² |
|-------------------------|---------------------|
| Headlights | LED |
| Skis | Pilot™ 5.7 SLT |
| Seating | 2-up |
| Handlebar | Standard with hooks |
| Riser block height (mm) | 120 mm |
| Starter | Electric |
| Reverse | Yes |
| | |

| Brake system | Brembo |
|-------------------------------|----------------------------|
| Heated throttle lever / grips | Standard |
| Gauge type | 10.25" touchscreen display |
| Windshield | Ultra-high |
| Visor Plug (front/rear) | Front |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Std / Std |

XTERRAIN CORE

Crossover snowmobile that delivers excellent ride quality and performance for winter adventures.

WHAT'S NEW

- Radien² platform
- LED headlights

PACKAGE HIGHLIGHTS

- PPS³ rear suspension
- KYB shocks
- 51 mm PowderMax† track (600 EFI) / 41 mm Cobra track (600 ACE)





| ROTAX® ENGINE | 600 EFI - 85 | 600 ACE™ |
|--------------------------|-------------------------------|---|
| Engine details | Liquid-cooled, two- stroke | Liquid-cooled, four- stroke D.O.H.C. |
| Cylinders / Displacement | 2 - 599.4 cc | 2 - 599.5 cc |
| Bore / Stroke (mm) | 72.3 x 73 | 74 x 69.7 |
| Maximum engine speed | 7,500 RPM | 7,250 RPM |
| Carburation | EFI | |
| Fuel type / Octane | Unleaded - 95 | |
| Fuel tank (L) | 37 | 37 |
| Oil capacity (L) | 3.4 | |

| POWERTRAIN | ı |
|------------|---|
|------------|---|

| Drive clutch / Driven clutch | pDrive™ QRS (EFI) | eDrive II QRS (ACE) |
|------------------------------|----------------------|------------------------|
| DRY WEIGHT | | |
| Dry Weight | 220 | 228 |

| COLOR | Race Orange / Black |
|-------|---------------------|

| DIMENSIONS | |
|-------------------------|---|
| Vehicle overall length* | 3180 mm |
| Vehicle overall width | 1270 mm |
| Vehicle overall height | 1300 mm |
| Ski stance | 1097 mm |
| Available Tracks | Cobra: 381 x 3705 x 41 mm (600 ACE) PowderMax†: 381 x 3705 x 51 mm (600 EFI) |

SUSPENSION

| Front suspension | LFS+ | |
|------------------|------------------|--|
| Front shock | KYB 36 | |
| Rear suspension | PPS ³ | |
| Center shock | KYB 36 | |
| Rear Shock | KYB 36 | |

| Platform | Radien² | |
|--------------------|---|--|
| Headlights | LED | |
| Skis | Blade XC+ | |
| Seating | Sport, 1-up | |
| Handlebar | U-type aluminium with hooks | |
| Riser block height | 120 mm | |
| Starter | Electric and manual (600 EFI) Electric (600 ACE) | |

| Reverse | RER™ (600 EFI) Electromechanical (600 ACE) | |
|-------------------------------|---|--|
| Brake system | Brembo | |
| Heated throttle lever / grips | Standard | |
| Gauge type | 4.5 in. digital | |
| Windshield | Low | |
| Visor Plug (Front/Rear) | Front | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) | Std / Heavy Duty | |

XTERRAIN LIMITED

55 AA

High-performance crossover snowmobile for adventurous weekend getaways.

WHAT'S NEW

- Radien² platform
- Premium LED headlights
- Heated Seat
- Optional passenger kit on 900 ACE Turbo (2-up heated seat)

PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect and builtin GPS (as an option)
- PPS³ rear suspension
- Premium KYB shocks
- 51 mm PowderMax† track





| ROTAX® ENGINE | 600R E-TEC® | 900 ACE™ Turbo | |
|--------------------------|--|--|--|
| Engine details | Liquid-cooled, two- stroke, 3-D R.A.V.E.™ | Liquid-cooled, four- stroke D.O.H.C., turbocharged | |
| Cylinders / Displacement | 2 - 599.4 cc | 3 - 899 cc | |
| Bore / Stroke (mm) | 72.3 x 73 | 74 x 69.7 | |
| Maximum engine speed | 8,100 RPM | 7,750 RPM | |
| Carburation | Electronic Direct Injection | EFI | |
| Fuel type / Octane | Unleaded - 95 | | |
| Fuel tank (L) | 37 | 37 | |
| Oil capacity (L) | 3.4 | | |

POWERTRAIN

| Drive clutch | pDrive™ with clickers | pDrive™ |
|---------------|-----------------------|---------|
| Driven clutch | QRS | QRS |

DRY WEIGHT

| Dry Weight (kg) | 224 | 252 (1-up) 263 (2-up) |
|-----------------|-----|--------------------------|
| Dry Weight (kg) | 224 | 263 (2-up) |

| | Noble Bronze / Black |
|-------|-----------------------|
| COLOR | NODIC BIOTIZE / Black |

| DIMENSIONS | |
|-------------------------|----------------------------------|
| Vehicle overall length* | 3180 mm |
| Vehicle overall width | 1270 mm |
| Vehicle overall height | 1320 mm |
| Ski stance | 1097 mm |
| Available Tracks | PowderMax† 381 x 3705 x 51 mm |

SUSPENSION

| Front suspension | LFS+ | |
|------------------|---------------------|--|
| Front shock | KYB 36 Plus R | |
| Rear suspension | PPS³ | |
| Center shock | KYB 36 Plus Kashima | |
| Rear Shock | KYB 46 Plus Kashima | |

| Platform | Radien² | |
|--------------------|---|--|
| Headlights | Premium LED | |
| Skis | Blade XC+ | |
| Seating | Sport, 1-up or 2-up heated | |
| Handlebar | U-type aluminium with hooks | |
| Riser block height | 120 mm | |
| Starter | Electric and manual (600R E-TEC) Electric (900 ACE Turbo) | |
| Reverse | RER™ (600R E-TEC) Electromechanical (900 ACE Turbo) | |

| Brake system | Brembo Standard (driver and passenger) 10.25 in. touchscreen 7.2 in. digital | |
|-------------------------------|--|--|
| Heated throttle lever / grips | | |
| Gauge type | | |
| Windshield | Low | |
| Visor Plug (Front/Rear) | Front (1-up) Front and rear (2-up) | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) | Explorer ² / Heavy Duty | |

^{*} Vehicle overall length without snowflap.

XTERRAIN RE

Supreme, powerful crossover sled for fast-paced, long-distance adventures.

On & Off Trail

WHAT'S NEW

- Brembo High-Performance 4-piston brake caliper with adjustable brake lever
- Heated Seat

PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect and built-in GPS
- E-TEC® SHOT™ starter standard on 850 E-TEC® Turbo R
- Premium LED headlights
- PPS³ rear suspension
- Kashima coated high-performance KYB PRO 46 HLCR shocks
- Rail Reinforcements
- 51 mm PowderMax† track

SPRING OPTIONS

- Black color (850 E-TEC® Turbo R and 900 ACE Turbo R)
- 41 mm Ice Cobra studded track (900 ACE Turbo R)



| 900 ACE™ Turbo R | 850 E-TEC® Turbo R | 850 E-TEC® |
|--|---|--|
| Liquid-cooled, four-stroke D.O.H.C., turbocharged | Liquid-cooled, two-stroke, turbocharged, water injection system, 3-D R.A.V.E.™ | Liquid-cooled, two-stroke, 3-D R.A.V.E.™ |
| 3 - 899 cc | 2 - 849 cc | |
| 74 x 69.7 | 82 x 80.4 | |
| 7,900 RPM | | |
| EFI | Electronic Direct Injection with additional booster injectors | |
| | Unleaded - 95 | |
| 37 | 37 | 37 |
| | 3.4 | 3.4 |
| | Turbo R Liquid-cooled, four-stroke D.O.H.C., turbocharged 3 - 899 cc 74 x 69.7 | Turbo R Liquid-cooled, four-stroke D.O.H.C., turbocharged water injection system, 3-D R.A.V.E.™ 3 - 899 cc 2 - 80 74 x 69.7 82 x 7,900 RPM EFI Electronic Direct additional book Unleaded - 95 37 37 |

| POWERTRAIN | |
|------------|--|
| | |
| | |

| QRS | pDrive™ with clickers QRS |
|-----|------------------------------|
| | |
| | pDrive™ QRS |

260

253

243

| | Viper Red / | Black |
|-------|-------------|---------------|
| COLOR | Black | (spring only) |
| | | |

| DIMENSIONS | |
|-------------------------|--|
| Vehicle overall length* | 3180 mm |
| Vehicle overall width | 1270 mm |
| Vehicle overall height | 1300 mm |
| Ski stance | 1097 mm |
| Available Tracks | PowderMax†: 381 x 3705 x 51 mm Ice Cobra studded: 381 x 3705 x 41 mm (spring only on 900 ACE Turbo R) |

SUSPENSION

| Front suspension | LFS+ | |
|------------------|----------------------------|--|
| Front shock | KYB PRO 46 HLCF Kashima | |
| Rear suspension | PPS ³ | |
| Center shock | KYB PRO 46 HLCR Kashima | |
| Rear Shock | KYB PRO 46 HLCR Kashima | |

FEATURES

Dry Weight (kg)

| Platform | Radien² | |
|--|-----------------------------|--|
| Headlights | Premium LED | |
| Skis | Blade XC+ | |
| Seating | Sport, 1-up heated | |
| Handlebar | U-type aluminium with hooks | |
| Riser block height | 120 mm | |
| sarter SHOT (850 E-TEC Turbo Electric (900 ACE Turbo Electric and manual (850 E- | | |

| Reverse | Electromechanical (900 ACE Turbo R) RER™ (850 & 850 E-TEC Turbo R) | |
|-------------------------------|---|--|
| Brake system | Brembo 4-Piston with adjustable lever | |
| Heated throttle lever / grips | Standard | |
| Gauge type | 10.25 in. touchscreen | |
| Windshield | Low | |
| Visor Plug (Front/Rear) | Front | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) | Explorer ² / Heavy Duty | |

BRUTAL RE

Deep Snow Steep and Deep

On & Off Trail

Brutally powerful and capable crossover sled for bold adventurers both on and off the trail.

WHAT'S NEW

- Radien² platform also in 500 mm
- 10.25 in. touchscreen display with BRP Connect and built-in GPS
- Premium LED headlights
- Brembo 4-piston brake caliper with adjustable brake lever
- Flippable snowguard (500 mm)

PACKAGE HIGHLIGHTS

- Premium LED headlights
- 64 mm (400 mm) / 60 mm (500 mm) PowderMax[†] track
- Air Radiator with fan
- Kashima-coated high-performance KYB shock package
- Rail Reinforcements









| • | Black | color | (900 | ACE | Turbo | R) |
|---|-------|-------|------|-----|-------|----|
|---|-------|-------|------|-----|-------|----|

| ROTAX® ENGINE | 900 ACE™ Turbo R | 850 E-TEC* | |
|--------------------------|--|--|--|
| Engine details | Liquid-cooled, four- stroke D.O.H.C., turbocharged | Liquid-cooled, two-stroke, 3-D R.A.V.E.™ | |
| Cylinders / Displacement | 3 - 899 cc | 2 - 849 cc | |
| Bore / Stroke (mm) | 74 x 69.7 | 82 x 80.4 | |
| Maximum engine speed | 7,900 RPM | | |
| Carburation | EFI Electronic Di Injection wi additional boo injectors | | |
| Fuel type / Octane | Unleaded - 95 | | |
| Fuel tank (L) | 37 (400 mm) 42 (500 mm) | | |
| Oil capacity (L) | 3.4 | | |

|--|

| Drive clutch | pDrive™ | pDrive™ with clickers |
|---------------|---------|-----------------------|
| Driven clutch | QRS | QRS |
| | | |

DRY WEIGHT

| Dry Weight (kg) | 265 (400 mm) 283 (500 mm) | 253 (400 mm) 259 (500 mm) |
|-----------------|------------------------------|------------------------------|
|-----------------|------------------------------|------------------------------|

| COLOR | Viper Red / Black | Black (spring only) |
|-------|----------------------|------------------------|
| | | |

DIMENSIONS

| Vehicle overall length* | 3250 mm (400 mm) 3300 mm (500 mm) |
|-------------------------|---|
| Vehicle overall width | 1200 mm |
| Vehicle overall height | 1245 mm (400 mm) 1235 mm (500 mm) |
| Ski stance | 996 mm |
| Available Tracks | PowderMax† 381 x 3923 x 64 mm (400 mm) PowderMax† 500 x 3923 x 60 mm (500 mm) |

SUSPENSION

| Front suspension | LFS+ |
|------------------|--|
| Front shock | KYB PRO 36 EA-3 R Kashima |
| Rear suspension | PPS ² -DS+ (400 mm) EasyRide+ (500 mm) |
| Center shock | KYB 46 Plus Kashima |
| Rear Shock | KYB PRO 46 EA-3 R Kashima |

| Platform | Radien² |
|--------------------|---|
| Headlights | Premium LED |
| Skis | Blade DS+ |
| Seating | Brutal, 1-up |
| Handlebar | U-type aluminium with hooks, low grab handle |
| Riser block height | 120 mm |
| Starter | Electric (900 ACE Turbo R) Electric and manual (850 E-TEC) |
| Reverse | Electromechanical (900 ACE Turbo R) RER™ (850 E-TEC) |

| Air radiator with fan | Yes |
|-------------------------------|--|
| Brake system | Brembo 4-Piston with adjustable lever |
| Heated throttle lever / grips | Standard |
| Gauge type | 10.25 in. touchscreen |
| Windshield | Low |
| Visor Plug (Front/Rear) | Front |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Explorer ² / Heavy Duty (400mm) Explorer ² / Std (500 mm) |

^{*} Vehicle overall length without snowflap.

COMMANDER CORE

An all-purpose crossover snowmobile balancing work and recreational performance.

WHAT'S NEW

- Radien² platform
- LED headlights
- Flippable snowguard

PACKAGE HIGHLIGHTS

- EasyRide+ rear suspension
- KYB shocks
- Air Radiator with fan
- 2F/N/R gearbox with push-button reverse
- Modular seat
- iTC-system (900 ACE & 900 ACE Turbo)



| ROTAX® ENGINE | 600R E-TEC® | 900 ACE™ | 900 ACE™ Turbo |
|--------------------------|--|---|--|
| Engine details | Liquid-cooled, two-stroke, 3-D R.A.V.E.™ | Liquid-cooled, four-stroke D.O.H.C. | Liquid-cooled, four-stroke D.O.H.C., turbocharged |
| Cylinders / Displacement | 2 - 599.4 cc | 3 - 8 | 99 cc |
| Bore / Stroke (mm) | 72.3 x 73 | 74 x | 69.7 |
| Maximum engine speed | 8,100 RPM | 7,250 | RPM |
| Carburation | Electronic Direct Injection | EFI | |
| Fuel type / Octane | | Unleaded - 95 | |
| Fuel tank (L) | 42 | 42 | 42 |
| Oil capacity (L) | 3.4 | | |

| POWERTRAIN | | | |
|------------------------------|---|--|--------------------------------------|
| Gearbox | 2F/N/R gear | box with push-bu | tton reverse |
| Drive clutch / Driven clutch | pDrive [™] with clickers QRS (600R E-TEC) | pDrive™ with slider shoes QRS (900 ACE) | pDrive™ QRS (900 ACE Turbo) |

| DRY WEIGHT | | | |
|------------|-----|-----|-----|
| Dry Weight | 265 | 277 | 289 |

| COLOR | Scandie Blue / Black |
|-------|----------------------|

| DIMENSIONS | |
|-------------------------|----------------------------------|
| Vehicle overall length* | 3245 mm |
| Vehicle overall width | 1200 mm |
| Vehicle overall height | 1480 mm |
| Ski stance | 996 mm |
| Available Tracks | PowderMax† 500 x 3923 x 44 mm |

| SUSPENSION | |
|------------------|--|
| Front suspension | LFS+ with curved lower A-Arms |
| Front shock | KYB 36 |
| Rear suspension | Articulated EasyRide+ with adjustment |
| Center shock | KYB 36 |
| Rear Shock | KYB 36 |

| Platform | Radien² |
|--------------------|--|
| Fiationiii | Radiell |
| Headlights | LED |
| Skis | Blade DS+ |
| Seating | Modular, 1-up |
| Handlebar | U-type steel with hooks, low grab handle |
| Riser block height | 145 mm |
| Starter | Electric and manual (600R E-TEC) Electric (900 ACE & 900 ACE Turbo) |

| Reverse | RER™ (600R E-TEC) Electromechanical (900 ACE™ & 900 ACE Turbo) |
|-------------------------------|--|
| Air radiator with fan | Yes |
| Brake system | Brembo |
| Heated throttle lever / grips | Standard |
| Gauge type | 4.5 in. digital |
| Windshield | Ultra high with side deflectors |
| Visor Plug (Front/Rear) | Front |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Heavy Duty / Rear Rack |
| Hitch | Standard |

^{*} Vehicle overall length without snowflap.

COMMANDER LIMITED

WHAT'S NEW

- Radien² platform
- Premium LED headlights
- Flippable snowguard
- 10.25 in. touchscreen display with BRP Connect and built-in GPS (as option on 900 ACE Turbo)

PACKAGE HIGHLIGHTS

- EasyRide+ rear suspension
- Premium KYB shocks
- Air Radiator with fan
- 2F/N/R gearbox with push-button reverse
- Modular seat with heating
- Optional passenger kit (1+1 seat with heating, 1097 mm ski stance)
- iTC-system



• 38 mm Ice Crosscut studded track



| ROTAX® ENGINE | 900 ACE™ | 900 ACE™ Turbo |
|--------------------------|---|--|
| Engine details | Liquid-cooled, four- stroke D.O.H.C. | Liquid-cooled, four- stroke D.O.H.C., turbocharged |
| Cylinders / Displacement | 3 - 899 cc | |
| Bore / Stroke (mm) | 74 x 69.7 | |
| Maximum engine speed | 7,250 | RPM |
| Carburation | E | FI |
| Fuel type / Octane | Unleaded - 95 | |
| Fuel tank (L) | 42 | 42 |

| PO | NER | TRA | IN |
|----|------------|-----|----|
|----|------------|-----|----|

| Gearbox | 2F/N/R gearbox with push-button reverse | |
|------------------------------|---|-----------------------------------|
| Drive clutch / Driven clutch | pDrive™ with slider shoes QRS (900 ACE) | pDrive™ QRS (900 ACE Turbo) |

DRY WEIGHT

| D W1b.t | 287 kg (1 up) | 299 kg (1 up) |
|------------|---------------|---------------|
| Dry Weight | 297 kg (2 up) | 309 kg (2 up) |

| COLOR | | Noble Bronze / Black |
|-------|--|----------------------|

DIMENSIONS

| Vehicle overall length* | 3245 mm |
|-------------------------|---|
| Vehicle overall width | 1200 mm (1-up) 1280 mm (2-up) |
| Vehicle overall height | 1480 mm |
| Ski stance | 996 mm (1-up) 1097 mm (2-up) |
| Available Tracks | PowderMax†: 500 x 3923 x 44 mm Ice Crosscut studded: 500 x 3923 x 38 mm (spring only) |

SUSPENSION

| Front suspension | LFS+ with curved lower A-Arms (1-up) LFS+ (2-up) |
|------------------|--|
| Front shock | KYB 36 Plus (1-up) |
| | KYB 36 Plus R (2-up) |
| Rear suspension | Articulated EasyRide+ with adjustment |
| Center shock | KYB 46 Plus Kashima |
| Rear Shock | KYB 46 Plus Kashima |

| Platform | Radien² |
|-----------------------|---|
| Headlights | Premium LED |
| Skis | Blade DS+ |
| Seating | Modular, 1-up or 2-up heated |
| Handlebar | U-type steel with hooks, low grab handle |
| Riser block height | 145 mm |
| Starter | Electric |
| Reverse | Electromechanical |
| Air radiator with fan | Yes |

| * Vehicle overall le | ength w | vithout | snowflap. |
|----------------------|---------|---------|-----------|
|----------------------|---------|---------|-----------|

| Brake system | Brembo |
|-------------------------------|--|
| Heated throttle lever / grips | Standard (driver and passenger) |
| Gauge type | 10.25 in. touchscreen display (option only on 900 ACE Turbo) 7.2 in. digital display |
| Windshield | Ultra high with side deflectors |
| Visor Plug (Front/Rear) | Front (1-up) Front and rear (2-up) |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Heavy Duty / Rear Rack |
| Hitch | Standard |
| | |

COMMANDER RE

Super powerful and multi-capable crossover snowmobile for experienced riders. The re-born chief of snowfields.

WHAT'S NEW

- Radien² platform
- Premium LED headlights
- 10.25 in. touchscreen display with BRP Connect and built-in GPS
- Brembo High-Performance 4-piston brake
 Aliman with a disease land a la
- caliper with adjustable brake lever

Flippable snowguard

PACKAGE HIGHLIGHTS

- EasyRide+ rear suspension
- Kashima-coated high-performance KYB shock package
- Air Radiator with fan
- 2F/N/R gearbox with push-button reverse
- Modular seat with heating
- iTC-system
- Rail Reinforcements





| ROTAX® ENGINE | 900 ACE™ Turbo R |
|--------------------------|--|
| Engine details | Liquid-cooled, four-stroke D.O.H.C., turbocharged |
| Cylinders / Displacement | 3 - 899 cc |
| Bore / Stroke (mm) | 74 x 69.7 |
| Maximum engine speed | 7,900 RPM |
| Carburation | EFI |
| Fuel type / Octane | Unleaded - 95 |
| Fuel tank (L) | 42 |

| POWERTRAIN | |
|--|---|
| Gearbox | 2F/N/R gearbox with push-button reverse |
| Drive clutch / Driven clutch DRY WEIGHT | pDrive™ QRS |
| DRY WEIGHT | |
| Dry Weight | 295 |

| COLOR | Clacier Cyan / Black | |
|-------------------------|--|--|
| DIMENSIONS | | |
| Vehicle overall length* | 3245 mm | |
| Vehicle overall width | 1200 mm | |
| Vehicle overall height | 1280 mm | |
| Ski stance | 996 mm | |
| Available Tracks | PowderMax [†] 500 x 3923 x 44 mm | |

| SUSPENSION | |
|------------------|----------------------------------|
| Front suspension | LFS+ with curved lower A-Arms |
| Front shock | KYB PRO 36 EA-3 R Kashima |
| Rear suspension | EasyRide+ with adjustment |
| Center shock | KYB 46 Plus Kashima |
| Rear Shock | KYB PRO 46 EA-3 R Kashima |

| Platform | Radien² Premium LED | |
|-----------------------|---|--|
| Headlights | | |
| Skis | Blade DS+ | |
| Seating | Modular, 1-up heated | |
| Handlebar | U-type steel with hooks, low grab handle | |
| Riser block height | 145 mm | |
| Starter | Electric | |
| Reverse | Electromechanical | |
| Air radiator with fan | Yes | |

| Brake system | Brembo 4-Piston with adjustable lever | |
|-------------------------------|--|--|
| Heated throttle lever / grips | Standard | |
| Gauge type | 10.25 in. touchscreen display | |
| Windshield | Low | |
| Visor Plug (Front/Rear) | Front | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) | Heavy Duty / Rear Rack | |
| Hitch | Standard | |

SHREDDER CORE

Steep and Deep

A full-bred deep snow snowmobile with effortless handling and great performance in powder.

WHAT'S NEW

• Electric Starter as standard

PACKAGE HIGHLIGHTS

- LED headlights
- Short tunnel with lightweight snowflap
- Ice scratchers
- KYB shocks
- Electric starter with backup rewind starter





| ROTAX® ENGINE | 600R E-TEC® | |
|--------------------------|--|--|
| Engine details | Liquid-cooled, two-stroke, 3-D R.A.V.E.™ | |
| Cylinders / Displacement | 2 - 599.4 cc | |
| Bore / Stroke (mm) | 72.3 x 73 | |
| Maximum engine speed | 8,100 RPM | |
| Carburation | Electronic Direct Injection | |
| Fuel type / Octane | Unleaded - 95 | |
| Fuel tank (L) | 37 | |
| Oil capacity (L) | 3.4 | |

| Oil capacity (L) | 3.4 | |
|-------------------------------|------------------------------|--|
| POWERTRAIN | | |
| Drive clutch Driven clutch | pDrive™ with clickers QRS | |
| DRY WEIGHT | | |
| Dry Weight (kg) | 211 213 | |

| Viper Red / Black | |
|---|--|
| | |
| 3060 mm (3700) 3200 mm (3900) | |
| 1120 mm | |
| 1280 mm | |
| 921 mm | |
| PowderMax†: 381 x 3705 x 64 mm 381 x 3912 x 64 mm | |
| | |

| SUSPENSION | | |
|------------------|-----------------------|--|
| Front suspension | LFS | |
| Front shock | KYB 36 | |
| Rear suspension | PPS ² -DS+ | |
| Center shock | KYB 36 | |
| Rear Shock | KYB 36 | |
| | | |

| Radien² LED Blade DS+ | | | |
|-----------------------------|--|---|--|
| | | Deep snow compact | |
| | | U-type aluminium with hooks, low grab handle | |
| 120 mm | | | |
| Electric | | | |
| | | | |

| Reverse | RER™ | |
|-------------------------------|---------------------------|--|
| Air radiator with fan | | |
| Brake system | Brembo | |
| Heated throttle lever / grips | Standard | |
| Gauge type | 4.5 in. digital | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) Std / - | | |

^{*} Vehicle overall length without snowflap.

SHREDDER RE

Steep and Deep Deep Snow

A special tool for those deep snow shredders who are thirsty for big jumps and smooth landings.

WHAT'S NEW

- Shorter and tapered tunnel
- PPS³-DS rear suspension
- LFS-DS front suspension with twin-link steering system
- Higher and more open running board design
- Blade DSS skis
- Ultra compact and lightweight deep snow seat
- Short 90 mm riser block

PACKAGE HIGHLIGHTS

- Premium LED headlights
- E-TEC® SHOT™ starter standard
- 10.25 in. touchscreen display with BRP Connect and built-in GPS as an option
- Kashima-coated high-performance KYB shock package
- Adjustable brake lever
- Rail Reinforcements
- Ice scratchers

SPRING OPTIONS

- Black color (850 E-TEC® Turbo R)
- Electric Starter (3700 850 engine only)



| 850 E-TEC® Turbo R | 850 E-TEC® | 600R E-TEC® |
|---|--|---|
| Liquid-cooled, two-stroke, turbocharged, 3-D R.A.V.E.™ | | troke, |
| 2 - 849 cc | | 2 - 599.4 cc |
| 82 x 80.4 | | 72.3 x 73 |
| 7,900 RPM | | 8,100 RPM |
| Electronic Direct Injection with additional booster injectors | | Electronic Direct Injection |
| Unleaded - 95 | | |
| 37 | 37 | 37 |
| 3.4 | 3.4 | 3.4 |
| | Turbo R Liquid-cooled, two-stroke, turbocharged, 3-D R.A.V.E.™ 2 - 8. 82 x 7,900 Electronic Direct additional books 37 | Turbo R E-TEC* Liquid-cooled, two-stroke, turbocharged, 3-D R.A.V.E.™ 2 - 849 cc 82 x 80.4 7,900 RPM Electronic Direct Injection with additional booster injectors Unleaded - 95 37 37 |

| POWERTRAIN | | | |
|-------------------------------|-----|------------------------------|-----|
| Drive clutch Driven clutch | р | pDrive™ with clickers QRS | |
| DRY WEIGHT | | | |
| Dry Weight (kg) | 220 | 210 | 197 |
| | | | |

| COLOR | Viper Red / Black Black (spring only) | |
|-----------------------------|---|--|
| DIMENSIONS | | |
| Vehicle overall length* | 3080 mm (3700) 3200 mm (3900) | |
| Vehicle overall width | 1096 mm | |
| Vehicle overall height | 1240 mm | |
| Ski stance | 921 mm | |
| Available Tracks SUSPENSION | PowderMax†: 381 x 3705 x 64 mm PowderMax† X-Light 381 x 3912 x 76 mm | |
| Front suspension | LFS-DS | |
| Front shock | KYB PRO 40 EA-3 Kashima | |
| Rear suspension | PPS³-DS | |
| Center shock | KYB 46 Plus Kashima | |
| Rear Shock | KYB PRO 46 EA-3 R Kashima | |

| Platform | Radien² | |
|--------------------|---|--|
| Headlights | Premium LED | |
| Skis | Blade DSS | |
| Seating | Deep snow ultra compact | |
| Handlebar | U-type aluminium with hooks, low grab handle | |
| Riser block height | 90 mm | |
| Starter | SHOT Electric (spring only on 3700 850 E-TEC) | |

| Reverse | RER™ Brembo with adjustable lever | |
|-------------------------------|---|--|
| Brake system | | |
| Heated throttle lever / grips | Standard | |
| Gauge type | 10.25 in. touchscreen (standard on 850 E-TEC Turbo R) 4.5 in. digital | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) | Std / Std | |
| | | |

^{*} Vehicle overall length without snowflap.

SHREDDER DS

A

Steep and Deep Deep Snow

Machine for the steepest terrain and deepest snow with improved deep snow performance, agility and predictability.

WHAT'S NEW

- Shorter and tapered tunnel
- PPS³-DS rear suspension
- LFS-DS front suspension with twin-link steering system
- Higher and more open running board design
- Blade DSS skis
- Ultra compact and lightweight deep snow seat

PACKAGE HIGHLIGHTS

- Premium LED headlights
- E-TEC® SHOT™ starter standard
- 10.25 in. touchscreen display with BRP Connect and built-in GPS as an option
- Kashima-coated KYB shock package
- · Adjustable brake lever
- Light-weight rails
- Ice scratchers

SPRING OPTIONS

- Black color (850 E-TEC® Turbo R)
- 4100 mm track length (850 E-TEC* Turbo R)



| ROTAX® ENGINE | 850 E-TEC® Turbo R | 850 E-TEC* |
|--------------------------|---|--|
| Engine details | Liquid-cooled, two-stroke, turbocharged, 3-D R.A.V.E.™ | Liquid-cooled, two-stroke, 3-D R.A.V.E.™ |
| Cylinders / Displacement | 2 - 849 cc | |
| Bore / Stroke (mm) | 82 x 80.4 | |
| Maximum engine speed | 7,900 RPM | |
| Carburation | Electronic Direct Injection with additional booster injectors | |
| Fuel type / Octane | Unleaded - 95 | |
| Fuel tank (L) | 37 | 37 |
| Oil capacity (L) | 3.4 | 3.4 |

|--|

| Drive clutch | pDrive™ with clickers |
|---------------|-----------------------|
| Driven clutch | QRS |

DRY WEIGHT

| Dry Weight (kg) | 211 (3900) 216 (4100) | 202 |
|-----------------|--------------------------|-----|
| | 210 (1100) | |

| | Hot Chili Metallic | Black |
|-------|--------------------|---------------|
| COLOR | / Black | (spring only) |
| | | |

| DIMENSIONS | |
|-------------------------|---|
| Vehicle overall length* | 3200 mm (3900) 3335 mm (4100) |
| Vehicle overall width | 1031 mm |
| Vehicle overall height | 1240 mm |
| Ski stance | 863 mm |
| Available Tracks | PowderMax† X-Light: 381 x 3912 x 76 mm 381 x 4178 x 76 mm (spring only) |

SUSPENSION

| Front suspension | LFS-DS | |
|------------------|---------------------|--|
| Front shock | KYB 36 Plus Kashima | |
| Rear suspension | PPS³-DS | |
| Center shock | KYB 36 Plus Kashima | |
| Rear Shock | KYB 36 Plus Kashima | |
| | | |

| Platform | Radien² | |
|--------------------|---|--|
| Headlights | Premium LED | |
| Skis | Blade DSS | |
| Seating | Deep snow ultra compact | |
| Handlebar | U-type aluminium with hooks, low grab handle | |
| Riser block height | 90 mm | |
| Starter | SHOT | |
| | | |

| Reverse | RER™ | |
|-------------------------------|---|--|
| Brake system | Brembo with adjustable lever | |
| Heated throttle lever / grips | Standard | |
| Gauge type | 10.25 in. touchscreen (standard on 850 E-TEC Turbo R) 4.5 in. digital | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) | Std / Std | |

^{*} Vehicle overall length without snowflap.

49 RANGER CORE

A light-utility snowmobile with the best combination of versatility and affordability.

WHAT'S NEW

- Radien² platform
- LED headlights

PACKAGE HIGHLIGHTS

- PPS² DS+ rear suspension
- Air Radiator with fan
- iTC-system (600 ACE)
- KYB shocks





| ROTAX® ENGINE | 600 EFI - 85 | 600 ACE™ |
|--------------------------|-------------------------------|---|
| Engine details | Liquid-cooled, two- stroke | Liquid-cooled, four- stroke D.O.H.C. |
| Cylinders / Displacement | 2 - 599.4 cc | 2 - 599.5 cc |
| Bore / Stroke (mm) | 72.3 x 73 | 74 x 69.7 |
| Maximum engine speed | 7,500 RPM | 7,250 RPM |
| Carburation | EFI | |
| Fuel type / Octane | Unleaded - 95 | |
| Fuel tank (L) | 37 | 37 |
| Oil capacity (L) | 3.4 | |

POWERTRAIN

| Drive clutch / Driven clutch | pDrive™ | eDrive II |
|------------------------------|-----------|-----------|
| | QRS (EFI) | QRS (ACE) |
| | | |

DRY WEIGHT

| Dry Weight | 228 | 237 |
|------------|-----|-----|
|------------|-----|-----|

| COLOR | White / Black |
|-------|---------------|
| | |

| DIMENSIONS | |
|-------------------------|-------------------------------|
| Vehicle overall length* | 3280 mm |
| Vehicle overall width | 1200 mm |
| Vehicle overall height | 1310 mm |
| Ski stance | 996 mm |
| Available Tracks | Charger 406 x 3923 x 38 mm |

SUSPENSION

| Front suspension | LFS+ |
|------------------|-----------------------|
| Front shock | KYB 36 |
| Rear suspension | PPS ² -DS+ |
| Center shock | KYB 36 |
| Rear Shock | KYB 36 |
| | |

| Platform | Radien² | |
|--------------------|---|--|
| Headlights | LED | |
| Skis | Blade DS+ | |
| Seating | Sport, 1-up | |
| Handlebar | U-type steel with hooks | |
| Riser block height | 145 mm | |
| Starter | Electric and manual (600 EFI) Electric (600 ACE) | |
| | | |

| Reverse | RER™ (600 EFI) Mechanical (600 ACE™) | |
|-------------------------------|---|--|
| Brake system | Brembo | |
| Heated throttle lever / grips | Standard | |
| Gauge type | 4.5 in. digital | |
| Windshield | Medium with side deflectors | |
| Visor Plug (Front/Rear) | Front | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) | Std / Heavy Duty | |

49 RANGER PRO

Unmatched agility, power and performance in the class of light-utility snowmobiles.

PACKAGE HIGHLIGHTS

- Premium LED headlights
 PPS² DS+ rear suspension
- Air Radiator with fan
- Heated Seat
- Explorer² front bumper
- Arched A-arms
- Hitch





| ROTAX® ENGINE | 850 E-TEC® | 600R E-TEC® |
|--------------------------|--|--------------------------------|
| Engine details | Liquid-cooled, two-stroke, 3-D R.A.V.E.™ | |
| Cylinders / Displacement | 2 - 849 cc 2 - 599.4 cc | |
| Bore / Stroke (mm) | 82 x 80.4 | 72.3 x 73 |
| Maximum engine speed | 7,900 RPM | 8,100 RPM |
| Carburation | Electronic Direct Injection with additional booster injectors | Electronic Direct Injection |
| Fuel type / Octane | Unleaded - 95 | |
| Fuel tank (L) | 37 | 37 |
| Oil capacity (L) | 3.4 | 3.4 |

POWERTRAIN

| Drive clutch / Driven clutch | pDrive™ with clickers |
|------------------------------|-----------------------|
| | QRS |

DRY WEIGHT

| Dry Weight | 249 | 240 |
|------------|-----|-----|
| Dry Weight | 249 | 240 |

Orange / Full Moon Silver / Black **COLOR**

DIMENSIONS

| Vehicle overall length* | 3385 mm |
|-------------------------|----------------------------------|
| Vehicle overall width | 1120 mm |
| Vehicle overall height | 1320 mm |
| Ski stance | 921 mm |
| Available Tracks | PowderMax† 406 x 3923 x 64 mm |

SUSPENSION

| Front suspension | LFS+ with curved lower A-Arms | |
|------------------|-------------------------------|--|
| Front shock | KYB 36 | |
| Rear suspension | PPS²-DS+ | |
| Center shock | KYB 36 | |
| Rear Shock | KYB 36 | |

| Platform | Radien² | |
|--------------------|---|--|
| Headlights | Premium LED | |
| Skis | Blade DS+ | |
| Seating | Sport, 1-up heated | |
| Handlebar | U-type steel with hooks, low grab handle | |
| Riser block height | 145 mm | |
| Starter | Electric and manual | |
| Reverse | RER™ | |
| | | |

| Air radiator with fan | Yes |
|-------------------------------|------------------------------------|
| Brake system | Brembo |
| Heated throttle lever / grips | Standard |
| Gauge type | 7.2 in. digital display |
| Windshield | Medium with side deflectors |
| Visor Plug (Front/Rear) | Front |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Explorer ² / Heavy Duty |
| Hitch | Standard |
| | |

59 RANGER CORE

A versatile wide-track snowmobile for winter chores and leisure.

PACKAGE HIGHLIGHTS

- EasyRide+ rear suspension
- Air Radiator with fan
- iTC-system (600 ACE)
- KYB shocks





| ROTAX® ENGINE | 600 EFI - 85 | 600 ACE™ |
|--------------------------|-------------------------------|---|
| Engine details | Liquid-cooled, two- stroke | Liquid-cooled, four- stroke D.O.H.C. |
| Cylinders / Displacement | 2 - 599.4 cc | 2 - 599.5 cc |
| Bore / Stroke (mm) | 72.3 x 73 | 74 x 69.7 |
| Maximum engine speed | 7,500 RPM | 7,250 RPM |
| Carburation | EFI | |
| Fuel type / Octane | Unleaded - 95 | |
| Fuel tank (L) | 42 | 42 |
| Oil capacity (L) | 3.4 | |

POWERTRAIN

| Drive clutch / Driven clutch | pDrive™ | eDrive II |
|------------------------------|-----------|-----------|
| | QRS (EFI) | QRS (ACE) |
| | | |

DRY WEIGHT

| Dry Weight | 241 | 247 |
|------------|-----|-----|
|------------|-----|-----|

| COLOR | White / Black |
|-------|---------------|
|-------|---------------|

| DIMENSIONS | |
|-------------------------|-----------------------------|
| Vehicle overall length* | 3240 mm |
| Vehicle overall width | 1200 mm |
| Vehicle overall height | 1500 mm |
| Ski stance | 996 mm |
| Available Tracks | Cobra 500 x 3923 x 38 mm |

SUSPENSION

| Front suspension | LFS+ |
|------------------|-----------|
| Front shock | KYB 36 |
| Rear suspension | EasyRide+ |
| Center shock | KYB 36 |
| Rear Shock | KYB 36 |

| Platform | Radien-X |
|--------------------|---|
| Headlights | Halogen |
| Skis | Blade DS+ |
| Seating | Modular, 1-up |
| Handlebar | U-type steel with hooks |
| Riser block height | 145 mm |
| Starter | Electric and manual (600 EFI) Electric (600 ACE) |
| Reverse | RER™ (600 EFI) Mechanical (600 ACE™) |
| | |

| Yes Brembo | |
|---------------------------------|--|
| | |
| 4.5 in. digital | |
| Extra high with side deflectors | |
| Front | |
| Yes, in front compartment | |
| Std / Std | |
| | |

59 RANGER PRO

A utility snowmobile with versatility, performance, and value for diverse work tasks.

PACKAGE HIGHLIGHTS

- EasyRide+ rear suspension
- Air Radiator with fan
- 2F/N/R gearbox with push-button reverse
- Modular seat with heating
- iTC-system
- Cargo rack and hitch
- HD front bumper
- Arched A-arms



COLOR



| ROTAX® ENGINE | 600 ACE™ |
|--------------------------|-------------------------------------|
| Engine details | Liquid-cooled, four-stroke D.O.H.C. |
| Cylinders / Displacement | 2 - 599.5 cc |
| Bore / Stroke (mm) | 74 x 69.7 |
| Maximum engine speed | 7,250 RPM |
| Carburation | EFI |
| Fuel type / Octane | Unleaded - 95 |
| Fuel tank (L) | 42 |

POWERTRAIN Gearbox 2F/N/R gearbox with push-button reverse Drive clutch / Driven clutch eDrive II QRS DRY WEIGHT

263

| DIMENSIONS | |
|-------------------------|----------------------------------|
| Vehicle overall length* | 3240 mm |
| Vehicle overall width | 1200 mm |
| Vehicle overall height | 1500 mm |
| Ski stance | 996 mm |
| Available Tracks | PowderMax† 500 x 3923 x 44 mm |

| SUSPENSION | |
|------------------|---------------------------------------|
| Front suspension | LFS+ with curved lower A-Arms |
| Front shock | KYB 36 |
| Rear suspension | Articulated EasyRide+ with adjustment |
| Center shock | KYB 36 |
| Rear Shock | KYB 36 |

FEATURES

Dry Weight

| Platform | Radien-X |
|--------------------|---|
| Headlights | Halogen |
| Skis | Blade DS+ |
| Seating | Modular, 1-up heated |
| Handlebar | U-type steel with hooks, low grab handle |
| Riser block height | 145 mm |
| Starter | Electric |
| Reverse | Electromechanical |
| | |

| Air radiator with fan | Yes |
|-------------------------------|---------------------------------|
| Brake system | Brembo |
| Heated throttle lever / grips | Standard |
| Gauge type | 7.2 in. digital display |
| Windshield | Extra high with side deflectors |
| Visor Plug (Front/Rear) | Front |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Heavy Duty / Rear Rack |
| Hitch | Standard |

^{*} Vehicle overall length without snowflap.

59 RANGER ALPINE

A rugged utility snowmobile built for tough tasks with accessories for ski resort use.

PACKAGE HIGHLIGHTS

- EasyRide+ rear suspension
- Air Radiator with fan
- 2F/N/R gearbox with push-button reverse
- Modular seat with heating
- Mirrors
- iTC-system
- Readiness for Alpine accessories





| ROTAX® ENGINE | 900 ACE™ |
|--------------------------|-------------------------------------|
| Engine details | Liquid-cooled, four-stroke D.O.H.C. |
| Cylinders / Displacement | 3 - 899 cc |
| Bore / Stroke (mm) | 74 x 69.7 |
| Maximum engine speed | 7,250 RPM |
| Carburation | EFI |
| Fuel type / Octane | Unleaded - 95 |
| Fuel tank (L) | 42 |

POWERTRAIN

| Gearbox | 2F/N/R gearbox with push-button reverse |
|------------------------------|---|
| Drive clutch / Driven clutch | pDrive™ with slider shoes QRS |
| | |

DRY WEIGHT

| Dry Weight | 291 |
|------------|-----|
| | |

COLOR

White / Orange / Black

DIMENSIONS

| Vehicle overall length* | 3240 mm |
|-------------------------|---|
| Vehicle overall width | 1280 mm |
| Vehicle overall height | 1470 mm |
| Ski stance | 1080 mm |
| Available Tracks | Ice Cobra studded 500 x 3923 x 38 mm |

SUSPENSION

| Front suspension | LFS+ |
|------------------|--|
| Front shock | KYB 36 |
| Rear suspension | Articulated EasyRide+ with adjustment & extension lock |
| Center shock | KYB 36 |
| Rear Shock | KYB 36 |

| Platform | Radien-X |
|-----------------------|---|
| Headlights | Halogen |
| Skis | Blade DS+ |
| Seating | Modular, 1-up heated |
| Handlebar | U-type steel with hooks, low grab handle |
| Riser block height | 145 mm |
| Starter | Electric |
| Reverse | Electromechanical |
| Air radiator with fan | Yes |
| | |

| Brake system | Brembo |
|-------------------------------|--|
| Heated throttle lever / grips | Standard |
| Gauge type | 7.2 in. digital display |
| Windshield | Extra high with side deflectors & mirrors |
| Visor Plug (Front/Rear) | Front and rear |
| USB | Yes, in front compartment |
| Bumpers (Front/Rear) | Heavy Duty extra / Rear Rack |
| Hitch | Standard |

^{*} Vehicle overall length without snowflap.

69 RANGER ALPINE

A factory-ready heavy-duty snowmobile for ski resorts and other demanding utility use.

PACKAGE HIGHLIGHTS

- EasyRide Alpine rear suspension
- Air Radiator with fan
- 2F/N/R gearbox with push-button reverse
- Modular seat with heating
- Mirrors
- iTC-system
- Readiness for Alpine accessories





| ROTAX® ENGINE | 900 ACE™ Turbo | |
|--------------------------|--|--|
| Engine details | Liquid-cooled, four-stroke D.O.H.C., turbocharged | |
| Cylinders / Displacement | 3 - 899 cc | |
| Bore / Stroke (mm) | 74 x 69.7 | |
| Maximum engine speed | 7,750 RPM | |
| Carburation | EFI | |
| Fuel type / Octane | Unleaded - 95 | |
| Fuel tank (L) | 42 | |

POWERTRAIN

| Gearbox | 2F/N/R gearbox with push-button reverse |
|------------------------------|---|
| Drive clutch / Driven clutch | pDrive™ |
| | QRS |
| | |

DRY WEIGHT

Dry Weight 316

| COLOR White / | Orange / Black |
|---------------|----------------|
|---------------|----------------|

DIMENSIONS

| Vehicle overall length* | 3240 mm |
|-------------------------|-------------------|
| Vehicle overall width | 1280 mm |
| Vehicle overall height | 1500 mm |
| Ski stance | 1080 mm |
| Available Tracks | Ice Cobra studded |

SUSPENSION

| Front suspension | LFS |
|------------------|-----------------|
| Front shock | KYB 36 |
| Rear suspension | EasyRide Alpine |
| Center shock | KYB 36 |
| Rear Shock | 2 x KYB 36 |

| Platform | Radien-X | |
|-----------------------|---|--|
| Headlights | Halogen | |
| Skis | Blade DS+ | |
| Seating | Modular, 1-up heated | |
| Handlebar | U-type steel with hooks, low grab handle | |
| Riser block height | 145 mm | |
| Starter | Electric | |
| Reverse | Electromechanical | |
| Air radiator with fan | Yes | |

| Brake system | Brembo 4-Piston | |
|-------------------------------|--|--|
| Heated throttle lever / grips | Standard | |
| Gauge type | 7.2 in. digital display | |
| Windshield | Extra high with side deflectors & mirrors | |
| Visor Plug (Front/Rear) | Front and rear | |
| USB | Yes, in front compartment | |
| Bumpers (Front/Rear) | Heavy Duty extra / Rear Rack | |
| Hitch | Standard | |

69 RANGER PRO

A super wide-track snowmobile for the toughest work tasks. Built to tow the heaviest of loads with exceptional traction and power.

PACKAGE HIGHLIGHTS

- EasyRide+ rear suspension
- Air Radiator with fan
- 2F/N/R gearbox with push-button reverse
- Modular seat with heating
- iTC-system
- Cargo rack and hitch
- HD front bumper
- Arched A-arms





| ROTAX® ENGINE | 900 ACE™ | 900 ACE™ Turbo |
|--------------------------|---|--|
| Engine details | Liquid-cooled, four- stroke D.O.H.C. | Liquid-cooled, four- stroke D.O.H.C., turbocharged |
| Cylinders / Displacement | 3 - 899 cc | |
| Bore / Stroke (mm) | 74 x 69.7 | 74 x 69.7 |
| Maximum engine speed | 7,250 RPM | 7,750 RPM |
| Carburation | EFI | |
| Fuel type / Octane | Unleaded - 95 | |
| Fuel tank (L) | 42 | 42 |

POWERTRAIN

| | Gearbox | 2F/N/R gearbox with | n push-button reverse |
|--|------------------------------|---------------------|--------------------------------|
| Drive clutch / Driven clutch pDrive™ with slider shoes pDrive™ QRS (900 ACE) QRS (900 ACE Turb | Drive clutch / Driven clutch | shoes | pDrive™ QRS (900 ACE Turbo) |

DRY WEIGHT

| Dry Weight | 304 | 309 |
|------------|-----|-----|

COLOR

Orange / Full Moon Silver / Black

DIMENSIONS

| Vehicle overall length* | 3250 mm |
|-------------------------|-----------------------------|
| Vehicle overall width | 1200 mm |
| Vehicle overall height | 1450 mm |
| Ski stance | 996 mm |
| Available Tracks | Cobra 600 x 3968 x 38 mm |

SUSPENSION

| Front suspension | LFS+ with curved lower A-Arms | |
|------------------|---------------------------------------|--|
| Front shock | KYB 36 | |
| Rear suspension | Articulated EasyRide+ with adjustment | |
| Center shock | KYB 36 | |
| Rear Shock | KYB 36 | |
| | | |

| Radien-X | | |
|---|--|--|
| Halogen | | |
| Blade DS+ | | |
| Modular, 1-up heated | | |
| U-type steel with hooks, low grab handle | | |
| 145 mm | | |
| Electric | | |
| Electromechanical | | |
| | | |

| Air radiator with fan | Yes | | |
|-------------------------------|---------------------------------|--|--|
| Brake system | Brembo | | |
| Heated throttle lever / grips | Standard | | |
| Gauge type | 7.2 in. digital display | | |
| Windshield | Extra high with side deflectors | | |
| Visor Plug (Front/Rear) | Front | | |
| USB | Yes, in front compartment | | |
| Bumpers (Front/Rear) | Heavy Duty / Rear Rack | | |
| Hitch | Standard | | |

MODELS & PLATFORMS

2026

Radien² 400 mm

RAVE RE 850 E-TEC Turbo R

RAVE RE 850 FTFC

RAVE RE 600R E-TEC

RAVE RE 600R E-TEC with Enduro package

Adventure Electric 3050

Adventure Electric 3500

Adventure Limited 900 ACE

Adventure Core 600 ACE

Adventure LX 600 ACE

Xterrain RE 850 E-TEC Turbo R

Xterrain RE 850 E-TEC

Xterrain RE 900 ACE Turbo R

Xterrain Limited 600R E-TEC

Xterrain Limited 900 ACE Turbo

Xterrain Core 600 EFI

Xterrain Core 600 ACE

Brutal RE 850 E-TEC

Brutal RE 900 ACE Turbo R

49 Ranger PRO 600R E-TEC

49 Ranger PRO 850 E-TEC

49 Ranger Core 600 EFI

49 Ranger Core 600 ACE

Radien² Deep Snow

Shredder Core 3700 600R ETEC

Shredder Core 3900 600R ETEC

Shredder RE 3700 600R ETEC

Shredder RE 3700 850 ETEC

Shredder RE 3700 850 ETEC Turbo R

Shredder RE 3900 850 ETEC

Shredder RE 3900 850 ETEC Turbo R

Shredder DS 3900 850 ETEC

Shredder DS 3900 850 ETEC Turbo R

Shredder DS 4100 850 ETEC Turbo R

Radien² 500 mm

Brutal RE 850 E-TEC

Brutal RE 900 ACE Turbo R

Commander RE 900 ACE Turbo R

Commander Limited 900 ACE

Commander Limited 900 ACE Turbo

Commander Core 600R ETEC

Commander Core 900 ACE

Commander Core 900 ACE Turbo

59 Ranger PRO 600 ACE

59 Ranger Core 600 ACE

59 Ranger Core 600 EFI

59 Ranger Alpine 900 ACE

Radien-X 600 mm

69 Ranger PRO 900 ACE

69 Ranger PRO 900 ACE Turbo

69 Ranger Alpine 900 ACE Turbo

2025

Radien²

RAVE GLS 850 E-TEC Turbo R

RAVE RE 850 ETEC

RAVE RE 600R E-TEC

RAVE RE 600R E-TEC with Enduro package

Xterrain RE 850 E-TEC Turbo R

Xterrain RE 850 E-TEC

Xterrain RE 900 ACE Turbo R

Xterrain 600R E-TEC

49 Ranger PRO 600R E-TEC

49 Ranger PRO 850 E-TEC

Adventure Electric

Adventure Limited 900 ACE

Adventure Limited 900 ACE Turbo

Brutal RE 850 E-TEC, 400 mm

Brutal RE 900 ACE Turbo R, 400 mm

Radien² Deep Snow

Shredder 3700 600R ETEC

Shredder 3900 600R ETEC

Shredder RE 3700 600R ETEC

Shredder RE 3700 850 ETEC

Shredder RE 3700 850 ETEC Turbo R

Shredder RE 3900 850 ETEC

Shredder RE 3900 850 ETEC Turbo R

Shredder DS 3900 850 ETEC

Shredder DS 3900 850 ETEC Turbo R

Shredder DS 4100 850 ETEC Turbo R

Radien

Xterrain 600 EFI

49 Ranger 600 EFI

Radien-X 400 mm

Adventure 600 ACE

Adventure LX 600 ACE

49 Ranger 600 ACE

Radien-X 500 mm

Brutal RE 850 E-TEC, 500 mm

Brutal RE 900 ACE Turbo R, 500 mm

Commander RE 900 ACE Turbo R

Commander 600R ETEC

Commander 900 ACE

Commander 900 ACE Turbo

Commander Limited 900 ACE

Commander Limited 900 ACE Turbo

59 Ranger 600 ACE

59 Ranger 600 EFI

59 Ranger PRO 600 ACE

59 Ranger Alpine 900 ACE

Radien-X 600 mm

69 Ranger PRO 900 ACE

69 Ranger PRO 900 ACE Turbo

69 Ranger Alpine 900 ACE Turbo

2024

Radien²

Xterrain RE 3700 850 E-TEC

Xterrain 3700 600R E-TEC

Shredder RE 3700 600R E-TEC

Shredder RE 3700 850 F-TEC

Shredder RE 3700 850 E-TEC Turbo R

Shredder RE 3900 850 E-TEC

Shredder RE 3900 850 E-TEC Turbo R

Shredder 3900 600R E-TEC

Shredder DS 3900 850 E-TEC

Shredder DS 3900 850 E-TEC Turbo R

Shredder DS 4100 850 E-TEC Turbo R

Rave RE 850 E-TEC

Rave RE 600R E-TEC

Rave Enduro 600R E-TEC

49 Ranger PRO 600R E-TEC

49 Ranger PRO 850 E-TEC

Radien

Xterrain 3700 600 EFI

Radien-X (400 mm)

Xterrain RE 3700 900 ACE Turbo R

Adventure 600 ACE

Adventure SC 900 ACE

Adventure SC 900 ACE Turbo

Adventure LX 600 ACE

49 Ranger 600 ACE

49 Ranger ST 900 ACE

49 Ranger ST 900 ACE Turbo

Radien-X (500 mm)

Xterrain Brutal 3900 850 E-TEC

Commander RE 900 ACE Turbo R

Commander 600R E-TEC

Commander 900 ACE

Commander 900 ACE Turbo

Commander Limited 900 ACE

Commander Limited 900 ACE Turbo

Commander Grand Tourer 900 ACE Turbo

Commander Grand Tourer 900 ACE Turbo R
59 Ranger 600 ACE 600 ACE

59 Ranger 600 EFI 600 EFI

59 Ranger Alpine 900 ACE

Radien-X (600 mm)

69 Ranger 900 ACE

69 Ranger Limited 900 ACE Turbo

69 Ranger SnowCruiser 900 ACE Turbo R

69 Ranger Alpine 900 ACE Turbo

| 32 | | | TR | AIL | | | |
|--|--|--------------------------------|-------------------------------|---|---|--|--|
| | Ra | ive | Adventure | | | | |
| LYNX 2026 SPECIFICATIONS | •• | | | | | | |
| | Rave RE | Rave RE with Enduro Package | Adventure Core | Adventure LX | Adventure Limited | Adventure Electri | |
| COLOR | Viper Red / Black Black (spring only) | Viper Red / Black | Viper Red / Black | Viper Red / Black | Noble Bronze / Black | Viper Red / Bright White | |
| Platform | Radien² | Radien ² | Radien² | Radien ² | Radien ² | Radien ² | |
| Skis | Blade XC+ | Blade XC+ | Blade DS+ | Blade DS+ | Blade DS+ | Pilot™ 5.7 SLT | |
| Seating | Sport, 1-up | Sport, 1-up | Sport, 1-up | 2-up | Sport, 1-up or 2-up heated | 2-up | |
| Handlebar | U-type aluminium with hooks | U-type aluminium with hooks | U-type steel with hooks | U-type steel with hooks | U-type steel with hooks | Standard with hook | |
| Starter | SHOT (850 E-TEC Turbo R) Electric and manual (850 E-TEC & 600R E-TEC) | Manual | Electric | Electric | Electric | Electric | |
| Reverse | RER™ | RER™ | Mechanical | Mechanical | Electromechanical | Yes | |
| Windshield | Low | Low | Medium with side deflectors | Ultra-high | Medium with side deflectors | Ultra-high | |
| Air radiator with fan | | | | Yes | | | |
| Gauge type | 10.25 in. touchscreen (standard on 850 E-TEC and 850 E-TEC Turbo R) 7.2 in. digital | 7.2 in. digital | 4.5 in. digital | 4.5 in. digital | 7.2 in. digital | 10.25" touchscreen display | |
| SUSPENSION | | | | | | | |
| Front suspension | LFS-R | LFS-R | LFS+ | LFS+ | LFS+ | LFS+ | |
| Front shock | KYB PRO 46 HLCR Kashima | KYB PRO 46 HLCR Kashima | KYB 36 | KYB 36 | KYB 36 Plus R | Motion Control | |
| Rear suspension | PPS ³ | PPS ³ | PPS ³ | PPS ³ | PPS ³ | Revised SC-5 (3050 SC-5M (3500) | |
| Center shock | KYB PRO 46 HLCR Kashima | KYB PRO 46 HLCR Kashima | KYB 36 | KYB 36 | KYB 36 Plus Kashima | Motion Control | |
| Rear Shock | KYB PRO 46 HLCR Kashima | KYB PRO 46 HLCR Kashima | KYB 36 | KYB 36 | KYB 46 Plus Kashima | KYB 36 | |
| ROTAX* ENGINE | 850 E-TEC® Turbo R 850 E-TEC® 600R E-TEC® | 600R E-TEC* | 600 ACE™ | 600 ACE™ | 900 ACE™ | E-POWER | |
| Fuel tank (L) | 37 | 37 | 37 | 37 | 37 | | |
| Available Tracks | Cobra: 381 x 3487 x 41 mm (600R) Ice Ripper XT studded: 381 x 3487 x 38 mm (on 850 and 850 Turbo) | Cobra 381 x 3269 x 41 mm | Ripsaw† 381 x 3489 x 32 mm | Ripsaw [†] 381 x 3489 x 32 mm | Ripsaw [†] 381 x 3489 x 32 mm | High-Efficiency: 356 x 3048 x 19 mn (3050) Ripsaw [†] 381 x 3489 32 mm (3500) | |
| DIMENSIONS | 1007 | 1007 | 1007 | 1007 | 1007 | 1007 | |
| Ski stance Vehicle overall length | 1097 mm 3040 mm | 1097 mm 2920 mm | 1097 mm 3090 mm | 1097 mm 3090 mm | 1097 mm 3090 mm | 1097 mm 2940 mm (3050) | |
| Vehicle overall width | 1270 mm | 1270 mm | 1280 mm | 1280 mm | 1280 mm | 3060 mm (3500) 1250 mm | |
| | | | | | | | |
| Vehicle overall height Dry Weight (kg) | 1140 mm 229 (600R) 238 (850) 240 (850 Turbo R) | 1140 mm 219 | 1315 mm 225 | 1470 mm 240 | 1315 mm 242 (1-up) 249 (2-up) | 1470 mm 245 (3050) 250 (3500) | |

CROSSOVER 33

| | Xterrain Brutal | | Commander | | | | |
|---|--|--|--|--|---|---|--|
| | | | •• | •• | | | |
| Xterrain Core | Xterrain Limited | Xterrain RE | Brutal RE 400 mm | Brutal RE 500 mm | Commander Core | Commander Limited | Commander RE |
| Race Orange / Black | Noble Bronze / Black | Viper Red / Black Black (spring only) | Viper Red / Black Black (spring only) | Viper Red / Black Black (spring only) | Scandie Blue / Black | Noble Bronze / Black | Clacier Cyan / Black |
| Radien ² | Radien ² | Radien ² | Radien² | Radien ² | Radien² | Radien ² | Radien ² |
| Blade XC+ | Blade XC+ | Blade XC+ | Blade DS+ | Blade DS+ | Blade DS+ | Blade DS+ | Blade DS+ |
| Sport, 1-up | Sport, 1-up or 2-up heated | Sport, 1-up heated | Sport, 1-up | Brutal, 1-up | Modular, 1-up | Modular, 1-up or 2-up heated | Modular, 1-up heated |
| U-type aluminium with hooks | U-type aluminium with hooks | U-type aluminium with hooks | U-type aluminium with hooks, low grab handle | U-type aluminium with hooks, low grab handle | U-type steel with hooks, low grab handle | U-type steel with hooks, low grab handle | U-type steel with hooks, low grab handle |
| Electric and manual (600 EFI) Electric (600 ACE) | Electric and manual (600R E-TEC) Electric (900 ACE Turbo) | SHOT (850 E-TEC Turbo R) Electric (900 ACE Turbo R) Electric and manual (850 E-TEC) | Electric (900 ACE Turbo R) Electric and manual (850 E-TEC) | Electric (900 ACE Turbo R) Electric and manual (850 E-TEC) | Electric and manual (600R E-TEC) Electric (900 ACE & 900 ACE Turbo) | Electric | Electric |
| RER™ (600 EFI) Electromechanical (600 ACE) | RER™ (600R E-TEC) Electromechanical (900 ACE Turbo) | Electromechanical (900 ACE Turbo R) RER™ (850 & 850 E-TEC Turbo R) | Electromechanical (900 ACE Turbo R) RER™ (850 E-TEC) | Electromechanical (900 ACE Turbo R) RER™ (850 E-TEC) | RER™ (600R E-TEC) Electromechanical (900 ACE™ & 900 ACE Turbo) | Electromechanical | Electromechanical |
| Low | Low | Low | Low | Low | Ultra high with side deflectors | deflectors | Low |
| | | | Yes | Yes | Yes | Yes | Yes |
| 4.5 in. digital | 10.25 in. touchscreen 7.2 in. digital | 10.25 in. touchscreen | 10.25 in. touchscreen | 10.25 in. touchscreen | 4.5 in. digital | 10.25 in. touchscreen display (option only on 900 ACE Turbo) 7.2 in. digital display | 10.25 in. touchscreen display |
| LFS+ | LFS+ | LFS+ | LFS+ | LFS+ | LFS+ with curved lower A-Arms | LFS+ with curved lower A-Arms (1-up) LFS+ (2-up) | LFS+ with curved lower A-Arms |
| KYB 36 | KYB 36 Plus R | KYB PRO 46 HLCR Kashima | KYB PRO 36 EA-3 R Kashima | KYB PRO 36 EA-3 R Kashima | KYB 36 | KYB 36 Plus (1-up) KYB 36 Plus R (2-up) | KYB PRO 36 EA-3 R Kashima |
| PPS ³ | PPS ³ | PPS ³ | PPS ² -DS+ | EasyRide+ | Articulated EasyRide+ with adjustment | Articulated EasyRide+ with adjustment | EasyRide+ with adjustment |
| KYB 36 | KYB 36 Plus Kashima | KYB PRO 46 HLCR Kashima | KYB 46 Plus Kashima | KYB 46 Plus Kashima | KYB 36 | KYB 46 Plus Kashima | KYB 46 Plus Kashima |
| KYB 36 | KYB 46 Plus Kashima | KYB PRO 46 HLCR Kashima | KYB PRO 46 EA-3 R Kashima | KYB PRO 46 EA-3 R Kashima | KYB 36 | KYB 46 Plus Kashima | KYB PRO 46 EA-3 R Kashima |
| 600 EFI - 85 600 ACE™ | 600R E-TEC® 900 ACE™ Turbo | 900 ACE™ Turbo R 850 E-TEC® Turbo R 850 E-TEC® | 900 ACE™ Turbo R 850 E-TEC® | 900 ACE™ Turbo R 850 E-TEC® | 600R E-TEC® 900 ACE™ 900 ACE™ Turbo | 900 ACE™ 900 ACE™ Turbo | 900 ACE™ Turbo R |
| 37 | 37 | 37 | 37 | 42 | 42 | 42 | 42 |
| Cobra: 381 x 3705 x 41 mm (600 ACE) PowderMax†: 381 x 3705 x 51 mm (600 EFI) | PowderMax† 381 x 3705 x 51 mm | PowderMax†: 381 x 3705 x 51 mm Ice Cobra studded: 381 x 3705 x 41 mm (spring only on 900 ACE Turbo R) | PowderMax† 381 x 3923 x 64 mm | PowderMax† 500 x 3923 x 60 mm | PowderMax† 500 x 3923 x 44 mm | PowderMax†: 500 x 3923 x 44 mm Ice Crosscut studded: 500 x 3923 x 38 mm (spring only) | PowderMax† 500 x 3923 x 44 mm |
| 1097 mm | 1097 mm | 1097 mm | 996 mm | 996 mm | 996 mm | 996 mm (1-up) 1097 mm (2-up) | 996 mm |
| 3180 mm | 3180 mm | 3180 mm | 3250 mm | 3300 mm | 3245 mm | 3245 mm | 3245 mm |
| 1270 mm | 1270 mm | 1270 mm | 1200 mm | 1200 mm | 1200 mm | 1200 mm (1-up) 1280 mm (2-up) | 1200 mm |
| 1300 mm | 1320 mm | 1300 mm | 1245 mm | 1235 mm | 1480 mm | 1480 mm | 1280 mm |
| 220 (EFI) 228 (ACE) | 224 (600R) 252 (900 ACE Turbo 1-up) 263 (900 ACE Turbo 2-up) | 243 (850) 253 (850 Turbo R) 260 (900 ACE Turbo R) | 253 (850) 265 (900 ACE Turbo R) | 259 (850) 283 (900 ACE Turbo R) | 265 277 289 | 287 kg (1 up) 297 kg (2 up) 299 kg (1 up) 309 kg (2 up) | 295 |

| 34 | | DEEP SNOW | | U <u>TI</u> I | LITY |
|---------------------------|---|--|--|--|--|
| · | | Shredder | | 49 Ra | anger |
| LYNX 2026 SPECIFICATIONS | | | | | |
| | Shredder Core | Shredder RE | Shredder DS | 49 Ranger Core | 49 Ranger PRO |
| COLOR | Viper Red / Black | Viper Red / Black Black (spring only) | Hot Chili Metallic / Black Black (spring only) | White / Black | Orange / Full Moon Silver / Black |
| Platform | Radien ² | Radien ² | Radien² | Radien² | Radien² |
| Skis | Blade DS+ | Blade DSS | Blade DSS | Blade DS+ | Blade DS+ |
| Seating | Deep snow compact | Deep snow ultra compact | Deep snow ultra compact | Sport, 1-up | Sport, 1-up heated |
| Handlebar | U-type aluminium with hooks, low grab handle | U-type aluminium with hooks, low grab handle | U-type aluminium with hooks, low grab handle | U-type steel with hooks | U-type steel with hooks low grab handle |
| Starter | Electric | SHOT Electric (spring only on 3700 850 E-TEC) | SHOT | Electric and manual (600 EFI) Electric (600 ACE) | Electric and manual |
| Reverse | RER™ | RER™ | RER™ | RER™ (600 EFI) Mechanical (600 ACE™) | RER™ |
| Windshield | | | | Medium with side deflectors | Medium with side deflectors |
| Air radiator with fan | | | | Yes | Yes |
| Gauge type | 4.5 in. digital | 10.25 in. touchscreen (standard on 850 E-TEC Turbo R) 4.5 in. digital | 10.25 in. touchscreen (standard on 850 E-TEC Turbo R) 4.5 in. digital | 4.5 in. digital | 7.2 in. digital display |
| SUSPENSION | | | | | |
| Front suspension | LFS | LFS-DS | LFS-DS | LFS+ | LFS+ with curved lowe A-Arms |
| Front shock | KYB 36 | KYB PRO 40 EA-3 Kashima | KYB 36 Plus Kashima | KYB 36 | KYB 36 |
| Rear suspension | PPS ² -DS+ | PPS³-DS | PPS³-DS | PPS²-DS+ | PPS ² -DS+ |
| Center shock | KYB 36 | KYB 46 Plus Kashima | KYB 36 Plus Kashima | KYB 36 | KYB 36 |
| Rear Shock | KYB 36 | KYB PRO 46 EA-3 R Kashima | KYB 36 Plus Kashima | KYB 36 | KYB 36 |
| ROTAX* ENGINE | 600R E-TEC* | 850 E-TEC* Turbo R 850 E-TEC* 600R E-TEC* | 850 E-TEC* Turbo R 850 E-TEC* | 600 EFI - 85 600 ACE™ | 850 E-TEC* 600R E-TEC* |
| Fuel tank (L) | 37 | 37 | 37 | 37 | 37 |
| Available Tracks | PowderMax†: 381 x 3705 x 64 mm 381 x 3912 x 64 mm | PowderMax†: 381 x 3705 x 64 mm PowderMax† X-Light: 381 x 3912 x 76 mm | PowderMax† X-Light: 381 x 3912 x 76 mm 381 x 4178 x 76 mm (spring only) | Charger 406 x 3923 x 38 mm | PowderMax [†] 406 x 3923 x 64 mm |
| DIMENSIONS | | | | | |
| Ski stance | 921 mm | 921 mm | 863 mm | 996 mm | 921 mm |
| Vehicle overall length | 3060 mm (3700) 3200 mm (3900) | 3080 mm (3700) 3200 mm (3900) | 3200 mm (3900) 3335 mm (4100) | 3280 mm | 3385 mm |
| Vehicle overall width | 1120 mm | 1096 mm | 1031 mm | 1200 mm | 1120 mm |
| Vehicle overall height | 1280 mm | 1240 mm | 1240 mm | 1310 mm | 1320 mm |
| Dry Weight (kg) | 211 213 | 197 (3700 600R) 210 (850) 220 (850 Turbo R) | 202 (850) 211 (3900 850 Turbo R) 216 (4100 850 Turbo R) | 228 (EFI) 237 (ACE) | 240 (600R) |

UTILITY 35

| | | UTILITY | | 3 |
|--|--|--|---|---|
| | 59 Ranger | 69 Ranger | | |
| | | | | |
| 59 Ranger Core | 59 Ranger PRO | 59 Ranger Alpine | 69 Ranger PRO | 69 Ranger Alpine |
| White / Black | Orange / Full Moon Silver / Black | White / Orange / Black | Orange / Full Moon Silver / Black | White / Orange / Black |
| Radien-X | Radien-X | Radien-X | Radien-X | Radien-X |
| Blade DS+ | Blade DS+ | Blade DS+ | Blade DS+ | Blade DS+ |
| Modular, 1-up | Modular, 1-up heated | Modular, 1-up heated | Modular, 1-up heated | Modular, 1-up heated |
| U-type steel with hooks | U-type steel with hooks, low grab handle | U-type steel with hooks, low grab handle | U-type steel with hooks, low grab handle | U-type steel with hooks, low grab handle |
| Electric and manual (600 EFI) Electric (600 ACE) | Electric | Electric | Electric | Electric |
| RER™ (600 EFI) Mechanical (600 ACE™) | Electromechanical | Electromechanical | Electromechanical | Electromechanical |
| Extra high with side deflectors | Extra high with side deflectors | Extra high with side deflectors & mirrors | Extra high with side deflectors | Extra high with side deflectors & mirrors |
| Yes | Yes | Yes | Yes | Yes |
| 4.5 in. digital | 7.2 in. digital display | 7.2 in. digital display | 7.2 in. digital display | 7.2 in. digital display |
| LFS+ | LFS+ with curved lower A-Arms | LFS+ | LFS+ with curved lower A-Arms | LFS |
| KYB 36 | KYB 36 | KYB 36 | KYB 36 | KYB 36 |
| EasyRide+ | Articulated EasyRide+ with adjustment | Articulated EasyRide+ with adjustment & extension lock | Articulated EasyRide+ with adjustment | EasyRide Alpine |
| KYB 36 | KYB 36 | KYB 36 | KYB 36 | KYB 36 |
| KYB 36 | KYB 36 | KYB 36 | KYB 36 | 2 x KYB 36 |
| 600 EFI - 85 600 ACE™ | 600 ACE™ | 900 ACE™ | 900 ACE™ 900 ACE™ Turbo | 900 ACE™ Turbo |
| 42 | 42 | 42 | 42 | 42 |
| Cobra 500 x 3923 x 38 mm | PowderMax [†] 500 x 3923 x 44 mm | Ice Cobra studded 500 x 3923 x 38 mm | Cobra 600 x 3968 x 38 mm | Ice Cobra studded 600 x 3968 x 38 mm |
| 996 mm | 996 mm | 1080 mm | 996 mm | 1080 mm |
| 3240 mm | 3240 mm | 3240 mm | 3250 mm | 3240 mm |
| 1200 mm | 1200 mm | 1280 mm | 1200 mm | 1280 mm |
| 1500 mm | 1500 mm | 1470 mm | 1450 mm | 1500 mm |
| | | | | |
| 241 (EFI) 247 (ACE) | 263 | 291 | 304 (900 ACE) 309 (900 CE Turbo) | 316 |

ACCESSORIES

37 LinQ accessories

38 Accessory bundles

40 Storage

56 Seats & Accessories

61 Wind protection & Mirrors

70 Bumpers

74 Towing

75 Skid plates, Protectors & Reinforcement

80 Ergonomics

82 Lights

84 Electrical

89 Rave 120 & 200 Accessories

90 59 Ranger & 69 Ranger Alpine Accessories

92 Suspension

95 Covers

97 Skis

101 Universal

103 Cooling

104 Trailing & Covers

107 Parts & Performance

108 PDrive Pulley Service Kits

109 XPS Oils and Maintenance Products

111 Tracks and Drive Belts



LITIE ACCESSORIES


FAST, EASY AND SECURE

A BRP exclusive, LinQ is a tool-less system for near-instant installation of accessories.

- LinQ accessories to transform your machine to fit the moment.
- No tools needed: quickly install and remove accessories by hand.
- Stylish, fully integrated solution to your cargo needs.
- Sturdy mounting system that holds up in every terrain.

| LinQ is the industry standard in fast, secure and easy accessory attachment. Here's how you can use multiple LinQ items together to create the perfect ride. | | POSITION 1 | | POSITION 2 | |
|--|---|--|---|---|---|
| | | On the tunnel | On top of LinQ stackable fuel caddy | On the tunnel | Behind the fuel caddy |
| | LinQ OIL CADDY 860202445 | YES | YES | YES* | YES* |
| | LinQ JERRY CAN 860202246 | YES | NO | NO too heavy for this position | NO |
| | LinQ DEEP SNOW PRO BAG 860202878, 860202787, 860202620 | YES | YES | YES except 3700 mm (Short Tunnel) | YES except 3700 mm (Short Tunnel) |
| | Ling SLIM WATERPROOF TUNNEL BAG 860202451 | YES position #1 and #2 required | NO | YES position #1 and #2 required* | NO |
| i- raq | LinQ DRY BAG 715008110 | YES | YES | YES except 3700 mm (Short Tunnel) | YES except 3700 mm (Short Tunnel) |
| | LinQ ADVENTURE TUNNEL BAG 860202444 | YES position #1 and #2 required except 3700 mm (short tunnel) | NO | YES position #1 and #2 required* | NO |
| | LinQ MODULAR CARGO BOX - 10 L 715005494 | YES | NO | YES except 3700 mm (Short Tunnel) | YES except 3700 mm (Short Tunnel) |
| | LinQ THERMAL BOX 219400964 | YES except when LinQ 1+1 Backrest is installed | NO | NO too heavy for this position | NO |
| 1 7 | LinQ CARGO BOX - 90 L 860202759 | NO | NO | YES position #1 and #2 required on 3700 mm and up* | |
| | LinQ CARGO BOX - 62 L 860202446 | YES position #1 and #2 required except 3700 mm (short tunnel) | NO | YES position #1 and #2 required* | NO |
| | LinQ CARGO BOX - 40 L 860202442 | YES position #1 and #2 required except 3700 mm (short tunnel) | NO | YES position #1 and #2 required* | МО |
| | LinQ TUNNEL BAG - 21 L 860202449 | YES except when LinQ 1 + 1 Backrest and 1 + 1 Seat are installed | | YES* | NO |
| | LINQ EXPANDABLE BAG - 17 L 860202895 | YES | YES | YES* | YES* |
| | LinQ TOOL BOX 715008111 | YES except with 1+1 Seat | NO | NO too heavy for this position | NO |
| | UNIVERSAL LinQ RACK 860202208 | YES | NO | YES* | YES* |

READY-MADE ACCESSORY BUNDLES INSPIRED BY LYNX RIDERS



ESSENTIALS

BRUTAL RE (500 MM)

With these essentials you can head on sled adventures with confidence. Added protection both for the sled and the rider together with extended and handy storage space.



GLOVEBOX EXTENSION



CELLPHONE HOLDER STANDALONE



LING DEEP SNOW PRO BAG



0-

LINQ JERRY CAN



HANDLEBAR BAG SMALL



E-LINQ



FULL BODY SKID



MEDIUM WINDSHIELI

SEE ALL 40 BUNDLES AT BRPLYNX.COM

CHOOSE YOUR MODEL AND CHECK THE BUNDLES

ROUGH TERRAIN

SHREDDER RE 3900

Make the most out of your day in deep snow. Add protection to the Shredder snowmobile in demanding terrain and help you perform all day long with fine-tuned ergonomics.





HEAVY-DUTY AIR INTAKE FILTER KIT



XPS CARE GLASS SCREEN PROTECTOR



LINQ DEEP SNOW **PRO BAG**



DEEP SNOW ULTRA-LIGHT SEAT



SOFT GLOVE BOX EXTENSION



FLEXIBLE MOUNTAIN HANDGUARDS, BLACK



SKIDPLATE



BRAKE AND CHAINCASE PROTECTION



EXPLORER² FRONT BUMPER

MULTI-DAY ADVENTURE

XTERRAIN RE

With this accessory bundle, you are equipped to tackle anything that the Arctic terrain can throw at you on your multi-day snowmobile adventure.



LING DEEP SNOW PRO BAG



NEW LING JERRY CAN



OIL CADDY



LINQ SADDLE BAG



CLUSTER RELOCATOR (10.25")



XPS CARE GLASS SCREEN PROTECTOR (10,25")





SHOVEL WITH SAW HANDLE



HANDLEBAR BAG



AUXILIARY LED WIDE LIGHTS







SKIDPLATE



E-LINQ

STORAGE

OIL CADDY FOR STACKABLE JERRY CAN 3.78 L

Radien² / Radien / Radien-X

860202445



- 3.78 liter capacity.
- Can be used in position 1 or 2.
- Can be used on top of LinQ Stackable Fuel Caddy.

LINQ JERRY CAN 3.78 L



Radien² / Radien / Radien-X

860201774

- 3.78 liter capacity.
- Smaller size for less weight.
- Can be used in position 1 or 2 and on top of LinQ Stackable Fuel Caddy.
- Easy pour design for sleds or power tools.

LINQ JERRY CAN 11 L



Radien² / Radien / Radien-X

860202247

- Quick, easy and secure installation with LinQ system.
- No-Spill spout for easy use.
- 11 liter capacity.

LINQ JERRY CAN 14 L



Radien² / Radien / Radien-X

- \bullet Quick, easy and secure installation with LinQ system.
- No-Spill spout for easy use.
- 14 liter capacity.
- \bullet Single LinQ tunnel bag or LinQ oil caddy stacks on top for more storage.

LINQ JERRY CAN 20 L



Radien² / Radien-X 500 mm Radien-X 600 mm

715007822

- Quick, easy and secure LinQ system installation.
- Spill-free spout for easy use.
- 20 liter capacity.
- Meets new Flame Mitigation Device (FMD) standard.
- Compatible with the Multi LinQ Plate for 20" and 24" tunnels.
- Not compatible with Luggage Rack Reinforcement Plates (860200798).

NEW

LINQ EXPANDABLE BAG - 17 L



Radien² / Radien / Radien-X

860202895

- Semi-rigid expandable 8.5 L to 17 L LinQ tunnel bag.
- Compression style bag allows secure storage of belongings.
- Premium look pairs well with the vehicle.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Featuring inside mesh pocket to separate smaller items.

LINQ SPORT BAG 17 L



Radien² / Radien / Radien-X

860202447

- 17 liter capacity.
- Rigid bottom, semi-rigid top.

LINQ PRO LIGHT BAG - 26 L



Radien² / Radien / Radien-X

860202620

860202747 • cover lid only

- · Lightweight.
- Attaches with one set of LinQ fasteners.
- Suitable for positions 0, 1, 2 and above the LinQ Stackable Fuel Caddy.
- 26 liter capacity.
- Compatible with Cover Lids 860202747, 860202132 & 860202383.
- Pocket under the lid for quick and easy access.
- Brightly colored interior makes it easy to locate objects.
- Removable interior for easy cleaning.
- 3 removable dividers to organize cargo.

LINQ DEEP SNOW LIGHT BAG - 26 L



Radien² / Radien / Radien-X

860202787

860202789 • Black pro Cover

- · Lightweight-uses one set of LinQ fasteners.
- 26 liter capacity.
- Pocket under the lid for quick and easy access.
- Brightly colored interior makes it easy to locate objects.
- Removable interior for easy cleaning.
- 3 removable dividers to organize cargo.
- Suitable for positions 0, 1, 2 and above the LinQ Stackable Fuel Caddy.
- Shovel Holder System on the cover.
- Compatible with Cover Lids 860202132, 860202383, and 860202747.

NEW

LINQ DEEP SNOW EXPANDABLE BAG



Radien² / Radien / Radien-X

860202878

- \bullet Your go-to expandable 8.5 L to 20 L $\,$ LinQ deep snow bag for use in the mountains.
- Features a shovel pocket on top for quick access and is designed to prevent snow intrusion.
- Also features a saw pocket integrated into the shovel pocket for fast access.
- Two waterproof transparent pockets under the lid for
- keeping belongings dry and easy to locate.
- 2 velcro straps sewn into the interior liner to secure cargo.
- Brightly colored interior makes it easy to locate objects.
- Removable interior for easy cleaning.
- Carry handle for easy transport.
- Quick, easy and secure LinQ system installation.
- Suitable for position 0, 1, 2 and above the LinQ Stackable Fuel caddy 14.5 L (860202246).

LINQ DEEP SNOW PRO BAG 30 L



Radien² / Radien / Radien-X

860202456

860202132 • cover lid only

- Watertight (with TiZip) our highest level of waterproofing.
- Lightweight uses one set of LinQ fasteners.
- Fits position 1, 2 and on top of LinQ Stackable Fuel Caddy.
- Expandable 9 to 30 liter capacity.
- Shovel Holder System.

LINQ TRAIL PRO BAG 30 L



Radien² / Radien / Radien-X

860201986

860202383 • cover lid only

- Premium bag with our highest level of waterproofing.
- Watertight zipper (TiZip).
- Map holder & quick access storage compartment on lid.
- Mesh pocket under the lid for easy, quick access to smaller items.
- Brightly colored interior makes locating items easier.
- \bullet Lightweight and mounts securely using one set of LinQ anchors.

LINQ SADDLE BAGS 23 L



Radien² 400 mm

860202621

- Premium semi-rigid saddlebags use an independent LinQ mounting system.
- Installed further forward than Position 1.
- · Easy attachment and removal.
- Can be used in conjunction with additional LinQ mounted accessories at the same time.
- 23-liter total capacity.
- Brightly colored yellow interior makes it easy to locate objects.
- Do not fit with 2up seat with backrest 860202662

LINQ DRY BAG 40 L



Radien² / Radien / Radien-X

715008110

- Fully waterproof roll-top design secures gear tightly.
- 40 liter of adjustable capacity.
- Heavy-duty rigid plastic base.
- Foam lined bottom for additional protection.
- Integrated handle for easy transportation on/off the vehicle.

LINQ URBAN BAG 40 L



Radien² / Radien / Radien-X

219401026

- Versatile LinQ storage solution with up to 40 liters of added storage.
- Heavy-duty construction with high-quality zippers and water resistant outer shell.
- Easy-access large roll-top opening.
- Reversible integrated flap with water-resistant storage.
- Integrated vehicle key holder.
- Waterproof removable liner with integrated pocket and laptop storage.
- Backpack Option includes adjustable, removable shoulder system, ergofitted back padding and lightweight shoulder system design.

LINQ MODULAR CARGO BOX 10 L



Radien² / Radien / Radien-X

- Modular LinQ cargo box with 10 liter capacity.
- Single LinQ tunnel bag stacks on top for more storage.
- Heavy duty construction for durability.
- Weather resistant sealed lid.

LARGE LING TUNNEL BAG 21 L



Radien² / Radien / Radien-X

860202449

- Semi-rigid expandable LinQ tunnel bag.
- 21 liter capacity.
- Can be installed on top of LinQ Stackable Fuel Caddy or behind seat.
- Easy one-second on/off tool-less system.

LING SLIM WATERPROOF TUNNEL BAG 26 L


Radien² / Radien / Radien-X

860202451



- Rigid bottom and top design.
- Allows storage of removable snow flap.
- Waterproof inner roll top.
- Shovel can be stored while assembled on top of the bag.
- 16 to 26 liter capacity.
- ullet Fit on the tunnel in positions 1 & 2
- 3500mm and longer (except MY26 Shredder RE 3700)

LINQ TUNNEL BAG ADVENTURE 40 L



860202444



- 40 liter capacity.
- Thermoformed hard base and semi-rigid sides and top.
- \bullet Cover can be removed for easier access.
- $\bullet \ \ \text{Multiple compartments, separators and fixation points for hooks or bungee cords.}$
- Inside goggle soft pocket.
- 3500mm and longer (except MY26 Shredder RE 3700)

LINQ THERMAL BOX 16 L



Radien² / Radien / Radien-X

- Features a highly robust rotomolded design with a 16-liter capacity.
- High quality foam insulation for optimal performance hot or cold.
- Do not fit with 2up seat with backrest 860202662

LINQ TOOL BOX 19 L



Radien² / Radien / Radien-X

715008111

- Weather-resistant design features a sealed cover.
- 19 liter capacity.

LINQ CARGO BOX, LARGE 40 L



Radien² / Radien / Radien-X

860202442

- Rigid molded plastic construction with integrated design.
- Provides dry, safe storage.
- 40 liter capacity.
- Only available for 3700 mm + models (except MY26 Shredder RE 3700)

LINQ CARGO BOX 62 L



Radien² / Radien / Radien-X

860202446 • Black

- Can be used on all models, which have 2 pair of LinQ attachments (this box fits on 59 Ranger Alpine tunnel) (except MY26 Shredder RE 3700).
- Optional LinQ mounts can be added on top for even more capacity.
- 62 liter capacity.
- Only available for 3700 mm + models (except MY26 Shredder RE 3700)

LINQ CARGO BOX LINER



Radien² / Radien / Radien-X

860201635 • Black

- Fits perfectly in the LinQ Cargo Box (860202446)
- Easy to take everything with you on arrival.
- 62 liter capacity.

NEW

LINQ UTILITY BAG-50 L



Radien-X 500 mm (except Alpine) 860202907 Radien-X 600 mm (except Alpine)

- Fully waterproof, semi-rigid, roll-top design bag secures gear tightly.
- Quick, easy and secure installation with LinQ system
- Attaches with one set of LinQ fasteners.
- 50 liter capacity.

SR50 UTILITY BAG 50 L



Radien² Brutal RE 500 mm / Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine) 860201939

- Replaces passenger seat in seconds for additional storage.
- Quick release straps to easily access storage underneath.
- Waterproof to keep your cargo dry.
- 50 liter capacity.
- Works with the 135-liter LinQ Utility Cargo Boxes

NEW

LINQ LOW PROFILE CARGO BOX - 60 L



Radien² / Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine) 860202897

- A versatile premium rugged box that can be customized to rider's need.
- Quick, easy and secure LinQ system installation on Multi-LinQ Plate.
- 60 liter capacity.
- Removable / lockable lid.
- 4 LinQ anchors (860201806) can be added on top of the lid to install 16" LinQ accessories or additional storage.
- Slots for plywood dividers molded into box to help organize cargo.
- 4 hook attachment points located in the bottom section of the box to help secure cargo.
- Snow and water-resistant.

LINQ CARGO BOX 90 L



Radien² / Radien / Radien-X 3700 and longer (except short tunnel)

- Extra large 90 liter capacity.
- Uses 16" LinQ mounts in position 1 and 2.
- Easy on and off.
- ullet 2 LinQ anchors can be added on lid of box to install 16" LinQ accessories or additional storage.
- Rugged and tough rotomolded plastic construction.
- Not compatible with short tunnel.

NEW

LINQ UTILITY PREMIUM CARGO BOX - 135 L



Radien² / Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine) 860202802

- A versatile premium rugged box that can be customized to rider's need.
- Can be divided into 2 main compartments by installing a plywood floor (not included).
- Can be opened independently / locked separately.
- Top lid can be moved to the bottom section for making a smaller box, like the LinQ Low Profile Cargo Box 60 L (860202897).
- Quick, easy and secure LinQ system installation on Multi-LinQ Plate.
- Massive capacity of 135 liters
- 4 LinQ anchors (860201806) can be added on top of the lid to install 16" LinQ accessories or additional storage.
- Slots for plywood dividers molded into box to help organize cargo.
- 4 hook attachment points located in the bottom section of the box to help secure cargo.
- Integrated axe holder on one side.
- Snow and water-resistant.

UNIVERSAL LING RACK



Radien² / Radien / Radien-X

860202208 • for Lynx models 860202357 • other brands

- This Universal Rack can make generic accessories LinQ compatible.
- Allows a multitude of products and configurations on LinQ tunnels.

LINQ PLATE



Radien² / Radien / Radien-X

860202773

- Standard for 49 Ranger now available for 3700 lenght tunnels
- Enables attaching large cargo box to 400 mm models.
- More attachment points for LinQ accessories.
- Places for binding straps.

LINQ REAR CARGO RACK



Radien-² Brutal RE 500 mm / Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine)

- Replaces passenger seat for extra cargo capacity.
- Simple attachment.
- Retains underseat access with clever hinge system.
- Allows use of more LinQ bags.

NEW

STACKABLE LINQ DECK



Radien² Commander

860202746

- Doubles the LinQ mounting surface area of the tunnel positions 1 and 2.
- Top deck maximum weight capacity: 22 kg, total tunnel weight capacity with Stackable LinQ Deck installed: 44 kg.
- Steel and aluminum structure is covered with polypropylene for long life.
- Eight LinQ attachment points for single mount accessories like LinQ Tool Holder (860201846) and LinQ Working Light (860202380).
- Lever operated latch opens/closes the deck.
- Equipped with a gas strut that holds the deck open for easier access to cargo underneath.
- Reinforcement kit included to give extra protection to the Cargo Rack Kit when Stackable LinQ Deck is installed.
- Ability to leave equipment installed on the top deck when there is no passenger seat installed.
- We recommend changing the stock rear springs for stiffer springs when installing the Stackable LinQ Deck.

LINQ REAR DECK



Radien-X 500 mm

860202415

- Extra LinQ deck on rear tunnel allows more storage capasity.
- \bullet Two LinQ positons on the deck, so you can stack more LinQ accessories there.
- Hinges on the back and LinQ lock in front allows easy access under the deck.
- Places for binding straps.
- Can combine e.g. under the deck 5 pcs of Under Deck storage boxes (860202475) and 135L box on the deck.
- Requires Luggage Rack (860202311).
- Note max cargo capacity 58 kg.

UNDER DECK STORAGE BOX 7 L



860202475



- Under the deck fits 5 boxes. Capasity of one box is 7 liter.
- Can be used as dedicated for specific items e.g. for fishing, food, tools, campfire items
- Rack locks the boxes firmly on their places and prevent them moving or clattering.

LUGGAGE RACK

Radien-X 500 mm

860202311



Maximizes tunnel cargo capacity.

HANDLEBAR BAG, SMALL



Radien² / Radien / Radien-X

860200920 • Small, volume 3 L

- Innovative 2-pocket carry bag for secure storage around the steering riser block.
- Enjoy the added benefit of integrated heating capabilities, compatible with a 3W heater (515176786).

LING DEEP SNOW SEAT BOX



Radien² / Radien / Radien-X

860202668

- Low profile integrated storage box utilizing the battery area.
- Added storage capacity of 4.6 L with 10.25" CTD battery.
- 5.5 L added capacity for a vehicle without battery.
- Not compatible with the battery for electric starters.
- Same height as battery cover.
- Allows use of LinQ tunnel accessories.
- Not compatible with 1 + 1 seat.
- Compatible with Radien² (Deep Snow) CVT belt.

SEAT BOX FOR DEEP SNOW SEAT



Radien² / Radien

860202532

- Low profile integrated storage box utilizing the battery area
- \bullet Added storage capacity of 1.5 L with battery and 6 L for a vehicle without the battery.
- Same height as battery cover.
- Rainproof liner included.
- Works with Deluxe Tool Kit (860202029) (not included).
- Allows use of LinQ tunnel accessories.
- Does not work with 1 + 1 seat.

COMBO BAG - 31 L



Radien²

- 31 liter capacity.
- Multiple compartments with easy access.
- Thermoformed hard plastic base, semi-rigid top and sides.
- Requires battery cover (860201720).



Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine) 860202767

- \bullet Installs inside the 15-liter underseat storage that comes stock on 500 mm and 600 mm models .
- 11-liter capacity.
- Insulated to protect from outside temperatures.
- Durable polyester construction.
- Integrated handles make transportation easy.

SOFT GLOVE BOX EXTENSION



Radien² Deep Snow

860202908

- Increases stock storage volume by about 30%.
- 4.8 liter capacity.
- Easier on your personal items than the stock glovebox.
- Brightly colored red interior makes it easy to locate objects.
- · Water resistant.
- Includes an inside cell phone pouch.
- Compatible with USB Intelligent Power Outlet Kit (860202433) and 12-Volt Power Outlet Kit (860201423).
- Easy installation by removing the stock glovebox lid.

GLOVEBOX EXTENSION



Radien² Deep Snow

860202596

- Increases storage by an additional 6-liter capacity.
- Door allows for perfect positionning and mounting of Cellphone holder (860202372)
- Replaces stock strorage compartment cover.
- Cellphone holder sold separately.

NEW

10.25" TOUCHSCREEN DISPLAY RELOCATOR



Radien² (except Deep Snow)

- \bullet Ideal for people looking to have the display mounted higher on the vehicle.
- Raises the display by 2.5" to improve screen visibility when riding in a sat down position.
- Reduces hand reach by 1.5" improving access to the touchscreen.
- Doubles glovebox storage capacity for a total of 6 liters.
- Sliding door design allows access to full opening of the glovebox.
- Replaces stock storage compartment cover.
- Requires a windshield for installation.
- Retrofit for vehicles with a 10.25" Touchscreen Display.

GLOVEBOX EXTENSION / GPS SUPPORT



Radien² (except Deep Snow)

860202436

- Increases storage by an additional 5-liters capacity.
- Door allows for perfect positionning and mounting of GPS.
- Replaces stock storage compartment cover.
- Can be used with or without windshield.
- Ready to receive Cellphone Holder.
- GPS sold separately.

CELLPHONE HOLDER



Radien² / Radien

860202372

- Design is independent of the Glove Box Extension door.
- Water resistant door allows for perfect phone positioning.
- Heating element preserves cell phone battery longer.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- USB Intelligent Power Outlet is included for charging.
- Fits all cellphones within 170 mm x 85 mm x 15 mm dimensions.
- Works with almost all charger wires.
- Does not include cell phone.
- Can be used with or without windshield.
- Requires Glovebox Extension (860202436, 860202596 or 860201523) depending on the vehicle.
- Requires Harness (515178153) for installation on Radien models.

GLOVEBOX EXTENSION



Radien / Radien-X

860201523

- Doubles the storage with additionall 4-liter capacity.
- Can be used with or without windshield.
- Door allows for perfect postioning and mounting of GPS.
- GPS sold separately.

CELL PHONE HOLDER



Radien / Radien-X

- Doubles the storage with additional 3,5 liter capacity.
- Can be used with or without windshield.
- Cell phone heater included.
- Does not include cell phone.
- Available also the replacement door for glovebox, 860202169, sold separately.

GLOVEBOX REPLACEMENT DOOR / CELL PHONE HOLDER

Fits with Glovebox Extension (860201523)

860202169



- Replacement door to update Glovebox Extension with a cell phone holder.
- Door allows for perfect positioning and mounting of a cell phone.
- Cell phone heater included.
- Requires 12V Outlet Plug (860201261).
- For screen size up to 16.26 cm x 8.38 cm.
- Works with capacitive and resistive touch screen technology.

NEW

DEEP SNOW CELLPHONE MOUNT PLATE



Radien² Deep Snow

860202902

- Mounting location that provides quick and secure access to your phone.
- Allows installation of Cellphone Holder (860202372).
- Compatible with 4.5" digital display.

NEW

CELLPHONE BAG



Radien² Deep Snow

860202888

- Nice small heated storage space to stash a cellphone.
- Installs inside the stock glovebox lid.

GOGGLE BAG



Padior

- Designed specifically for a spare set of goggles.
- Under hood heat clears and dries wet fogged goggles.
- Protects goggles during the ride.

GLOVEBOX LINER



Radien / Radien-X

860201270

- Thermoformed liner has a soft finish interior.
- Features one pocket to separate items.

ICE AUGER HOLDER



Radien² / Radien / Radien-X with 2 LinQ pairs or on top of the box 860202779

- New position on the tunnel or on Cargo Box Cover doesn't add width to the snowmobile
- Great for riding in wooded areas
- Easy installation with LinQ brackets
- Mount and dismount your auger in seconds with the two-point mounting system
- Handles augers with up to 8" blades
- Compatible with Stackable Deck and LinQ Cargo Boxes, accommodating 4 LinQ anchors on the lid.

LINQ ICE AUGER HOLDER



Radien² Brutal RE 500 mm/ Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine) 860201828

- Securely mounts to right side of vehicle.
- Easy on/off and installation.
- Retains full function of LinQ accessories.
- Handles augers with up to 10" blades.

LINQ AXE HOLDER



Radien² / Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine)

- Securely mounts on either side of the tunnel using LinQ anchors.
- Universal sizing to fit a wide variety of axes.
- Can be mounted on either side of the vehicle.

CHAIN SAW HOLDER



Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine) 860202071

- Securely mounts to rear of vehicle.
- Retains full function of LinQ accessories, including cargo box.
- Compatible with most blades up to 18".

NEW

CHAIN SAW HOLDER



Radien² Commander

860202979

- Securely mounts to rear of vehicle.
- Retains full function of LinQ accessories, including cargo box.
- Compatible with most blades up to 18"
- Not compatible with LinQ Adventure Cargo Box (860202759).
- Not compatible with Stackable LinQ Deck (860202746).

LINQ SNOWBOARD/SKI RACK



Radien-X Commander

860202778

- Fits 2 snowboards or 1 pair of skis and poles, all sizes.
- Redesigned: simpler, quicker and easier way to attach skis or snowboards even with gloves on.
- Easy to adjust from skis to boards in seconds.
- Rubber cushions protect the edges and hold ski poles securely without damage.
- Requires a rear rack.

LINQ TOOL HOLDER



Radien-X 500 mm Radien-X 600 mm

- Designed for universal applications.
- Convenient swivel latch allows tools like a shovel to be stored in multiple positions.
- Designed specifically for winter use.
- Sold in pairs.

LINQ LOCK KIT



Radien² / Radien / Radien-X

860201968 • 1 pair 860202478 • 2 pairs

- Simple way to lock most LinQ accessories in place.
- Retrofits most LinQ accessories.
- Lock cover prevents snow and ice build-up.
- Not compatible with Tool Holder or Working Light.
- Comes with two keys.



LINQ ANCHORS RETRO FIT KIT



Radien-X 500 mm Radien-X 600 mm 860202482

- \bullet Unique mounting fastener usable on any LinQ System accessory.
- Includes: 2 Cargo LinQ bases and hardware for Multi LinQ Plate

LINQ CARGO BASE KIT



 $Radien^2 / Radien / Radien-X REX / REX^2$

- Unique mounting fastener usable on any LinQ System accessory.
- Includes: 2 Cargo LinQ bases and hardware.

SEATS & ACCESSORIES

LINQ PASSENGER SEAT - SPORT



Radien² / Radien / Radien-X 400 mm

860202325

- The ultimate modular seating solution for 400 mm (16") models.
- Quickly changes from riding solo to riding with a passenger.
- Provides comfortable, ergonomically correct positions for both driver and passenger.
- Easy tool-less clip in attachment with the LinQ system.
- Requires LinQ 1+1 rack or LinQ 1+1 removable rack for installation.
- Compatible with LinQ Lock kits, Heated Handgrips (860202535) and Backrest (860202659)
- Fit to Shredder and Retrofit for Radien & Radien-X 400 mm requires Driver Seat (860202781) or Driver Heated Seat (860202782) for installation.

TRAIL LING PASSENGER PREMIUM NON-HEATED SEAT



Radien² / Radien / Radien-X 400mm

860202917

- The ultimate modular seating solution.
- Quickly changes from riding solo to riding with a passenger.
- Provides comfortable, ergonomically correct positions for both driver and passenger.
- Compatible with LinQ locking system.
- Includes Passenger Backrest (860202659) and seat handles.
- Requires LinQ 1+1 Removable Rack or LinQ 1 + 1 Rack for installation.
- Compatible with LinQ Passenger Seat Heated Grips (860202535).
- Fit to Shredder and Retrofit for Radien & Radien-X 400 mm requires Driver Seat (860202781) or Driver Heated Seat (860202782) for installation.

TRAIL LING PASSENGER PREMIUM HEATED SEAT



Radien² / Radien / Radien-X 400mm

860202536

- The ultimate modular seating solution.
- Quickly changes from riding solo to riding with a passenger.
- Provides comfortable, ergonomically correct positions for both driver and passenger.
- Includes heated seat, heated handles and accessory plug in.
- $\bullet \ \ \hbox{Compatible with LinQ locking system}.$
- Passenger Backrest (860202659) is included.
- Requires LinQ 1+1 Removable Rack or LinQ 1+1 Rack for installation
- Fit to Shredder and Retrofit for Radien & Radien-X 400 mm requires Driver Seat (860202781) or Driver Heated Seat (860202782) for installation.

PASSENGER BACKREST



Radien² / Radien / Radien-X 400mm


860202659

• Passenger backrest compatible with LinQ Passenger Seat - Sport (860202325) for more comfort.

LINQ PASSENGER SEAT HEATED GRIPS

Radien² / Radien / Radien-X 400mm

860202535



- \bullet Easy to disconnect when removing passenger seat.
- Fits for Ling Passenger Seat Sport (860202325)



LINQ 1+1 RACK



Radien² / Radien / Radien-X 400mm

860202785

860202414 • (except 850 E-TEC Turbo R models)

- Required for LinQ Sport Passenger and LinQ Trail Premium Passenger Seat use.
- Great looks with or without the passenger seat mounted.
- Provides an additional LinQ position 0 (for soft accessories only) when passenger seat isn't in use.
- Made of lightweight die cast aluminum.
- Retrofit for Radien & Radien-X 400 mm requires Driver Seat (860202781) or Driver Heated Seat (860202782) for installation.

LINQ 1+1 REMOVABLE RACK



Radien² / Radien / Radien-X 400mm

860202987

- Quick, easy installation with LinQ system.
- Allows battery maintenance with the removable option.
- Required for LinQ Sport Passenger and LinQ Trail Premium Passenger Seat use
- Great look with or without the passenger seat mounted.
- Provides an additional LinQ position (for soft accessories only) when passenger seat isn't in use.
- Made of lightweight die cast aluminum.
- Retrofit for Radien & Radien-X 400 mm requires Driver Seat (860202781) or Driver Heated Seat (860202782) for installation.

DRIVER SEAT



Radien² / Radien / Radien-X 400 mm

- Designed especially to improve riding ergonomics on trail
- Compatible with 1+1 Rack and Passenger Seats

HEATED DRIVER SEAT



Radien² / Radien / Radien-X 400 mm

860202782

- Makes riding more comfortable even in the coldest temperatures.
- Heated seat option to 16" models
- Compatible with 1+1 Rack and Passenger Seats
- Requires Harness (860202740) to retrofit on Radien models.

DEEP SNOW ULTRA-LIGHT SEAT



Radien² / Radien

860202909

- Underseat storage compartment for CVT belt
- Ultra-compact design for active riders.
- 127 mm height.
- Gripper style vinyl resists wear and tear and provides better control.
- Works with Seat Storage Box 6 L (860202532).

2 UP LIGHT SEAT



Radien² / Radien / Radien-X 400 mm

860202568

- Extended seat providing convenient 2-up riding.
- Replaces existing seat in seconds.
- Battery Cover with Support (860201720) required for vehicle without battery.
- On vehicles equipped with a battery, attach LinQ anchor on top of stock battery cover, or use kit 860201720

2 UP SEAT WITH BACKREST



Radien² / Radien / Radien-X 400 mm

- The ultimate in modular seating.
- Allows quick changes between 1-up and 2-up riding.
- Ergonomically correct positions for driver and passenger.
- Two easy tool-less steps:
 - 1 Clip in seat.
 - 2 Add LinQ 1 + 1 Backrest.
- ullet Battery Cover with Support (860201720) required for vehicle without battery.
- Anchor kit available 860202059 (when owning 2 sleds and want to change this seat easily to another sled)
- On vehicles equipped with a battery, attach LinQ anchor on top of stock battery cover, or use kit 860201720

HEATED PASSENGER SEAT AND GRIPS

Radien² / Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine) 860203010

Premium passenger seat with backrest and heated grips.

• Adds warmth in the coldest conditions.



PASSENGER SEAT WITH BACKREST

Radien² / Radien-X 500 mm (except Alpine) Radien-X 600 mm (except Alpine) 860203009

- Passenger seat with smaller safety handles.
- Quick, easy installation.



HEATED GRIPS FOR LINQ 2 UP SEAT

Radien² / Radien / Radien-X 400 mm

860201840

Allow your passenger to ride in comfort in all conditions.

- Easy unplug.
- Fits for LinQ 2-up seat 860202662.



HEATED DRIVER SEAT



Radien² / Radien-X 500 mm Radien-X 600 mm 860202261

• Adds warmth in the coldest conditions.

PASSENGER MUFFS FOR 1 + 1 SEAT



Radien² / Radien / Radien-X

860202114

- Ultra warm passenger muffs with fleece liner.
- \bullet Designed for extreme cold conditions.
- Easy to remove in warmer weather.
- Fits also LinQ 2-up seat (860202662).

BATTERY COVER



Radien² / Radien / Radien-X 400 mm

860201720

• Use in conjuction with 2 up light seat 860202568 or 1 + 1 Seat with backrest 860202662.

1+1 SEAT ELECTRIC VISOR / HEATED BOOTS WIRE HARNESS



Radien² / Radien / Radien-X 400 mm

- \bullet Works in conjonction with the LinQ 1+1 Seat Heated Grips (860201840).
- Provides 2 extra connections: one connection for electric visor and one connection for heated boots.

WIND PROTECTION & MIRRORS

NEW

ONE-PIECE SPORT MEDIUM WINDSHIELD



Radien² (except Deep Snow)

860202944

- Compatible with any set of handguards.
- Medium height 15" (39 cm).
- Offers additional wind protection with integrated style.
- Featuring a one-piece structure with integrated side deflectors.
- Compatible with LED signal lights for Handguards (860202619).

NEW

WINDSHIELD, ULTRA HIGH



Radien² (except Deep Snow)

860202976

- 64 cm (25") height.
- Provides ultimate wind protection, ensuring full coverage.
- Fully covers your handlebars to protect your hands
- Side deflectors are not included (860202437), but required for installation
- Compatible with a mirror kit 860202679

ADJUSTABLE WINDSHIELD, HIGH TO ULTRA HIGH



Radien² (except Deep Snow)

860202623

- \bullet Adjustable range of 53.5 cm to 63.5 cm
- Single lever allows quick changes to the amount of wind protection. High-quality product ensures smooth sliding and easy operation.
- Injection molded for clarity and a better finish.
- Compatible with Glove Box Extension (860202436).
- Compatible with Windshield-Mount Mirrors (860202679).
- Includes Windshield Support (517307974).
- \bullet Side Deflectors (860202437) and adapters (860202784) required for installation.
- Not compatible with handguards and muffs.

MEDIUM WINDSHIELD



Radien² (except Deep Snow)

- Medium height 17" (43 cm) in length.
- Offers additionnal wind protection with integrated style.
- Injection molded for clarity.
- Compatible with Windshield-Mount Mirrors.
- Complete kit includes windshield, side deflectors, windshield support & hardware.
- Side Deflectors (860202437) included.
- Side Deflector adapters (860202784) required for installation.
- Not compatible with handguards and muffs.

ADJUSTABLE WINDSHIELD - MEDIUM TO HIGH

Radien² (except Deep Snow)

860202615



- Adjustable range of 17" (44 cm) to 21" (54 cm).
- Lever allows quick changes to amount of wind protection.
- Compatible with Glove Box Extension (860202436).
- Includes Windshield Support (517307974).
- Side Deflectors (860202437) and adapters (860202784) required for installation.
- Not compatible with handguards and muffs.

LOW WINDSHIELD

Radien² (except Deep Snow)

860202470 • Smoke 860202850 • Dark Smoke

- Low height 12,5" (32 cm) in length.
- Offers additionnal wind protection with integrated style.
- Injection molded for clarity.
- Includes windshield support.

ULTRA LOW WINDSHIELD



Radien² (except Deep Snow)

860202624

- Ultra low height 22 cm in length.
- Additional wind protection with integrated style.
- Injection molded for clarity.
- Includes windshield support.

WINDSHIELD SIDE DEFLECTOR ADAPTERS


Radien² (except Deep Snow)

860202784



• Adapters for assembling windshield side deflectors (860202437, 860202469 and 860202849).

FLEXIBLE MOUNTAIN HANDGUARDS



860201591 • Black

- \bullet Designed to with stand roll-overs and tough boundocking conditions.
- Feature smaller size deflector made of flexible material.
- Mounts feature a flexible base.
- Fits with Pivoting Mirror Kit for Handguards (860200893).



WINDSHIELD SIDE DEFLECTORS

Radien² (except Deep Snow)

860202469 • Smoke 860202849 • Dark Smoke

- Added wind protection for use with low height windshield.
- Compatible with Ultra Low Windshield (860202624) and Low Windshields (860202470, 860202850).
- Side Deflector adapters (860202784) required for installation.



WINDSHIELD SIDE DEFLECTORS

Radien² (except Deep Snow)

860202437 • Smoke

- Added wind protection that works with windshield mounted mirrors also
- Used with Medium height windshield.
- Side Deflector adapters (860202784) required for installation.



WINDSHIELD SUPPORT

Radien² (except Deep Snow)

517307974



• Required for windshields medium height and up.

ADJUSTABLE WINDSHIELD HIGH TO EXTRA HIGH



Radien / Radien-X

860201782

- Quickly change your level of wind protection with the flip of a lever.
- Compatible with Glove Box Extension (860201523).
- Adjustable range of 58.5 cm to 68.5 cm).
- Side deflectors (860201910) and windshield support (517306183) required for installation.
- Not compatible with handguards and muffs.

ADJUSTABLE WINDSHIELD MEDIUM TO HIGH

Radien / Radien-X

860201493

- Quickly change your level of wind protection with the flip of a lever.
- Compatible with Glove Box Extension.
- Adjustable range of 48.5 cm to 58.5 cm.
- Side deflectors (860201910) and windshield support (517306183) required for installation.
- Not compatible with handguards and muffs.





Radien / Radien-X

860201820

- \bullet Quickly change your level of wind protection with the flip of a lever.
- Compatible with Glove Box Extension.
- Adjustable range of 35,6 cm to 43.2 cm.
- Windshield support (517305749) included.
- Not compatible with handguards and muffs.

WINDSHIELD, EXTRA HIGH



Radien / Radien-X

- 63,5 cm high.
- $\bullet \ {\hbox{Provides maximum wind protection}}.$
- Includes side deflectors and windshield support kit.
- Not compatible with handguards and muffs.

WINDSHIELD, MEDIUM



Radien / Radien-X

860201547

- 43 cm high.
- Includes windshield support.
- Not compatible with handguards and muffs.

WINDSHIELD, MEDIUM



Radien / Radien-X

860201864

- 43 cm high.
- Includes side deflectors and windshield support kit.
- Not compatible with handguards and muffs.

WINDSHIELD, LOW



Radien / Radien-X

860202262

- 36 cm high.
- Includes windshield support.


WINDSHIELD, ULTRA LOW



Radien / Radien-X

- 20 cm high.
- Sporty and aggressive look.
- Windshield support not included.

EASILY CHOOSE YOUR IDEAL WINDSHIELD



| ADJUSTABLE WINDSHIELDS | Lowest Position | Highest Position | |
|------------------------|-----------------|------------------|--|
| 1 HIGH TO ULTRA HIGH | 17" (44 cm) | 21" (54 cm) | |
| WINDSHIELDS | Hei | ght | |
| 2 ULTRA HIGH | 25" (64 cm) | | |
| 3 MEDIUM | 17" (44 cm) | | |
| 4 LOW | 16" (40 cm) | | |
| 5 ULTRA LOW | 8" (22 cm) | | |
| | | | |



| ADJUSTABLE WINDSHIELDS | Lowest Position | Highest Position | |
|------------------------|-----------------|------------------|--|
| 1 HIGH TO EXTRA HIGH | 58.5 cm | 63.5 cm | |
| 2 MEDIUM TO HIGH | 48.5 cm | 58.5 cm | |
| 3 LOW TO MEDIUM | 37 cm | 43 cm | |
| WINDSHIELDS | Height | | |
| 4 ULTRA HIGH | 27.5" (70 cm) | | |
| 5 HIGH | 23" (58.5 cm) | | |
| 6 MEDIUM | 17" (43 cm) | | |
| 7 LOW | 14" (36 cm) | | |
| 8 ULTRA LOW | 8" (20 cm) | | |
| | | | |
| | | | |
| | | | |

WINDSHIELD SIDE DEFLECTORS



Radien, Radien-X

860201910

- For medium and high windshields provide added protection and warmth.
- Compatible with Windshield-Mount Mirrors (860200893)

WINDSHIELD SUPPORT



Radien / Radien-X

517306183 • Black

• For medium and higher windshields

PIVOTING MIRROR KIT FOR HANDGUARDS



Radien² / Radien / Radien-X

860200893

- Perfectly integrated design and style.
- Mirrors fold away when not in use for easy storage or when covering vehicle.
- Sold in pairs
- Does not fit with Medium to Ultra High Windshields with side deflectors (fixed or adjustable)

MIRROR KIT

619400009



• Sold individually.

MIRROR KIT



Radien² / Radien / Radien-X

860202679

- Mirror shape creates well integrated look.
- Mounts on medium windshield side deflectors and can be adjusted for 1-up or 2-up riding.
- Mirrors can fold away when not in use for easy storage or when covering vehicle.
- For medium and higher windshields with side deflectors.

XL HANDGUARD KIT



Radien² / Radien / Radien-X

860202783

- Provides additional wind protection for the rider's hands while allowing good vision on the trail.
- The complete kit features clear, larger deflectors, black/grey colored interchangeable caps, and holding arm.
- Stylish design.
- Compatible with Pivoting Mirror Kit For Handguards (860200893).
- Sold in pairs.
- Does not fit with Medium to Ultra High Windshields with side deflectors (fixed or adjustable).

HANDLEBAR AIR DEFLECTORS



Radien² / Radien / Radien-X

860201383

- Design delivers better protection and great style.
- Comes with Black/Grey colored caps.
- · Appropriate for trail riding.
- Sold in pairs.
- Does not fit with medium to ultra high windshields.
- Dark Smoke deflectors are available as spare parts (left 517308076) and (right 517308077)

AIR DEFLECTOR EXTENSION KIT





Radien² / Radien

860200781

Vehicles with Transparent Handguards 860201383

- Semi-rigid, won't collapse at high speed.
- Delivers additional hand protection from the elements.
- Can be installed and removed in seconds.

HANDLEBAR PAD



860201680



• For vehicles without grab handle

HANDLEBAR MUFFS

Radien² / Radien / Radien-X

860202812



- Ultra warm muffs with faux-fur liner for extreme cold conditions.
- Thermoformed constrution allows muffs to keep their shape and provides more space for hand movement.
- Robust attachment system with magnetic opening and closure.
- Easy to install and remove with gloves on.
- Large transparent section allows visibility of control switches.
- Note: Never use handlebar muffs with finger throttle lever.
- Does not fit vehicles with large handlebar pad and/or mirrors.
- Does not fit vehicles with medium to ultra high windshields
- Does not fit vehicles with 4 stroke engines, except 900 ACE Turbo R

HANDLEBAR MUFFS

Radien



- Can be used on handlebars with or without handguards.
- \bullet Inner skeleton allows muffs to keep their shape and gives more space for hand movement.
- Transparent section allows visibility and easy manipulation of control switches.
- Does not fit vehicles with large handlebar pad and/or mirrors.



EXPLORER² FRONT BUMPER



Radien²

860202714

- Redesigned to match the Radien² look and to give unique visual impact with high-end, black/platinium silver powder-coat.
- Large protective surface gives extra protection for your snowmobile.
- Easy bolt-on installation.
- Works with all skid plates.

EXPLORER² FRONT BUMPER - SAFARI EXTENSION



Radien²

860202915

- Prevents damages and keeps the snowmobile from climbing on top of another in the event of an impact from behind.
- Provides extra protection and increases the safety of riders and passengers.
- Designed specially for rental use.

HEAVY DUTY FRONT BUMPER



Radien² / Radien-X 500 mm Radien-X 600 mm 860201819

- Reinforced lightweight aluminum construction.
- Required for the installation of Front Bumper (860202120).
- Standard on Radien²/Radien-X Commander & RE & LTD, Radien-X 59 & 69 Ranger PRO, 59 & 69 Ranger Alpine models.

FRONT BUMPER

Radien / Radien-X 400 mm

860201858 • Viper Red 860201444 • Black

• Easy-install bumper changes the appearance of your sled in minutes.



EXPLORER FRONT BUMPER

Radien / Radien-X 400 mm

860201912 • Black 860201949 • White 860201957 • Viper Red



• Gives the vehicle an attacking expression.



ADVENTURE FRONT BUMPER

Radien

860202135 • Sunburst Yellow/Black 860201787 • Sunburst Yellow/Bla 860201787 • Race Orange/Black 860201788 • Viper Red/Black 860201681 • Black/Black 860201474 • White/Black

- · Made of stacked lightweight aluminum plates.
- Makes a visual impact and provides added protection.



HEAVY-DUTY FRONT BUMPER

Radien² (except Deep Snow)

860203011



- Pre-marked attachment points
- Heavy protection without compromising on lightweight construction
- Durable steel construction
- Designed with utility in mind

NEW

HEAVY-DUTY SIDE BUMPER



Radien² Commander & Brutal 500 mm

860202900 • Commander 860202899 • Brutal 500 mm

- Shield your vehicle's side panels from rocks, trees, and other obstacles.
- Pre-marked drilling holes for a hassle-free installation process.
- Requires Front Bumper 860203011 or 860202817. Simply remove the Front Bumper side attachment tubes for easy installation.

HEAVY-DUTY FRONT BUMPER



Radien-X

860202120 • Black 500 mm & 600 mm 860202263 • Orange 500 mm & 600 mm 860202254 • 400 mm & 500 mm (only Brutal)

- The ultimate front protection for your sled, and attitude with this front bumper.
- 860202120 needs the HD front bumper 860201819 if not as a standard.

FRONT BUMPER CROSS SUPPORT

Radien-X

860202479



- Adds additional side impact protection.
- Provides place to attach additional lights.
- Use with Front Bumpers 860202120 and 860202254

HEAVY-DUTY SIDE BUMPER



Radien-X

860202189 • Black

860202228 • Orange 600 mm

860202190 • Black

860202495 • Orange 500 mm

860202255 • Black 400 mm

- \bullet Protects side panels while still allowing access to them.
- Radien-X 500mm & 600mm models need front bumper 860202120 (Brutal uses 500 mm side bumper and needs front bumper 860202254, but HD bumper is not required).
- Radien-X 400 mm models need also front bumper 860202254.

EXPLORER² REAR BUMPER

Radien² (except MY25-26 Shredder RE & DS models) 860202717 • 3500

860202718 • 3700

860202710 • 3700 • Short tunnel 860202711 • 3900 • Short tunnel

860202712 • 4100 • Short tunnel

- Redesigned to match the Radien² look and to give unique visual impact high-end, black/platinium silver powder-coat.
- Increases the rigidity, protects and strengthens the rear part of the tunnel.
- Easier to install with its premarked chassis.
- Raised handle for better grips when riding in deep snow.



HITCH BUMPER



Radien², Radien

860201433 - 3300 860201471 - 3500 860201250 - 3700 (except short) 860201424 - 3900 (except short)

- Heavy-duty aluminum bumper for hitch applications.
- · Easy attachment with no cutting or drilling.

REAR BUMPER FOR SHORT TUNNEL



Radien² Deep Snow (MY26 CORE Package only)

860202630 • 3700 860202631 • 3900 860202632 • 4100

- Easy-install bumper changes the appearance of your sled in minutes.
- Also reinforces the tunnel.

HITCH BUMPER FOR SHORT TUNNEL



Radien² Deep Snow (MY26 CORE Package only) 860202647 • 3700 860202646 • 3900 860202648 • 4100

- Required for hitch use (hitch 860201381) and towing for short tunnel.
- Easy mounting with no cutting.
- Also reinforces the tunnel.

EXPLORER REAR BUMPER



Radien / Radien-X 400 mm

860201952 • 3700 • Black 860201954 • 3700 • Viper Red

- Protects the rear part of the tunnel.
- Multiple attachment points to attach cargo to the tunnel.

TOWING

C-TYPE HITCH



Radien²

860201381 • models with a hitch bumper

- · Heavy-duty C-type hitch works in conjuction with hitch bumper
- Works with Hitch Bumper for Short Tunnel

TOW HITCH J-HOOK



Radien² / Radien / Radien-X

860202116 • models with a hitch bumper 860202117 • models with a Explorer rear bumper (not illustrated) 860202258 • Radien² / Radien-X 500 mm without rear bumper (not illustrated)

- Easy-to-use, sturdy hook for towing applications.
- Does not fit with Hitch Bumper for Short Tunnel

TONGUE HITCH



Radien² / Radien / Radien-X

860200902 • Models with hitch rear bumper 860202700 • models with a Explorer rear bumper (not illustrated) 860202701 • Radien² / Radien-X 500 mm without rear bumper (not illustrated)

- Heavy-duty Tonque-type hitch works in conjuction with hitch bumper
- Works with Hitch Bumper for Short Tunnel

MULTIMOUNT WINCH KIT



Radien² / Radien-X 500 mm Radien-X 600 mm 860202097 • Radien-X 860203058 • Radien² / Radien-X

- Ergonomic clutch handle.
- \bullet Rugged all-steel gears and bushings, provides more torque and longer life.
- Can be mounted on the side of the tunnel while riding.
- Can be mounted in front or rear while using. Includes cable to allow front mounting on HD front bumper (860202120 or 860202254) and rear mounting to vehicle's hitch.
- Automatic 100% load-holding brake.
- Sealed solenoid for all weather protection.
- Corded 10 ft. (3m) weather sealed hand-held remote.
- Pulling strength capability of 2,000 lb (907 kg).
- Synthetic rope.
- Onepiece rope guide.
- EC Compliant.

SKID PLATES, PROTECTORS & REINFORCEMENT

SKID PLATE



Radien² 2-stroke models (except Deep Snow)

860202808 • Black 860202809 • White 860202810 • Viper Red 860202811 • Race Orange

- Provides a perfect fit with a clean look.
- Smooth surfaces reduce drag.
- 4 mm thick high impact resistance polypropylene plastic for durability.
- Reduced installation time no need for vehicle disassembly, chassis premarked.

FULLBODY SKIDPLATE, BLACK



Radien² (4-stroke models)

860202912

- Full coverage skid plate ensures comprehensive coverage, including chaincase and brake disk protection
- Maximum, extra-wide protection for demanding conditions
- Injection molded assures a perfect fit and easy installation.
- Attachment kit included for easy assembly without the need for disassembly.

SKID PLATE



Radien² Deep Snow

860202586 • Viper Red 860202417 • Black 860202423 • Manta Green 860202418 • Neo Yellow 860202603 • Catalyst Grey

- Narrower than a Full Body, but wider than an Extreme skid plate in size - good blend of protection and agility.
- Smooth surfaces also reduce drag.
- Improved easy assembly without disassembly.
- Chassis is premarked for easy installation.
- 4 mm thick high impact resistance polypropylene for durability.
- · Attachment kit included.

NEW

SKIDPLATE



Radien² / Radien-X 500 mm

860202991 • Black 860202992 • Viper Red 860202971 • Black (For Brutal)

- Full coverage skid plate.
- Maximum extra wide protection for tough conditions.
- Easy anssembly

FULLBODY SKIDPLATE



Radien

860202797 • Black 860202798 • White 860202799 • Viper Red

860202023 • Cyan 860202024 • Race Orange

- Injection molded plate with smooth bottom surface to reduce drag.
- 4mm thick high impact resistance polypropylene for durability.
- Wide shape for full protection and maximum flotation.
- Improved easy assembly without disassembly.
- · Attachment kit included.

HEAVY-DUTY SKID PLATE



Radien-X 400 mm

860202064 • Can-Am Red 860202065 • Race Orange 860202343 • Black 860201867 • White

- Full coverage skid plate.
- Maximum extra wide protection for tough conditions.
- Injection molded assures a perfect fit and easy installation.
- Attachment kit included.

HEAVY DUTY SKID PLATE



Radien-X 600 mm

860202176

- Full coverage skid plate.
- Wide shape for full protection and maximum flotation.
- Attachment kit included.

REAR SKIDPLATE



Radien

860202067 • For long chaincase 860202303 • For short chaincase

- Extra underbelly protection.
- Protects components such as brakes and chaincase from impacts.
- Available for models with fullbody skid plate.

NEW

BRAKE AND CHAINCASE PROTECTORS

Radien² / Radien / Radien-X

860202943 • with long chaincase 860202774 • with shortchaincase



- Prevents your chaincase and under guard brake from getting damaged by rocks or logs.
- Made from lightweight aluminium forging for maximum protection with limited extra weight on the sled.
- Compatible with any skid plate excpect Full coverage skid plate.

BRAKE AND CHAINCASE PROTECTORS

Radien²

860202768 • DS & Brutal RE 500 mm



- Prevents your chaincase and under guard brake from getting damaged by rocks or logs.
- Made from lightweight aluminium forging for maximum protection with limited extra weight on the sled.
- Compatible with any skid plate excpect Full coverage skid plate.

BRAKE AND CHAINCASE PROTECTORS

Radien² / Radien / Radien-X

860202765 • with long chaincase 860202780 • with short chaincase 860202573 • with long chaincase for DeepSnow models



- Provide extra underbelly protection for impacts and riding in extreme conditions.
- 2 mm steel, powder coated black.
- Easy to mount to the frame with screws, chassis premarked for easy installation.
- Compatible with any skid plate excpect Full coverage skid plate.
- Set includes protectors for left and right.



HEAVY-DUTY AIR INTAKE FILTER KIT




Radien² Deep Snow

860202459

860202748 • replacement filters

- Filters prevent water intrusion and snow buildup.
- \bullet Designed in 2 parts, one fixed and the other removable.
- The fixed part has a filter to prevent debris from entering the air inlet if the removable part gets damaged.
- Quickly replace the upper filter in the event of damage without tools.
- Replacement for stock filters.
- Not compatible on Radien models.


RAIL REINFORCEMENTS



Radien² / Radien-X 500 mm & 600 mm EasyRide+ 860202795

- Increases rail strength and longevity.
- Standard on Commander RE and Brutal RE models

RAIL REINFORCEMENT



Radien² PPS² DS+ and PPS³ DS

860202611

- Increases rail strength and longevity.
- Reinforcements are installed inside the rails.
- Standard on Shredder RE & Brutal RE 400 mm models

RAIL REINFORCEMENT



Radien² (except deep snow) Radien 860201870 • PPS² rear suspension 860202462 • PPS³ rear suspension

• Fits all Radien and Radien² models with PPS² and PPS³ rear suspension.

BRAKE RESERVOIR PROTECTOR



Radien² / Radien (only models with standard controls on handlebar)

- Increases impact protection for the brake reservoir.
- Window to see fluid level.
- Cast aluminum construction.
- Stock on 2022 BoonDocker RE & DS models and 2023-2024 Shredder RE & DS models.
- Does not fit to any of 2025-2026 models, those already have aluminium reservoir as standard.

NEW

SNOW FLAP EXTENSION



Radien² Deep Snow (except Shredder Core package) 860202975

- Removable snowflap extension that helps engine cooling in hardpack, low & icy snow conditions when installed.
- · Stows on the tunnel when not in use.
- Installs on the stock lightweight snowflap of Shredder RE and DS models with super short tunnel.
- Compatible with stock and hitch bumpers.
- · Rear bumper required.

LING REMOVABLE SNOW FLAP



Radien

860201914

- Innovative way to remove snowflap.
- Can be installed with stock flap.
- Stows on the tunnel when not in use.
- Does not fit on Boondocker RE & DS and Xterrain RE (2022 and up).

SNOW FLAP EXTENSION



Radien² Deep Snow (except Shredder RE & DS MY26) 860202567

- Removable snowflap extension that helps engine cooling in hardpack, low & icy snow conditions when installed.
- Stows on the tunnel when not in use.
- Installs on the stock lightweight snowflap of Shredder models with short tunnel.
- Compatible with stock and hitch bumpers.
- Rear bumper required.

SNOWGUARD FOR BRUTAL

Radien-X 500 mm BrutalRadien-X 500 mm Brutal

520002037

• Ensures optimal cooling when towing

ERGONOMICS

ADJUSTABLE BRAKE LEVER

Radien² / Radien & Radien-X Xterrain

860202222

- Toolless design adjusts easily .
- Shape and size is optimized for 1 or 2 fingers.
- Total adjustment range of 20 mm.
- Up to 15.5 mm closer or 4.5mm farther away vs. standard lever.
- Stock on Radien² Shredder RE & DS and all Radien² RE models.

PERFORMANCE SMALL DIAMETER HANDLEBAR

Radien² / Radien / Radien-X

860202838



- Narrow design used for more agile precise maneuvers found in mountain applications or in trail applications ideal for smaller hand grip.
- Smaller diameter providers a lighter, easier grip.
- 20 mm grip, 22 mm clamper diameter at riser.
- Less hand fatigue.
- · Grips included.
- Stock feature in all MY26 Lynx models


FIXED TOE-HOLD



Radien² Rave & Xterrain / Radien (Deep Snow) 860202066

- Fixed toe-holds for control and leverage when boondocking.
- Fits for 3500 lenght tunnel and longer.

SIDE SUPPORT FOOT KIT



Radien² / Radien

860201876

• Cast aluminum outer support for riders that use their feet to push in corners, or desire a more locked feel.

ADJUSTABLE RISER



Radien² / Radien

• For straight handlebar.

860201589 • 150-210 mm. Fits on Deep Snow

EXTENSION KIT



Radien² / Radien

860201428 • 190 mm. Works with all stock wiring and cables. Longer throttle cable might be needed

860201632 • 165 mm. Fits on Rave RE (longer cable 512061224 required, not included) and Xtrim RE models

860201427 • 120 mm. Works with all stock wiring and cables. Fits on Rave RE and Xtrim RE models

• For straight handlebar.

FIXED RISER BLOCK



Radien² / Radien 400 mm

860201874 • 90 mm 860202859 • 70 mm

HANDLEBAR GRIPS



Radien² / Radien / Radien-X

• Aggressive pattern for extra grip.

• 2 pieces.

860201878 • Black

GRAB HANDLE LOW



Radien² / Radien / Radien-X

- Provides more freedom of movement in active riding.
- Not compatible with Handlebar Bag (860201565).

LIGHTS

NEW

AUXILIAR LED LIGHT BAR



Radien² (except Adventure Electric & Deep Snow models)

860202931

- Illuminate your winter journey with our powerful Auxiliary LED Light Bar. This innovative lighting solution combines the best of both worlds
- Spot and Flood combo beam.
- \bullet Lumens: flood 1100 lm / flood + spot 3700 lm.
- Flood Beam: Consistent, wide-angle illumination providing a pleasant and powerful light pattern to the sides. The flood beam remains active at all times.
- Spot Beam: Focused, long-range light for maximum visibility ahead. Mode turns on when switched to high beams.
- Requires HD Front Bumper 860203011 for installation

AUXILIARY LED WIDE LIGHTS



Radien² (except Adventure Electric & Deep Snow models)

860202715

- Provide a wider and more consistent light pattern
- Covers the dark zone directly in front of the vehicle and to the sides for more pleasant riding.
- LED lights add 2,000 additional lumens in an intense, super-wide foglight-type pattern.
- Complete stock lighting with a next level integration and nice look.
- Easy to install with a simple plug-and-play hook-up.
- Always on, no switch.

AUXILIARY LED LIGHT



Radien / Radien²

860202429

- Riser mounted adjustable auxiliary light for deep snow sleds.
- Provides 1375 extra lumens of light.
- Weighs 540 grams.
- Flips up when needed and folds down out of the way when not in use to avoid damage.
- Integrated switch automatically shuts light off when folded down.
- Operates with the high beam switch.
- Compatible without windshield or with ultra-low windshield only.
- Compatible with Tall and Short Riser.
- Not compatible with Glovebox Extension.
- Harness 515178153 required on Radien platform BoonDocker models.

HIGH BEAM AUXILIARY LED LIGHT



Radien / Radien-X

- Doubles the stock highbeam output.
- Light covers more distance for great night visibility

LED SIGNAL LIGHTS

Radien² / Radien

860202619





- LED Signal light changes color mode.
 Includes a switch to change modes.
- Signals other riders on the trail.
 - -Mode 1 white running light (default mode).
 - -Mode 2 amber (left side only): Riders behind-Mode 3 green (left side only): Solo rider/end of group
 - -Mode 4 both sides flash amber: Caution/hazardous situation
- Compatible with flexible, transparent or XL handguards.
- Retains stock color cap.
- Sold in pairs.
- Requires Retrofit Harness (860202740) for installation on Radien models.

LED SIGNAL LIGHTS FOR WINDSHIELD

Radien² (except Deep Snow)

860202703



- LED Signal Light changes color.
- Includes a switch to change modes.
- Signals other riders on the trail.
- Mode 1 white running light (default mode).
- Mode 2 amber (left side only): Riders behind
- Mode 3 green (left side only): Solo rider/end of group
- Mode 4 both sides flash amber: Caution/hazardous situation
- Installs on Windshield Side Deflector Kit for medium and higher windshields.
- $\bullet \ \ \text{For easier installation, use the Accessory Switch Console with premade hole (860202827)}.$
- Side Deflectors (860202437) and adapters (860202784) required for installation for medium and higher windshield if not already installed on your vehicle.
- Sold in pairs.

LINQ WORKING LIGHT



Radien² / Radien / Radien-X

- Convenient LinQ mount with swivel allows you to adjust as needed.
- Ultra bright 1000 Lumen output.
- Works when at idle.
- Requires 12V outlet (860201888) in 600 mm and 500mm models and 12V outlet (860202069) in 400mm models.

ELECTRICAL

EMBEDDED MAPS



Radien² (vehicles with 10.25" Color Touchscreen Display) 860202727

- Retrofit for 2023 and 2024 vehicles with a 10.25" Color Touchscreen Display.
- Adds GPS tracking.
- Adds embedded maps.
- Allows GPS mapping and tracking without a cell phone.
- \bullet Included on all 2025-2026 models with 10.25 in. Color Touchscreen Display.
- A software update will be required to use the built-in navigation features.

XPS CARE GLASS SCREEN PROTECTOR FOR 10,25" COLOR TOUCHSCREEN DISPLAY



Radien²

860202680

- Made from the Highest Quality Tempered-Glass with 100% Bubble-Free Adhesives for easy installation and no residue when removed.
- \bullet 0.3mm 9H Hardness Anti-Scratch, Anti-Fingerprint, Bubble Free
- 99.99% HD Clarity and Maintains the Original Touch Experience
- Hydrophobic and Oleo-phobic coatings protect against sweat and oil residue from fingerprint.
- Anti Glare
- Works with Gloves

HEATED VISOR KIT WITH PLASTIC CAP

Radien² / Radien / Radien-X

860202338



- Easy install plug-in for visor kit or heated accessories.
- Wiring harness included.
- Standard RCA plug.





Radien / Radien-X

- Adapter to power Radien² accessories on Radien vehicles
- Converts the 2-pin connector to 3-pin.
- Auxiliary LED Light (860202429) on Radien requires Harness (515178153).

HARNESS EXTENSION FOR CELLPHONE HOLDER AND USB PLUG

Radien, Radien-X

515178153

• Required for Cellphone holder 860202372 and USB intelligent Power Outlet Kit 860202433 when installed on Radien and Radien-X models.

E-LINQ



Radien² (except 600 EFI)

860202354

- Combines both DESS cord and heated visor/accessory cord into one.
- Converts standard DESS cord into a powered cord.
- Easy and quick magnetic connection that self locates.
- Reduces chances of a broken connector.
- Increases freedom of movement with less cords.
- Works with any electric helmet and 12V heated visor.
- Maintains power connection 100% of the time.
- Improved desing for easy installation.
- No more drilling required.

E-LINQ



Radien / Radien-X (except 600 EFI)

860202131

- Combines both DESS cord and heated shield cord into one.
- Same type of magnetic connector as used on OXYGEN helmet.
- Easily converts standard DESS cord into a powered cord.
- Increases freedom of movement.
- Easy and quick connection that self locates.
- Works with any 12V heated shield.

LEARNING KEY



Radien-X

860201872

• For vehicles with Radien-X platform and Rotax 4-stroke engines.

RF DESS SPARE KEY



Radien² / Radien / Radien-X

515177742

• (from 2015)

AMBIENT AIR & ENGINE TEMPERATURE MODULE

Radien

860201362



HEATED VISOR KIT

Radien² / Radien / Radien-X

• Wiring harness included.

860201283



BLOCK HEATER

Radien² / Radien-X

860201980

- Improves starting in extreme cold temperatures.
- Fits only models with 600 ACE (2020->) 900 ACE and 900 ACE Turbo engines.
- Installation tool reguired (520002260, sold separately).



Radien² / Radien / Radien-X

515176786



Radien² / Radien / Radien-X

860200997

The CTEK Polar MXS 5.0 battery charger is the perfect solution for restoring, charging, and maintaining all types of lead-acid batteries. The charger is equipped with a cold-resistant rubber cable on both sides. The maintenance charger ensures the best possible performance and long service life, especially in cold conditions, as the charger's AC and DC cables perform even at temperatures as low as -30°C. Charger Plug 515178904 not included but is available as a spare part.

RCA ADAPTOR PLUG KIT



Radien² / Radien / Radien-X

515176794

• Y plug power splitter lets you connect 2 heating components or 1 heater and 1 electrical visor.

USB INTELLIGENT POWER OUTLET KIT

Radien / Radien²

860202433

- Power all your electronics with this easy to mount USB plug.
- \bullet Provides 1 USB A (QC*3.0) and 1 USB C (PD**) plugs.
- Power rate : 36 watts.
- Intelligent USB charger for a quick charge when battery is low.
- Installs inside storage compartment.
- Wiring harness included.
 *QC: quick charge
 **PD: power delivery

USB POWER OUTLET KIT



Radien² / Radien / Radien-X

860201261

• Includes wiring harness.

POWER OUTLET



Radien² / Radien / Radien-X


860201423

• Wiring harness included.

ELECTRIC STARTER KIT

Radien (vehicles with 600R and 850 E-TEC engines, without SHOT)

860201282



• Battery cover with support (860201720) also required.




REWIND STARTER KIT

Radien (Vehicles with 600 EFI, 600R and 850 E-TEC engines)

860201410

• A complete set.





12V OUTLET FOR SLEIGH

Radien² / Radien / Radien-X

860202468

• 12v outlet for sleigh rear- and brake lights

12-VOLT PLUG FOR LINQ MULTIMOUNT PLATE

Radien-X 500 mm Radien-X 600 mm 860201888

• Standard 12V outlet for the rear of the vehicle.

• Especially for the LinQ Working Light (860202380).



RAVE 120 & 200 ACCESSORIES

LOW WINDSHIELD

Rave 120 & 200

860202570



- Low height 36 cm high.
- Offers protection with integrated style.
- Thermoformed molded for clarity.

PIVOTING MIRROR KIT FOR HANDGUARDS

Rave 200

860200893



- Perfectly integrated design and style.
- Mirrors fold away when not in use for easy storage or when covering vehicle.
- · Sold in pairs.

CARBIDES

Rave 120 & 200

860202555



• 7/16" flat top runner with 4" of 60 degree turning carbide (Woodys).

· Sold in pairs.

HEAVY-DUTY SPRING KIT

Rave 120 & 200

860202629



- Higher capacity springs for larger riders.
- Maintain handling and comfort as riders grow.

REAR WHEEL KIT

Rave 120 & 200

860202628 • Rave 120 860202610 • Rave 200



- Additional wheels for the rear suspension for low snow conditions.
- Includes wheels and mounts.

FLEXIBLE HANDGUARDS

Rave 120 & 200

860201591



- \bullet Designed to with stand roll overs and tough boondocking conditions.
- Feature smaller size deflector made of flexible material.
- Mounts feature a flexible base.
- Fits with pivoting Mirror Kit for Handguards (860200893).

COVER

Rave 120 & 200



- Cover fits Youth model sleds.
- Quick release buckles for easy, gloved-hand operation.
- RAP clip intuitively connects to the tunnel for easy installation.
- Added protection while transporting sleds.

59 RANGER & 69 RANGER ALPINE ACCESSORIES

HILL BRAKE



59 & 69 Ranger Alpine

860202078 • 69 Ranger Alpine 860202364 • 59 Ranger Alpine

- Advanced hill brake application for safe stopping on steep hills.
- Specifically designed for 69 Ranger Alpine model.

BEACON BAR



59 & 69 Ranger Alpine

860202395

• Sturdy bar for lights (lights not included).

WORKING LIGHT KIT




59 & 69 Ranger Alpine

860202084

• Working light and warning lights for beacon bar (beacon bar not included).

A-ARM WIDENING KIT



59 & 69 Ranger Alpine

- Provides more stability when turning on steep slopes.
- \bullet Adds 200 mm of width to the front suspension.

WARNING LIGHTS



59 & 69 Ranger Alpine

860202496

- Includes 2 LED lights to be installed at front and 2 at rear of the snowmobile.
- Control of the lights needs Working Light kit 860202084.

WARNING SIGNAL FOR ALPINE

59 & 69 Ranger Alpine

• Push the button warning signal.

860202312



LINQ SKI & SNOWBOARD RACK

69 Ranger Alpine

860202082

- Rack for two pairs of skis and a snowboard.
- Cargo box 860202080 and Beacon Bar 860202395 required



1+2 SEAT



860202502







69 Ranger Alpine

860202080 • 69 Ranger Alpine

- Large cargo box, 180 L for mounting on the rear rack.
- This box is not fitting to 59 Ranger Alpine, for that please use Rear deck 860202415 to add possibility to use big LinQ Cargo boxes 860202416 and 860202085.

SUSPENSION

NEW

LFS-R FRONT SUSPENSION KIT



Radien² (1097mm ski stance)

860202843

- Provides better cornering stability and steering precision.
- The taller ski leg and the new geometry
- Fits on 1097mm ski stance

SUSPENSION PACKAGE FRONT



Radien² / Radien-X 500 mm (except Alpine) Radien² / Radien-X 600 mm (except Alpine) 860202879

- For 996 mm ski stance.
- Include two pieces of KYB PRO 36 EA-3 R Kashima shocks with 3-step compression and rebound adjustment
- Full kit which includes shocks, springs and installation hardware
- Standard on Commander RE & Brutal RE

SUSPENSION PACKAGE REAR



Radien² / Radien-X 500 mm (except Alpine) Radien² / Radien-X 600 mm (except Alpine) 860202913

- For Easyride+ rear suspension
- \bullet KYB PRO 46 EA-3 R Kashima Rear Shock
- KYB 46 PLUS Kashima Center Shock
- Full kit which includes shocks, springs and installation hardware
- Standard on Commander RE & Brutal RE

SUSPENSION PACKAGE FRONT



Radien² 921 mm & 863 mm ski stance

- For 921 mm & 864 mm ski stance.
- Includes two Shocks; KYB PRO 36 EA-3 R Kashima with 3-step compression and rebound adjustment
- Full kit which includes shocks, springs and installation hardware

SUSPENSION PACKAGE REAR



Radien² PPS² DS & PPS³ DS Rear suspensions

- 860202914
- For PPS² DS & PPS³ DS rear suspensions
- KYB PRO 46 EA-3 R Kashima Rear Shock
- KYB 46 PLUS Kashima Center Shock
- Full kit which includes shocks, springs and installation hardware

FRONT SUSPENSION LFS KIT



Radien

860201588

- Adjustable width 975 mm 1,019 mm.
- Includes KYB 36R shocks and springs.

KYB 36 R FRONT SHOCK KIT



Radien² / Radien-X

- For 996 mm ski stance.
- Aluminium shocks with rebound adjustment.

CURVED A-ARMS



Radien² / Radien / Radien-X

860201679 • 921 mm 860202345 • 996 mm

- Redesigned to be more effective.
- Provides more clearance for less drag in deep snow.
- Reduces damage from objects hidden below the snow.
- Quick-disconnect sway bar kit included.

EASYRIDE REAR END LOCKING PIN

Radien-X 400 mm Radien-X 500 mm 860202068 • Radien-X 400 mm 860201948 • Radien-X 500 mm



 \bullet The simple mechanism makes it easy to lock and unlock the Easyride rear end movement for different application needs.

COVERS

RIDE ON COVER (ROC)

Radien / Radien² (except Deep Snow)

860202814 • Fits with two up seats and ultra high windshield

- Ride On Cover (ROC) System fits trail sleds.
- Easy handlebar access for moving sled while covered.
- Ride on or off a trailer or sled deck while covered.
- · Added protection while transporting sleds.

RAP-CLIP COVER



Radien / Radien² (except Deep Snow)

860201535 • Fits with one up seat. Low to medium windshield 860201534 • Fits with two up seats and medium windshield

- The strap-less snowmobile trailering cover that clips on to the tunnel intuitively.
- · No more kneeling in the snow.
- Easy installation. Installs in seconds.



RIDE ON COVER (ROC)



Radien² Deep Snow

860202612 • No windshield to low.

- Ride On Cover (ROC) System fits Radien² deep snow sleds.
- Quick release buckles for easy, gloves on operation.
- Updated Rear clip for easier installation and removal.
- Easy handlebar access for moving sled while covered.
- Ride on or off a trailer or sled deck while covered.
- Added protection while transporting sleds.

RAP-CLIP COVER



Radien² / Radien-X 400 mm 4-stroke Radien 49 Ranger PRO 860201868 • With medium and higher windshield. Fits with one up seat. 860201869 • With medium and higher windshield. Fits with one and two up seats.

- The strap-less snowmobile trailering cover that clips on to the tunnel intuitively.
- No more kneeling in the snow.
- Easy installation. Installs in seconds.

RIDE ON COVER (ROC)



THE STATE OF THE S

Radien² / Radien-X 500 mm

860201996 • With medium to ultra high windshield. Fits with one up seat. 860201997 • With medium to ultra high windshield. Fits with one and two up seats.

- Ride On Cover (ROC) System fits Radien² & Radien-X 500 mm wide sleds.
- Quick release buckles for easy, gloves on operation.
- Updated Rear clip for easier installation and removal.
- Easy handlebar access for moving sled while covered.
- Ride on or off a trailer or sled deck while covered.
- Added protection while transporting sleds.

RIDE ON COVER (ROC)



Radien-X 600 mm

860202252

- Ride On Cover (ROC) System fits Radien-X 600 mm sleds.
- Easy handlebar access for moving sled while covered.
- Ride on or off a trailer or sled deck while covered.
- Added protection while transporting sleds.

COVER, WHITE

Radien-X 500 mm & 600 mm

860202486

- Storage cover of which provide protection for your snowmobile.
- Fits with one and two up seats.

LIGHTWEIGHT COVER

Radien² / Radien / Radien-X

860202379



- Compact, lightweight and packable.
- Covers front lights, handlebar, cluster, glovebox and seat area.

COVER COMPATIBILITY

| SKU | DESCRIPTION | | VER AND | WINDSHIELD | | | | SEAT | WIDTH | | | |
|-----------|-------------------------------|------|------------|------------|-----|--------|------|----------------|-------|-----|-----|-----|
| | | Lynx | None | None | Low | Medium | High | Ultra- High | 1+1 | 16" | 20" | 24" |
| 860202612 | Ride On Cover (ROC) System | • | | • | | | | | | • | | |
| 860201535 | Sled cover | • | | | • | • | | | | • | | |
| 860201534 | Sled cover | • | | | | • | • | • | • | • | | |
| 860201868 | Sled cover | • | | | | • | • | | | • | | |
| 860201869 | Sled cover | • | | | | • | • | | • | • | | |
| 860201996 | Sled cover | • | | | | | • | | | • | • | |
| 860201997 | Sled cover | • | | | | • | • | | • | • | • | |
| 860202486 | Cover white | | • | • | • | • | • | | • | | • | • |
| 860202252 | Sled cover | • | | | | | | | • | | | • |
| 860202379 | Lightweight cover | • | | | | | | | | • | | |
| 860202585 | Sled cover | • | | | | | | | | | | |

SKIS

NEW

BLADE DSS SKI KIT



Radien² / Radien / Radien-X

860203007

- Balanced Blade DSS ski for precise control and agility.
- 10mm narrower profile for easier counter steering and easier to push into the snow
- 250g weight reduction for less unsprang weight, more precise suspension function
- Its balanced keel design ensures predictable handling in any snow condition
- Designed for deep snow but performs well on groomed trails too
- Stock feature in MY26 Shredder RE & DS models
- · Sold in pairs.

BLADE DS+ SKIS



Radien² / Radien / Radien-X

860202265 • Cyan 860202011 • Black 860202012 • White 860202013 • Viper Red 860202015 • Sunburst Yellow 860202016 • Manta Green 860202017 • True Blue 860202019 • Race Orange

- \bullet The Blade DS+ ski improves the handling of the Lynx snowmobiles in deep snow.
- The ski makes the snowmobile more predictable to steer, even when turning in deep snow, and it improves handling when side hilling.
- Sold in pairs.

BLADE XC+ SKIS



Radien² / Radien / Radien-X

860202460 • Black 860202498 • Viper Red 860202613 • White

- The Blade XC+ ski is longer, narrower and lighter than its predecessor and it provides great stability.
- Thanks to its renewed structure, the ski maintains its qualities in variable snow conditions consistently.
- Sold in pairs.

BLADE XC SKIS



Radien² / Radien / Radien-X

860201655 • Black 860201656 • Sunburst Yellow 860201657 • Blue 860201658 • Lime Green 860201659 • Manta Green 860201660 • Red 860201661 • White 860201662 • Grey

860201946 • Race Orange

- It is the perfect combination of flotation in deep snow and sharp steering on hard packed snow.
- Sold in pairs.

BLADE SKI HANDLE



Radien² / Radien / Radien-X

BLADE XC, DS, DS+ 505072976 • Black 505073107 • Yellow 505073108 • White 505073388 • Lava Red 505073513 • Orange 505073651 • Race Orange 505073665 • Sunburst Yellow 505073109 • Viper Red

BLADE XC+ 505075347 • Viper red 505075344 • Black 505075345 • White

- High-density colored polyethylene loops.
- \bullet The package includes a single handle without installation kit

BLADE DS+ LINER KIT



Radien² / Radien / Radien-X

860202020 • Symmetric 860202734 • Asymmetric

- Ski liners for the Blade DS+ ski.
- Full wide symmetrical version for extreme deep snow applications.
- · Sold in pairs.

RUNNERS

BLADE TRAIL

Fits on Blade, Blade DS, XC, DS+, XC+, DSS

860202518 4"

A great choice if you are looking for overall improvement in handling, or to replace your factory runners.

• 4" carbides with a 90 degree angle on a galvanized round runner profile with leveled edges.




BLADE ZERO

Fits on Blade, Blade DS, XC, DS+, XC+, DSS

860202934

Experience exceptional agility and precision with our lightweight, carbide-free runner.

- Carbide-free runner for lightweight and agile performance.
- Slides over rocks easily with precise steering control.
- Ideally suited for low-snow conditions with exposed rocks or other obstacles.
- Features a galvanized round, half-inch host bar with precision-leveled edges.
- Sold in pairs for complete ski setup.




EXPEDITION SQUARE

Fits on Blade, Blade DS, XC, DS+, XC+, DSS

860201044 - 7"

Square 7" profile host bar carbides for easy steering and overall improvement in handling

- Protected under patent numbers US 7,413,198, US 7,389,995 and CA2535565.*
- · Sold in pairs.




EXPEDITION ROUND

Fits on Blade, Blade DS, XC, DS+, XC+, DSS

860201220 - 7"

Round 7" profile host bar carbides $\,$ for easy steering and overall improvement in handling.

- Protected under patent numbers US 7,413,198, US 7,389,995 and CA2535565.*
- Sold in pairs.




EXTENDER TRAIL III

Fits on all Blade Skis

860200578 - 4"

Woody's entry level carbide runners featuring • 4" of 60° carbides and a $\% \epsilon$ " host bar.

- If you are looking for a cutting edge in hardpacked snow and ice, or to improve your safety and handling, this option is for you.
- For use on snowmobiles with un-studded to lightly studded tracks.
- Sold in pairs.



RUNNERS

ACE

Fits on Blade, Blade DS, XC, DS+, XC+, DSS

860201969 - 6" 860201970 - 8"

- These carbide runners are the tallest in the industry and have a narrow, rectangular profile for aggressive turning capabilities.
- The 60° turning carbides, available in 6" and 8", have been strategically placed to protect the runner and reduce darting by carving through existing grooves.
- Work great on Crossovers and in deep snow.
- Steel bars from excessive wear.
- Sold in pairs.

9/16" 123/4" 63/8"

BLADE TRAIL Fits on Blade Skis

860202821 4"

A great choice if you are looking for overall improvement in handling, or to replace your factory

• 4" carbides with a 90 degree angle on a galvanized round runner profile with leveled edges.


ADJ TRAIL

Fits on ADJ Skis

860202822 3"

A great choice if you are looking for overall improvement in handling, or to replace your factory runners.

• 4" carbides with a 90 degree angle on a galvanized round runner profile with leveled edges.




NAVIGATOR SKI PROTECTOR

Blade XC+

860200579

Protect skis from wear at the front.

- Reduces darting as plate packs grooves, leaving runners a fresh path.
- Compatible with any single runner made.
- Compatible with Blade XC+
- Sold in pairs



UNIVERSAL

LYNX SHOVEL WITH SAW

Radien² / Radien / Radien-X

860201918



- Design with better cutting edge.
- Features integrated saw handle.
- Blade flips 90° to pull snow away.
- Can be dismantled for easy storage.

LOCKABLE FUEL CAP

619590085



Lockable to protect your fuel.

BRP TOOL KIT

Radien² / Radien / Radien-X

860202029

- Casing fits perfectly in Deep Snow Seat Box with or without battery (860202028 and 860202668).
- Features high quality tools.
- Includes:
 - Stainless steel open end wrenches; 8-10mm, 10-13mm, 12-14mm, 15-17mm, 16-19mm.
- 1/4 drive ratchet with 4" extension, hex $\,$ 8 10 13 -16, torx 25 30 40, allen 4 6 8, philips #2.
- Long nose vice grip.

TUNNEL GRIP PLATES

860200164



PULLING STRAP



Radien² / Radien / Radien-X

- Save your back and get unstuck the easy way.
- $\bullet \ Lightweight, compact, affordable.\\$
- Extremely robust material.
- Available in red only.
- 2 per pack.

RACING BRAKE PADS

REX

619690016



FISKARS AXE NORDEN WITH LEATHER COVER

860202576 • include leather protective case



Norden's N12 splitting ax is made in Finland. It combines durability, perfect blade and shank balance, advanced blade shape and an extremely sharp angle that together maximize product performance. The shaft of the ax is made of high quality hickory wood, which gives it a natural look and feel. Comes with a leather protective case. Fits perfectly in the ax holder of the large 135L Cargo Box.

FISKARS GARDEN SAW L SW75

860202578



The Xtract ™ garden saw (L) SW75 is a very efficient saw specially designed for fresh wood. Fiskars Xtract ™ saws have a retractable blade mechanism and a fixed belt loop, so the saw can be carried and stored safely. The hollow handle allows the blade to be stored inside the handle during transport. Can be attached to a large 135 L Cargo Box.

FISKARS SPLITTING AXE X11

860202577 • include leather protective case



The X11 splitting ax is a handy tool for splitting smaller timber with a diameter of 10-20 cm. Easy to use with just one hand. Also excellent for making campfire lighters. Fits perfectly in the ax holder of the large 135L Cargo Box.

COOLING

ICE SCRATCHERS



Radien-X 600 mm

860202485

Provide additional lubrication in hard and icy conditions.

- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

ICE SCRATCHERS



Radien² / Radien / Radien-X

860201728

Provide additional lubrication in hard and icy conditions.

- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.
- Standard on all Shredder models (2023 and up) and BoonDocker DS models (2022 and older).

AIR RADIATOR KIT



Radien² (except Deep Snow)

860202796

- Provides additional cooling in extreme conditions.
- Designed for 600R, 850 E-TEC and 600 EFI engines.
- Electric start is necessary during assembly for optimal functionality.

AIR RADIATOR KIT



Radien / Radien-X 400 mm

860201860

- Provides additional cooling in extreme conditions.
- For 600R and 850 E-TEC engines (electric start is required when assembling).
- For 600 EFI engine (515179331 and 515178537 wiring harnesses reguired for installation).

FRONT RADIATOR KIT



Radien-X / Radien² (4-stroke)

860202465

- Provides additional cooling in extreme conditions.
- For all vehicles with 600 ACE, 900 ACE, 900 ACE Turbo, 900 ACE Turbo R engine.

WHEEL KIT Ø147MM

Radien-X Commander


860202730

• Wheel kit for Commander improves cooling for slides when driving in icy conditions

TRAILERING & COVERS

SUPERGLIDE II PRO

860201216



- Traction knobs incorporated for better traction.
- Exclusive venting, protects the deck of your trailer from moisture damage.
- Total length of 6 m.

SUPERGLIDE II WIDE

860201592



- Allows sled skis to glide with ease.
- Specifically designed traction knobs provide improved traction for your feet.
- Oval mounting channels and custom shoulder screws prevent warping by allowing for expansion and contraction that results from varying temperature.
- Exclusive venting: protect the deck of your trailer from moisture damage.
- Each box contains 8 pieces (343 mm x 749 mm).
- Comes with 72 specially coated screws with grommets.
- Total lenght of 6 m.

SUPERGLIDE EDGE RAIL TRIM

860201217



To secure Superglides on ramps or decks leaving an encapsulated finished edge

SUPER TRACTION GRID



- Super Traction Grids' strategic grid pattern provides incredible grip and accomodates all snowmobile tracks, even with paddles or studded.
- Each box contains 4 pieces (209 mm x 762 mm) and hardware.

RATCHET TIE-DOWNS

• Pack of 2


- 181 kg safe working load
- 2,5cm x 3m strap with Sea-Doo, Ski-Doo & Can-Am logos
- Coated Hooks



HEAVU DUTY RATCHET TIE-DOWNS

715008308 715006227

715008309




- 38 mm x 1.8 mstrap with with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.
- Vinyl-coated hooks.
- Pack of 2.



SUPERTRAC KIT

860201413 • 12" (30 cm) 860201414 • 24" (61 cm) 860201415 • 48" (122 cm)





T-STYLE DECK HOOK 860200995



SUPERTRAC DECK HOOK



860201416

- For Supertrac.
- Adjustable and removable hook

SCREW STYLE DECK HOOK



860200994

- Most common.
- Comes standard with front Superclamps.
- Screws into the existing hole where you would screw the old style bar and crank into or make your own holes

SUPERCLAMP II



860200950

- Innovative trailer tie-down system.
- Silicone rubber pads to protect your skis.
- Front and middle handles allowing easy manoeuverability.
- Pad lock compatible, becomes a theft deterrent.
- Tension adjustment knob fits all snowmobiles.
- Comes with screw style deck hook

SUPERCLAMP REAR WITH SUPERTRAC



- Snowmobile tie-down system for rail.
- Silicone rubber pads to protect snowmobile suspension skid.
- Tension adjustment knob fits all snowmobiles.
- 300 mm Supertrac kit included.
- Pad lock compatible, becomes a theft deterrent.

PARTS & PERFORMANCE

NGK†SPARK PLUGS



219703120 • BR9-ES

415128524 • 600 CARB & 800 P-TEK - BR9-ECS (Gap 0,8 mm)

415130430 • 600 H.O. E-TEC - PZFR6F 415129429 • 1200 4-TEC - CR8EKB 415129484 • 800R E-TEC - PFR7AB

415129670 • 600 ACE - MR7BI8 415129944 • 900 ACE - MR8BI8

415130154 • 850 E-TEC & 600R E-TEC - ILKR8Q 512059552 • 550F, 600RS - BR9ECS (Gap 0,5 mm)

512060029 • 600 CARB, 800R P-TEK - BR8ECS (Gap 0,8 mm)

415129406 • 593 HO including SDI

- You'll see a difference with genuine NGK spark plugs.
- Solid steel terminal reduces the chance of arcing in the plug cap, which may interfere the electric component.
- A necessity in today's ignition system

PISTON KIT



415129406 • 593 HO including SDI

415129405 • 793 HO

415129854 • 800 E-TEC 2011 and prior

415129855 • 800 E-TEC 2012 and up

415129858 • 800R P-TEK and 800R E-TEC 2010

415129541 • 593 415129542 • 552

860202667 • 600R E-TEC

860202666 • 850 E-TEC

• Kit includes: piston, rings, piston pin, needle bearing and circlips.

MAINTENANCE KIT FOR DRIVE PULLEY



REX, REX², XU

415129624 • 2011 (550F)

2011 to 2018 (600 & 600 E-TEC sea-level)

REX2. XU

415129625 • 2012 (1200),

2012 to 2018 (600 E-TEC high altitude)

415129626 • 2011 to 2018 (800R P-TEK & 800R E-TEC)

415129627 • 2008 to 2010 (800R P-TEK & 800R E-TEC)

415129708 • 2011 and prior (1200), 2011 and prior (600 E-TEC high altitude)

- Includes: 1 Spring Cover Ass'y, 3 Rollers Ass'y, 1 Bushing (Siding Flange),
- 6 Slider Shoes, 6 O-Rings, 1 Circlip, 3 Cotter Pins & 3 Lever Axles

MAINTENANCE CLUTCH KIT P-DRIVE

860202665

QRS XD ROLLER KIT



861805577

- \bullet High resistance to wear and shattering from aggressive shifting
- Unique formula prevents deformation for consistent performance
- Precise roller tolerances which are critical to prevent roller seizure and premature wear to key components
- Includes 2 rollers

PDRIVE PULLEY SERVICE KITS

| | SKU | FITS ON ALL P DRIVE | KIT COMPONENT | QTY | | | | | | |
|------------|--------------------------------|---------------------|----------------------|-----|--|--|--|--|--|--|
| | TORQUE ROLLERS MAINTENANCE KIT | | | | | | | | | |
| | | | Torque Roller | 3 | | | | | | |
| | 861805558 | 2015-2017 | Back Torque Roller | 3 | | | | | | |
| | | | Roller Axle | 3 | | | | | | |
| A STATE OF | | | Spring pin | 3 | | | | | | |
| - 6 | 861805559 | | Torque Roller | 3 | | | | | | |
| 4000 | | 2010 | Back Torque Roller | 3 | | | | | | |
| | | 2018 and up | Roller Axle | 3 | | | | | | |
| 460 | | | Spring pin | 6 | | | | | | |
| | TORQUE SLIDERS MAINTENANCE KIT | | | | | | | | | |
| | 861805560 | | Slider | 3 | | | | | | |
| | | | Roller Axle | 3 | | | | | | |
| | | 2018 and up | Spring pin | 6 | | | | | | |
| | | | Outter Thrust Washer | 3 | | | | | | |
| | | | Inner Thrust Washer | 3 | | | | | | |
| Allen | RAMP ROLLERS MAINTENANCE KIT | | | | | | | | | |
| - 4500 | | | Roller Assembly | 3 | | | | | | |
| | 861805561 | 2015 | Thrust Washer | 6 | | | | | | |
| COLLEGE. | | 2015 and up | Roller Axle | 3 | | | | | | |
| | | | Screw | 3 | | | | | | |

XPS Lubricants and Care products are expertly engineered to extend the life of your ride.

We pair the best engineers with the best chemists to create products that exceed tomorrow's technology with the knowledge from an insiders standpoint.



No Shortcuts

Tested on all engine platforms and all materials used in manufacturing today's powersports vehicles - not just one or two. We benchmarked against the best in every category to ensure XPS products meet or exceed each before offering them to you.

They perform and protect in the harshest conditions.

From desert heat to saltwater corrosion to the coldest temperatures on earth - XPS products have been proven to protect and perform.



To learn more about the complete line-up visit xpslubricants.com

XPS OILS AND MAINTENANCE PRODUCTS



XPS 2-STROKE FULL SYNTHETIC OIL

779281 • 1 quart / 946 ml 779282 • 1 US gallon / 3.785 L 779283 • 2.5 US gallons / 9.46 L 779284 • 5 US gallons / 18,92 L 779285 • 55 US gallons / 205 L Specifically engineered to meet the unique needs of Rotax.



XPS 2T SNOWMOBILE SYNTHETIC BLEND OIL

779649 • 3.785 L Designed for all oil injection or pre-mix 2-stroke snowmobiles with electronic fuel injection or carbureted engines.



XPS BRAKE FLUID

779207 • 355 ml Exceeds all DOT3 and DOT4 brake fluid requirements.



XPS 2T SNOWMOBILE PREMIUM MINERAL OIL

779277 • 3.785 L Exceeds all DOT3 and DOT4 brake fluid requirements.



XPS 4-STROKE EXTREME COLD GRADE SYNTHETIC

779295 • 1 US gallon / 3.785 L 779147• 5 US gallon / 19,82 L 779148 • 55 US gallon / 205 L BRP's Rotax 4-stroke ACE and 1203 engines.



XPS SYNTHETIC CHAINCASE XPS 4-STROKE SYNTHETIC OIL

779185 • 12 oz. / 355 ml 779179 • 5 US Gallon / 18,92 L Specifically developed for highperformance Lynx models, it represents the best in stateofthe-art chaincase lubrication



OIL

779286 • 1 quart / 946 ml 779287 • 1 US gallon / 3.785 L 779141 • 5 US gallon / 18.92 L 779142 • 55 US gallon / 205 L 779143 • 265 US gallon / 1003 L 779144 • 330 US gallon / 1249 L

The best choice for any BRP vehicle with a 4-stroke engine used in winter cold condition.



XPS SYNCHROMESH SYNTHETIC TRANSMISSION OIL

779211 • 24 oz. / 710 ml Specifically developed for highperformance Lynx models, it represents the best in stateofthe-art chaincase lubrication



XPS FUEL STABILIZER

779183 • 8 oz. / 240 ml Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.



XPS STORAGE OIL

619590725 • 340 g High-performance fogging oil designed to protect internal engine parts from rust and corrosion.



XPS HIGH PERFORMANCE SUSPENSION FLUID

779219 • 1 quart / 946 ml 779210 • for FOX shocks Engineered viscosity for optimized performance in cold weather conditions.



LUBRICANT

619590733 • 12 oz. / 340 g A multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion



XPS ANTI-CORROSIVE OIL FILL SUPPORT RING

519000296

TRACKS 2026

| | 1 | | | | 1 |
|--|----------------------------|----------------------------|--------------|--|---|
| Item | WxLxH in. | WxLxH mm | Pitch | Profile | Std on MY26 vehicle |
| 504153304 | 15x128x1,35 | 381x3251x34 | 2,86 | | |
| 504153350 | 15x128x1,75 | 381x3251x44 | 2,86 | | |
| 504154393 | 16x128x1,6 | 406x3251x41 | 2,86 | Cobra | Rave RE (129) "Enduro" |
| 504154387 | 15x137x1.5 | 381x3487x38 | 2,86 | Ice Ripper XT studded | Rave RE |
| 504154398 | 15×137×1.75 | 381x3487x44 | 2,86 | Racing | Rave RS |
| 504153162 | 16x128x1,75 | 406x3251x44 | 2,86 | | |
| 504154377 | 15x137x1,25 | 381x3487x32 | 2,86 | Ripsaw | Adventure LX Adventure Core Adventure LTD |
| | | | | | Adventure EV 3500 |
| 504152838 | 15x137x1,35 | 381x3489x34 | 2,86 | Cobra | |
| 504154373 | 15x137x1,25 | 381x3487x32 | 2,86 | Ice Ripper XT studded | |
| 504154394 | 15x137x1,6 | 381x3487x41 | 2,86 | Cobra | Rave RE |
| 504154395 | 15x146x1,6 | 381x3705x41 | 2,86 | Cobra | Xterrain Core |
| 504154783 | 14x120x0.75 | 355x3050x19 | 2,86 | Low Fuel Family | Adventure EV |
| 504154396 | 15x146x1,6 | 381x3705x41 | 2,86 | Ice Cobra (studded) | Xterrain RE (spring model) |
| 504155042 | 15x146x2 | 381x3705x51 | 2,86 | PowderMax | Xterrain Core Xterrain LTD Xterrain RE |
| 504154656 | 15x146x2,5 | 381x3705x64 | 2,86 | PowderMax | Shredder RE 3700 Shredder Core 3700 |
| 504154685 | 15x154x2,5 | 381x3923x64 | 2,86 | PowderMax | Shredder Core 3900 Brutal RE 400mm |
| 504154496 | 15x154x2,5 | 381x3912x64 | 3,5 | PowderMax Light | |
| 504154686 | 15x154x3 | 381x3912x76 | 3,5 | PowderMax X-Light | Shredder RE 3900 Shredder DS 3900 |
| 504154453 | 15x154x3 | 381x3912x76 | 3,5 | PowderMax3 LgtLarge | |
| 504154684 | 15x165x3 | 381x4190x76 | 3,5 | PowderMax X-Light | Shredder DS 4100 |
| 504154454 | 15x165x3 | 381x4190x76 | 3,5 | PowderMax3 LgtLarge | |
| 504152803 | 16x137x1,75 | 406x3487x44 | 2,86 | 3 3. | |
| 504153293 | 16x137x2,2 | 406x3487x56 | 2,86 | PowderMax Flex Edge | |
| 504153103 | 16x137x2,25 | 406x3487x57 | 2,86 | | |
| 504152987 | 16x146x1,5 | 406x3705x38 | 2,86 | Deep Snow Glider | |
| 504154399 | 16x146x2 | 406x3705x51 | 2,86 | PowderMax | |
| 504153198 | 16x146x2,5 | 406x3705x64 | 2,86 | PowderMax Flex Edge | |
| 504153008 | 16x146x2.5 | 406x3705x64 | 2,86 | PowderMax | |
| 504153349 | 16x153x3 | 406x3886x76 | 3 | PowderMax III | |
| 504154390 | 16x154x1,5 | 406x3912x39 | 2,86 | Deep Snow Glider | |
| 504154391 | 16x154x1,5 | 406x3912x39 | 2,86 | Charger | 49Ranger Core |
| 504154704 | 16x154x2 | 406x3912x51 | 2,86 | PowderMax | rerranger dere |
| 504154404 | 16x154x2,5 | 406x3912x64 | 2,86 | PowderMax II | 49 Ranger PRO |
| 504153199 | 16x154x2,5 | 406x3912x64 | 2,86 | . Criacii iax ii | is italige. Tite |
| 504153791 | 16x154x2,5 | 400x3912x64 | 3,5 | PowderMax Light FlexEdge | |
| 504153785 | 16x154x3 | 400x3912x76 | 3,5 | PowderMax Light | |
| 504153276 | 16x163x1,5 | 406x4141x39 | 2,86 | . orraen iax Eigin | |
| 504153401 | 16x163x2,3 | 406x4141x59 | 2,86 | PowderMax | |
| 504153016 | 16x163x2,3 | 406x4141x59 | 2,86 | . Criacii iax | |
| 504153792 | 16x163x2,5 | 406x4120x64 | 3,5 | PowderMax Light | |
| 504153786 | 16x165x3 | 406x4120x76 | 3,5 | PowderMax Light | |
| 504152817 | 20x154x1,25 | 500x3912x32 | 2,86 | | |
| 504153036 | 20x154x1,25 | 500x3912x32 | 2,86 | Studded | |
| 505613004 | 20x154x1,5 | 500x3912x38 | 2,86 | | |
| 504154707 | 20x154x1,5 | 500x3912x38 | 2,86 | Cobra Silent Track | 59 Ranger 600 EFI & 600 Ace |
| 504154708 | 20x154x1,5 | 500x3912x38 | 2,86 | Ice Cobra studded | 59 Ranger Alpine |
| 504154997 | 20x154x1,5 | 500x3912x38 | 2,86 | Ice Cobra Silent Slide | Commander Limited |
| | 20x154x1,75 | 500x3912x44 | 2,86 | PowderMax | Commander Core Commander Limited Commander RE |
| 504154709 | | | 2.00 | DavidarMay | 59 Ranger PRO |
| | 20,454, 2.75 | E00:7010 00 | 2,86 | PowderMax | Brutal 500mm |
| 504154711 | 20x154x2,35 | 500x3912x60 | | | |
| 504154711 504153928 | 24x156x1,25 | 600x3968x32 | 2,52 | 6, 1, 1 | |
| 504154711 504153928 504153927 | 24x156x1,25 24x156x1,25 | 600x3968x32 600x3968x32 | 2,52 2,52 | Studded | |
| 504154709 504154711 504153928 504153927 504154712 504154714 | 24x156x1,25 | 600x3968x32 | 2,52 | Studded Cobra Silent Track Ice Cobra studded | 69 Ranger Pro 69 Ranger Alpine |

DRIVE BELTS

600 ACE

417300585

600 EFI

417300586

600R E-TEC (Not Shredder 600R) 900 ACE

417300551

900 ACE Turbo (130 hp)

417300558

850 E-TEC Turbo R (Marketing Area C/U / ASIA)

850 E-TEC 900 ACE Turbo R

600R E-TEC (Shredder 600R)

417300571

850 E-TEC Turbo R (Marketing area Europe) 850 E-TEC Turbo R

with water injection system

417300574



APPAREL

114 Shell layer comparison chart

116 Stamina

121 Technology guide: Exo Float Assist

122 Squadron

123 Technology guide: Sympatex

124 Technology guide: Primaloft

125 Apparel technologies

126 Technology guide: Deep Snow

apparel comparison

127 Radiant Electronics Pocket

128 Quantum

134 How to layer right

136 Tec Layer

138 Lynx x Svala

144 Racing

147 Active Wear

148 Oxygen Helmets

150 Advex Helmets

152 Vibe Communication System

154 Pyra Helmets

155 Exome Helmets

156 Radien Helmets

157 M-Forge, eLinQ and Fidlock

technologies

158 Goggles

160 Bags

161 Handwear

163 Headwear

166 Sportswear

172 Footwear

174 How to measure



MOUNTAIN & DEEP SNOW QUANTUM





LYNX QUANTUM 2.0 JACKET





ELEMENT PROOF LIGHTWEIGHT



HIGH AIRFLOW



sympatex® CORDURA

SHELL MATERIAL

Sympatex 2-Ply Laminated Polyester

DESCRIPTION AND TERRAIN

- Flexible and adaptable shell
- Specially designed for active riding in deep



LYNX QUANTUM 2.0 **HIGHPANTS**





ELEMENT PROOF LIGHTWEIGHT



HIGH AIRFLOW



sympatex® CORDURA

SHELL MATERIAL

Sympatex 2-Ply Laminated Polyester

DESCRIPTION AND TERRAIN

- Flexible and adaptable shell
- Specially designed for active riding in deep



LYNX QUANTUM 2.0 ONE-PIECE SUIT





ELEMENT PROOF LIGHTWEIGHT



HIGH AIRFLOW



sympatex® CORDURA SHELL MATERIAL

Sympatex 2-Ply Laminated Polyester

DESCRIPTION AND TERRAIN

- Flexible and adaptable shell
- Specially designed for active riding in deep



LYNX QUANTUM PRO ONE-PIECE SUIT, JACKET AND PANTS





NO FRILLS SHELL FI FMENT PROOF





MAX AIRFLOW MAX MOBILITY





CORDURA

SHELL MATERIAL

Sympatex 3-Ply Laminated Polyester

DESCRIPTION AND TERRAIN

- Flexible and top quality adaptable shell.
- Sympatex 3 Layer performance for deep snow ridina.

PERFORMANCE



WATERPROOFNESS WINDPROOFNESS



BREATHABILITY



WARMTH

- 100% windproof and waterproof
- · Highly breathable
- Non insulated

KEY BENEFITS

- Cordura fabric
- New added feature Electronics pocket
- Improved Athletic Fit

PERFORMANCE



WATERPROOFNESS WINDPROOFNESS



BREATHABILITY



WARMTH

- 100% windproof and waterproof
- · Highly breathable
- Non insulated

KEY BENEFITS

- Cordura fabric
- Improved Athletic Fit
- Primaloft Gold insulation and fleece lining on seat

PERFORMANCE



WATERPROOFNESS WINDPROOFNESS



BREATHABILITY



WARMTH

- 100% windproof and waterproof
- · Highly breathable
- Non insulated

KEY BENEFITS

Cordura fabric

New added feature

Electronics pocket

• Improved Athletic Fit

fleece lining on seat

· Primaloft Gold insulation and

PERFORMANCE



WATERPROOFNESS WINDPROOFNESS



BREATHABILITY



WARMTH

- 100% windproof and waterproof.
- Highly breathable
- Non insulated

KEY BENEFITS

- Cordura fabric
- · Comfortable fit that allows freedom of movement
- OPS and pants: Primaloft Gold insulation and fleece lining on seat

TRAIL & CROSSOVER & ADVENTURE **STAMINA**

















LYNX STAMINA ENDURO RE











DURABLE





=|=























LYNX STAMINA TRAIL RE





















LYNX STAMINA **FLOAT**







CORDURA



ELINQ





LYNX STAMINA ARCTIC



૮k **ELEMENT PROOF**











DESCRIPTION AND TERRAINS

- Comfortable ultra high performance suit for riding trail and off trail.
- Sympatex fabrics and light-weight insulation.

DESCRIPTION AND TERRAINS

- Comfortable ultra high performance suit for riding trail and off trail.
- Sympatex fabrics and mid-weight insulation.

DESCRIPTION AND TERRAIN

- · Warm jacket with a racing look.
- · Use on trails.

PERFORMANCE

WATERPROOFNESS

WINDPROOFNESS

BREATHABILITY

WARMTH

• 100% Windproof and

DESCRIPTION AND TERRAINS

 Warmly insulated iacket for Trail. Crossover, Adventure & Utility segments

DESCRIPTION AND TERRAIN

- New and optimized style featuring Exofloat System.
- Now a self-floating style.
- · Used on trails.

DESCRIPTION AND TERRAINS

- · Stamina Arctic, the multifunctional hero jacket for trail, adventure and utility
- The warmest trail outerwear in our collection with modern 3 in 1 Utility Parka jacket.

PERFORMANCE



WATERPROOFNESS WINDPROOFNESS



BREATHABILITY



WARMTH

- 100% windproof and waterproof
- Highly breathable
- Light-weight insulated

KEY BENEFITS:

- No-frills shell
- Max airflow
- · Max mobility

PERFORMANCE



WATERPROOFNESS WINDPROOFNESS



BREATHABILITY



KEY

BENEFITS:

• No-frills shell

Max airflow

Max mobility

WARMTH

- 100% windproof and waterproof
- Highly breathable
- Mid-weight insulated

waterproof. • Breathable. • 170g of PrimaLoft®

Black insulation.

KEY BENEFITS

- 100% seams and logos sealed.
- Radiant Core technology to keep warm.

PERFORMANCE



WATERPROOFNESS WINDPROOFNESS



BREATHABILITY



WARMTH

- 100% Windproof and
- Breathable
- 170g of Primaloft® insulation

KEY BENEFITS

 Reflective Fleece lined

- waterproof
- Windproof

PERFORMANCE



WATERPROOFNESS WINDPROOFNESS



BREATHABILITY



WARMTH

- Windproof and
- waterproof 5/5 • Breathable 4/5
- 200g of thermal Loft insulation all over

KEY BENEFITS

- 100% seam sealed
- 200g of Eco Loft Heat Soft®
- + 60g Exofloat technology

PERFORMANCE



WATERPROOFNESS WINDPROOFNESS



BREATHABILITY



WARMTH

- Waterproofness 5/5 • Breathability 5/5
- Warmth 5/5

KEY BENEFITS

- · Element proof
- Max warmth
- · High airflow

PUSH HARDER. GO FURTHER. RIDE LONGER.

Stay warm, dry and comfortable even in the harshest conditions.

Arctic winds. Ice. Sub-zero temperatures. Whatever the winter throws at you won't stop you from going all the way: experiencing your longest and wildest adventure yet, or getting the job done. So grab that extra hour on the snow. One more trail. One more mile. First on, last off. All winter.



STAMINA TRAIL RE

Warm jacket with a racing look for Trail.

















STAMINA TRAIL

Warmly insulated jacket for Trail, crossover, adventure & Utility segments.







WARMTH

MULTI USE REFLECTIVE VISIBILITY







ELINQ

Experience the most comfortable insulated riding gear for most demanding rides. The original Lynx Stamina provides ultimate protection and ultra high performance for even the harshest riding conditions. With Sympatex fabrics and mid-weight insulation it will keep you warm and dry whether you're carving up trails or exploring the woods.

STAMINA ARCTIC

- The multifunctional hero for trail, adventure and utility
- The warmest trail outerwear in our collection with modern 3 in 1 Utility Parka jacket and highpants.











DURABLE HIGH AIRFI OW













STAMINA FLOAT

- Integrated ExoFloat System for flotation assistance in the event of ice breakthrough.
- Ideal for active Crossover riding.
- Self-floating style. Does not require pants with ExoFloat System.



















CORDURA ELing

STAMINA ENDURO

This crossover suit with Sympatex fabrics keep you warm and dry whether you're carving up trails, exploring the woods or in open space. Most comfortable insulated riding gear for most demanding rides. For Lynx customer who demand technical qualities and workable gear in many environments and conditions.

























ELINQ

TRAIL

WOMEN



Orange (12)

LYNX STAMINA TRAIL RE JACKET

Lynx Stamina Trail RE Jacket 650187

S. M. L. XL. 2XL. 3XL

DESCRIPTION AND TERRAIN:

- Warm jacket with a racing look.
- · Use on trails.

FEATURES AND TECHNOLOGIES:

- 100% Windproof and waterproof. Double center front flap
- · Breathable.
- 170g of PrimaLoft® Black insulation.
- 100% seams and logos sealed.
- Radiant Core technology to keep warm.
- · Additionnal removable collar to seal air entry.
- 2 handpockets, 1 napoleon pocket with chamois and 1 inner mesh pocket.
- 360° reflective details for maximum visibility.
- Polar fleece at front body and top arms for added warmth.

insulated for heat retention and wind protection.

Lynx Stamina Trail RE Jacket W

- E-LinQ system wire cable.
- · Powder skirt.

650190

XS, S, M, L, XL, 2XL

- · Underarm vent
- · Shaped sleeves.
- · Adjustable cuffs with thumb hole gaiter.
- YKK zippers throughout and YKK AquaGuard at hand pockets
- · Cell-Phone pocket.
- Large Lynx Racing prints

PERFORMANCE









BREATHABILITY



KEY BENEFITS









WOMEN







Dark Navv (16) Black (90). Mixed Color (18)

Dark Navy (16) 650168

LYNX STAMINA TRAIL JACKET

Lynx Stamina Trail jacket 650151

S, M, L, XL, 2XL, 3XL

Lynx Stamina Trail Jacket W 650168

XS, S, M, L, XL, 2XL

DESCRIPTION AND TERRAIN:

Warmly insulated jacket for trail, crossover, adventure & utility segments

FEATURES AND TECHNOLOGIES:

- 100% seams and logos sealed.
- Radiant Core technology to keep warm
- Waterproof, breathable and windproof
- 170g of PrimaLoft ® Black insulation (200g insulation on removable collar)
- Additionnal removable collar to seal air entry.
- 2 hand pockets, 1 napoleon pocket with goggle cloth and 1 inner mesh pocket.
- · Reflective details for maximum visibility
- · Polar fleece at front body and top arms for added warmth.

- Top center front flap and underflap insulated for heat retention and wind protection.
- eLinQ system for wire cable.
- Powder skirt.
- Underarm vent
- · Articulated sleeves.
- · Adjustable cuffs with thumb hole gaiter.
- YKK zippers throughout and YKK AquaGuard at hand pockets and chest pocket
- Cell-Phone pocket.

Hi-Vis coloration optimal for Work and Utility users

PERFORMANCE







BREATHABILITY



KEY BENEFITS





FLFFCF LINED

STAMINA

ARCTIC

WOMEN





Autumn Red (14). Charcoal Grey (07)

Autumn Red (14), Black (90)

LYNX STAMINA ARCTIC JACKET

Lynx Stamina Arctic jacket 650155 • S, M, L, XL, 2XL, 3XL Lynx Stamina Arctic jacket W 650156 • XS, S, M, L, XL, 2XL

DESCRIPTION AND TERRAIN:

- Stamina Arctic, the multifunctional hero jacket for trail, adventure and utility
- The warmest trail outerwear in our collection with modern 3 in 1 Utility Parka jacket

FEATURES AND TECHNOLOGIES:

- 100% windproof, waterproof and highly breathable membrane.
- 170g of PrimaLoft® Gold insulation with a removable lining jacket with 60g of PrimaLoft® Gold.
- Lining jacket can be worn as its own and as additional warmth.
- 2 ply Sympatex membrane technology with lifetime warranty.
- 100% seams and logos sealed.
- Waterproof YKK zippers
- · Removable hood.
- Center front flap for wind protection.
- Fleece inside collar and softhell collar edge
- Preshaped sleeves and elbows
- E-LinQ system for wire cable.
- · Underarm vents.
- 2 Large Chest pockets to carry extra cargo
- 2 spacious hand pockets at front, 1 sleeve pocket - in the chest pocket a microfiber cloth to wipe goggles
- Cell phone pocket and beanie mesh pocket inside
- D-ring killer loop at hem right side, adjustable hem with elastic and toggle on both side
- Reflective taping at sleeves and back yoke.
- · Lynx-logo embroideries at chest pocket, sleeve and hood
- · Adjustable cuffs with thumb hole gaiter
- · Snow gaiter on waist

PERFORMANCE







WATERPROOFNESS

BREATHABILITY

WARMTH

KEY BENEFITS







HIGH AIRFI OW

MEN

WOMEN

Black (90)

Autumn Red (14), Black (90)

LYNX STAMINA ARCTIC HIGHPANTS

Lynx Stamina Arctic Highpants 651143 • S, M, L, XL, 2XL, 3XL

Lynx Stamina Arctic Highpants W **651144 •** XS, S, M, L, XL, 2XL

DESCRIPTION AND TERRAIN:

- Stamina Arctic, the multifunctional hero styles for trail, adventure and utility.
- The warmest trail outerwear in our collection with modern highpants.

FEATURES AND TECHNOLOGIES:

- 2 ply Sympatex membrane technology with lifetime warranty.
- 133g of PrimaLoft® Gold insulation.
- 100% seams and logos sealed.
- Cordura reinforcement fabric on high wear areas.
- Waterproof YKK zippers
- · High front and lower back bib for protection
- Polar fleece at seat and crotch for added warmth.
- Stretch knit material on sides for additional flexibility.
- Preshaped knees with removable EVA foam knee pads
- 2 Thigh pockets with brushed knit fabric inside.
- Flexible storm gaiters with snap system attachment to boots
- Reflective film welding for added safety
- · Logo embroideries

PERFORMANCE







WATERPROOFNESS

MAX WARMTH

KEY BENEFITS





ELEMENT PROOF

BUILT-IN PROTECTION

ENDURO



Black (90), Blue (80)

LYNX STAMINA ENDURO JACKET 650153 • S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

Ultra high performance suit for riding trail and off trail. This crossover suit with Sympatex fabrics and mid-weight insulation to keep you warm and dry whether you're carving up trails, exploring the woods or in open space. Most comfortable insulated riding gear for most demanding rides. For Lynx customer who demands technical qualities and workable gear in many environments and conditions.

FEATURES AND TECHNOLOGIES:

- · Mid weight insulated
- · All seams sealed
- Water resistant zippers at front opening, pockets and vent
- · Easy acess front and bicep venting for optimal thermoregulation
- Powder skirt
- · Hem, collar and wrist adjustment
- · Inner microfleece cuff
- Silicone grip at shoulder for back pack stabilization
- Optimize visibility with wide reflectives features
- Reinforcement fabric at elbow and back hem

PERFORMANCE









WATERPROOFNESS

BREATHABILITY





KEY BENEFITS











Fire Red (06)

LYNX STAMINA ENDURO JACKET RE

650164 • S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

Ultra high performance suit for riding trail and off trail. This crossover suit with Sympatex fabrics and light-weight insulation to keep you warm and dry whether you're carving up trails, exploring the woods or in open space. Most comfortable insulated riding gear for most demanding rides. For Lynx customer who demands technical qualities and workable gear in many environments and conditions.

•Enduro Race Edition jacket is lightly insulated version and with Lynx Racing color and logos.

FEATURES AND TECHNOLOGIES:

- Light insulation
- Large Racing Back prints
- · All seams sealed
- Water resistant zippers at front opening, pockets and vents
- · Easy acess front and bicep venting for optimal thermoregulation
- Powder skirt
- · Hem, collar and wrist adjustment
- Inner microfleece cuff
- · Silicone grip at shoulder for back pack stabilization
- · Optimize visibility with wide reflectives features
- Reinforcement fabric at elbow and back hem

PERFORMANCE







WATERPROOFNESS BREATHABILITY

MAX MOBILITY

KEY BENEFITS



NO FRILLS SHELL



Black (90), Grey (09)

LYNX STAMINA ENDURO PANTS

651128 • S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

These crossover highpants with Sympatex fabrics and mid-weight insulation to keep you warm and dry whether you're carving up trails, exploring the woods or in open space. Most comfortable insulated riding gear for most demanding rides. For Lynx customer who demands technical qualities and workable gear in many environments and conditions. Performance lightly insulated pants for riding on and off trail.

FEATURES AND TECHNOLOGIES:

- 100% waterproof, 100% windproof, optimally breathable Sympatex material.
- All seams sealed
- · Cordura reinforcement fabric on high wear areas.
- Primaloft Black Eco insulation Primaloft Black 100 grams
- Sporty, articulated fitting to give the optimal movement in riding
- · High front and lower back bib.
- Stretch panels at sides and back
- Adjustable suspenders, crossed at back.
- One spacious cargo pocket with gusset • Preshaped and padded knees
- with removable knee pads Flexible storm gaiters with snap
- system attachment to boots
- · Killer loop D-ring at waist
- · Bip pocket
- Full-length water repellent YKK 2-way zippers at front and sides
- Reflective film taping for visibility

PERFORMANCE







WATERPROOFNESS **KEY BENEFITS**







ELEMENT PROOF

MULTI USE

HIGH AIRFLOW

STAMINA

FLOAT



Black (90), Blue (80), Orange (12)

LYNX STAMINA FLOAT JACKET

650163 • S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

- Integrated ExoFloat System for flotation assistance in the event of ice breakthrough.
- Ideal for active Crossover riding.
- Self-floating style. Does not require pants with ExoFloat System.

FEATURES AND TECHNOLOGIES:

- 2-ply Sympatex® membrane with lifetime warranty.
- · Color accent on hood and reflective accent on shoulders for optimal visibility.
- · Accessible whistle pocket for safety.
- Underarm zippered vents.
- · D-ring at bottom hem.
- Bonded lycra cuff with thumb hole.
- · Removable hood with hood clip attachment.
- 2-way zipper to improve comfort in sitting position.
- · Chest pocket with water resistant zipper.
- 2 hands pocket with water resistant zipper.
- · Fully Seam Sealed.
- Removable powder skirt.
- eLinQ cable management system.

PERFORMANCE







WATERPROOFNESS BREATHABILITY

KEY BENEFITS







ELEMENT PROOF

FLOTATION ASSISTANCE

HIGH AIRFLOW




Our proprietary ExoFloat System features an exoskeleton that is fully body mapped with hi-tech flotation panels that help assist you in case of a fall. It also has mesh panels at the bottom to evacuate water. For optimal performance, wear the Stamina Float jacket and Stamina pants together.



KEY TECHNOLOGIES





SELF LEVELING

Strategically placed Exofloat panels help assist you in self leveling to the surface



EXIT ASSIST

Mesh drainage to ensure you are not weighed down by the water that can inhibit exit



FLOAT ASSIST

For more than 30 minutes (*rider must exit within this timeframe to avoid hypothermia)

This is not a coast guard approved personal flotation device, this is a flotation assistance technology. We do not recommend riders to drive over unsafe frozen bodies of water.

ONE-PIECE SUIT KIDS



NEW

SQUADRON KIDS OPS (INS.)

657100 • 4, 6, 8, 10

- Warm One Piece with a colorful and playful look.
- Multi Use for winter plays

FEATURES AND TECHNOLOGIES:

- Fully seam sealed
- \bullet 133g of ThermaLoft $^{\! \circ}$ insulation
- Front closure and pockets with waterproof YKK zippers
- Reflective details for better visibility
- Polar fleece seat for added warmth
- Adjustable waist
- Squadron Graphics

PERFORMANCE







WATERPROOFNESS

BREATHABILITY

WARMTH NON-INSULATED

Fire Red (06)



PERFORMANCE

Re>Think Performance - Dynamic Breathability

In contrast to other membrane technologies, the poreless compact Sympatex membrane is based on a physical and chemical principle. The water-attracting (hydrophilic) part of the membrane absorbs the moisture from the body and emits it to the outside by evaporation. The water vapour molecules are transported outwards along the hydrophilic molecular chains. The molecular structure (hydrophilic components) of the Sympatex membrane swells in moisture and therefore provides space for water vapour transport and fast evaporation.





Nature's Best

Loft

Lightweight

Soft

Packable

Science's Best

Rebels Water

Warm When Wet

Dries Faster



The PrimaLoft® logo is your cue that you're getting the highest performing materials for comfort in any condition.



Warmth without bulk

A high warmth-toweight ratio means you don't need bulk to stay warm



Water-resistant

Absorbs less moisture from the start so you stay drier and warmer



Packable

Packs down easily for stashing in tight spaces



Lightweight

All the warmth you need with little weight



Superior softness

Enjoy unsurpassed softness that feels great on your body and contributes to a flattering fit

DISCOVER MORE AT PRIMALOFT.COM

PrimaLoft® is a registered trademark of PrimaLoft, Inc. ©2021 PrimaLoft, Inc.



OUR RIDING GEAR AND TECHNICAL WEAR ARE BUILT WITH ADVANCED TECHNOLOGIES THAT PROTECT YOU WITH WARMTH, WATERPROOFNESS, LIGHTWEIGHT AND BREATHABILITY.





PRIMALOFT'

A high-performance insulation with the full spectrum of benefits to brave the elements. Warmer, drier, softer and more compressible than any other synthetic insulation.



SYMPATEX*

Coatings that provide maximum waterproofness, windproofness and breathability.



CONNECTOR SYSTEM

Some of our Lynx jackets have provisions built in for a heated shield wire - riders can leave the wire in the jacket securely fastened and out of the way.

RADIANT CORE

Reflects heat back towards you for reliable, all-day warmth even at high speeds.

YKK

We use the world's best - YKK zippers - recognized for quality and reliability.



Often added to garment zones that need extra durability, such as arms, back hem, inner legs, and crotch for tough yet flexible comfort.

CORDURA

HOW TO FIND A PERFECT **DEEP SNOW SUIT FOR YOU**

QUANTUM 2.0
ONE-PIECE SUIT



KEY BENEFITS





ELEMENT PROOF

LIGHTWEIGHT



HIGH AIRFLOW

sympatex® CORDURA

QUANTUM 2.0
JACKET AND PANTS



KEY BENEFITS





ELEMENT PROOF

LIGHTWEIGHT



HIGH AIRFLOW



QUANTUM PRO

ONE-PIECE SUIT JACKET AND PANTS



KEY BENEFITS





NO FRILLS SHELL

ELEMENT PROOF






MAX AIRFLOW

MAX MOBILITY

sympatex®



CORDURA







CONQUER THE DEEP SNOW WITH NON-COMPROMISE TECHNICAL GEAR

The original Lynx Quantum riding gear offers you the best lightweight performance for mountain and deep snow riding. High-end shell clothing with Cordura fabrics and Sympatex membrane has been developed to meet every freerider's demands.

QUANTUM 2.0

- Flexible and adaptable shell that is specially designed for active riding in deep snow.
 New Radiant-technology.
- 100% waterproof & windproof, optimally breathable
 Sympatex material
- Cordura reinforcement fabric on high wear areas
- Two-way water repellent YKK zippers on front











sympatex®

REINFORMENT FABRIC



QUANTUM PRO

- Lightweight 3-ply jackets, highpants and one-piece suits for deep snow riders.
- 100% waterproof, 100% windproof, optimally breathable Sympatex material
- Ultra durable Cordura reinforcement fabric on high wear areas
- Articulated sleeves and knees to ensure freedom of movement in every riding position
- No mesh liner
- Water repellent YKK zippers
- Reflectives for safe visibility
- D-Rings





















YKK

QUANTUM

2.0 JACKET AND PANTS



Black (90), Wine (32)

Wine (32)

LYNX QUANTUM 2.0 JACKET

650169 XS, S, M, L, XL, 2XL, 3XL

650185 XS, S, M, L, XL, 2XL

- Flexible and adaptable shell.
- Specially designed for active riding in deep snow

FEATURES AND TECHNOLOGIES:

- 2-ply Sympatex membrane technology with lifetime warranty.
- 100% sealed seams and logos.
- Cordura reinforcement fabric on high wear areas
- · Water repellent YKK zippers through out
- NEW Electronics pocket! designed to keep you devices protected from water and cold
- Removable hood

- Powder skirt
- Mesh lining
- Backpack friendly Chest venting
- Two-way water repellent YKK front zipper
- One large chest pocket, Hand pockets
- · Reflective details for optimized visibility
- · Ladies' version: Women's Fit

PERFORMANCE













WARMTH NON-INSULATED

KEY BENEFITS







ELEMENT PROOF



MAX AIRFLOW

MEN

WOMEN



NEW

NEW

Black (90)

Black (90)

LYNX QUANTUM 2.0 HIGHPANTS

XS, S, M, L, XL, 2XL, 3XL

651160 XS, S, M, L, XL, 2XL

- Flexible and adaptable shell.
- Specially designed for active riding in deep snow

FEATURES AND TECHNOLOGIES:

- 100% waterproof, 100% windproof, optimally breathable Sympatex material
- Primaloft Gold insulation and fleece lining on seat
- Cordura reinforcement
- fabric on high wear areas
- High front and back bib
- · Panels with stretch fabric on waist
- · One bib chest pocket, onesided cargo pockets
- · Shaped, reinforced and padded knees
- Removable knee pads
- 2-way Front and full-length side water repellent YKK zippers
- Water repellent YKK zippers through out
- Storm gaiters with boot to lace snap connector
- · Reflective details for optimized visibility

PERFORMANCE







WATERPROOFNESS

BREATHABILITY

WARMTH NON-INSULATED

KEY BENEFITS





FI FMFNT PROOF

MAX AIRFI OW

QUANTUM

2.0 ONE-PIECE SUIT



LYNX QUANTUM 2.0 OPS

650170 • XS, S, M, L, XL, 2XL, 3XL

- Flexible and adaptable shell.
- Specially designed for active riding in deep snow

FEATURES AND TECHNOLOGIES:

- 2 ply Sympatex membrane technology with lifetime warranty
- 100% sealed seams and logos
- Water-resistant YKK zippers throughout.
- NEW Electronics pocket!
 designed to keep you devices
 protected from water and cold
- Removable hood
- Removable suspenders
- Backpack friendly Chest venting

- Removable hood
- Two-way water repellent YKK front zipper
- Reflective details for optimized visibility
- Cargo sized pockets
- Shaped and reinforced knees
- Storm gaiters with boot to lace snap connector

PERFORMANCE







WATERPROOFNESS BREATHABILITY

WARMTH NON-INSULATED

KEY BENEFITS



NO FRILLS SHELL



=|=

MAX AIRFLOW

PRO



Black (90), Deep Purple (42)

LYNX QUANTUM PRO JACKET

650144 · S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

Experience the most durable, light weight, no-compromise technical riding gear in Quantum series. Featuring SYMPATEX Three Layer with no separate liner, which provides a superior layering and mobility experience for riding in deep snow, truly PRO experience.

FEATURES AND TECHNOLOGIES:

- 100% waterproof and 100% windproof.
- Optimally breathable Sympatex material.
- Cordura reinforcement fabric on high wear areas.
- Articulated fitting to give the optimal movement in riding.
- Two-way water-repellent front zipper.
- All over water-repellent zippers.
- Backpack friendly shoulders and front venting.
- 2 front vents and 2 back vents.
- 2 spacious hand pockets at front, 1 chest pocket, 1 sleeve pocket.
- Removable hood.
- · Adjustable collar and cuffs.
- Adjustable bottom hem.
- Thumbhole.
- D-ring loop at hem right side.
- · Reflective elements for maximum visibility.

PERFORMANCE











KEY BENEFITS









Black (90)

LYNX QUANTUM PRO HIGHPANTS

651135 • S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

- Flexible and top quality adaptable shell.
- Sympatex 3 Layer performance for deep snow riding.

FEATURES AND TECHNOLOGIES:

- 3 ply Sympatex membrane technologies with lifetime warranty.
- · Cordura reinforcement fabric on high wear areas.
- 100% seams and logos sealed.
- Two-way water-repellent front zipper.
- All over water-repellent zippers.
- Articulated fitting to give the optimal movement in riding.
- · Bib pocket & thigh cargo pocket.
- Waist buckle adjustment.
- · Suspenders with 1 side adjustment.
- Full length side zippers at leg, can be used as vents.
- Stretch fabric at side bib for extra comfort.
- · Zippered Boot gaiter with snap

PERFORMANCE







WATERPROOFNESS

BREATHABILITY

WARMTH NON-INSULATED

KEY BENEFITS







QUANTUM

ONE-PIECE SUIT



Black (90), Deep Purple (42), Fire Red (06)

LYNX QUANTUM PRO OPS

650145 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

- Flexible and top quality adaptable shell.
- Sympatex 3 Layer performance for deep snow riding.

FEATURES AND TECHNOLOGIES:

- Primaloft® Gold insulation at seat.
- 100% waterproof and 100% windproof.
- Optimally breathable Sympatex material.
- Cordura reinforcement fabric on high wear areas.
- Articulated fitting to give the optimal movement in riding.
- Two-way water-repellent front zipper.
- All over water-repellent zippers.
- Backpack friendly shoulders and front venting.
- 2 front vents and 2 back vents.

- 2 spacious hand pockets at front, 1 chest pocket, 1 sleeve pocket.
- Full side leg zippers.
- Removable hood.
- Removable suspenders.
- Waist adjustment.
- Adjustable collar and cuffs.
- Adjustable bottom hem.
- Thumbhole.
- Zippered boot gaiter with snap
- D-ring loop at hem right side.
- Reflective elements for maximum visibility.

PERFORMANCE







WARMTH NON-INSULATED

WATERPROOFNESS KEY BENEFITS



ELEMENT PROOF

=|=

MAX AIRFLOW







LYNX X SVALA HYBRID BALACLAVA 665304



LYNX TECLAYER HYBRID JACKET 659180



LYNX X SVALA CORDURA MERINO BASE LAYER 659190



LYNX X SVALA MERINO HYBRID JACKET 659144

Enjoying the winter is often just a matter of dressing up. We at Lynx are pioneers in equipping the riders for demanding Nordic conditions.

Using high performance fabrics and insulation, the Lynx Tec-Layer product range offers a combination of moisture management, warmth, packability and protection in changing weather conditions and multiple activities. Keep yourself comfortable even during your toughest snowmobiling adventures!



GEARING UP FOR THE RIDE

JJ There's no bad day, if you're geared up right!

Some people may think that cold weather or lack of daylight is a reason to postpone your ride, but that's not actually true. It's all about gearing up right. Cold is not actually cold if you have right layers.

What I like to have is merino layers, thermo layers and sometimes even fleece, but I never go out without a protection. If you protect your head, remember to also protect your body.

Now that I'm all geared up, I'm ready to ride!

- Emma Kimiläinen, Lynx ambassador

LYNX TECLAYER ALPHA DOWN JACKET

659154 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

- · Introducing the new ultra warm Lynx Tec Layer Heavyweight Down Packable Jacket.
- Functional, warm outer layer for breaks while snowmobiling and regular winter use.
- Can also be used as a very warm mid-layer on long, subzero journeys.

FEATURES AND TECHNOLOGIES:

- Insulation: Primaloft® down blend Gold.
- Packable design is great for on-the-go and travel!
- Drawcord hem adjustment in pockets.
- Microfleece and Spandex at underarm vents.
- Down-blend insulation with high compression.
- Sold with a stowable bag.
- Ultralight water-repellent fabric.
- Preshaped sleeves and elbows.

- Fixed adjustable hood with laminated brim and flexible polymer peak.
- · Elastic at cuffs.
- YKK® 2-way Vislon® zipper at front opening
- Inverted YKK® 1-way zippers at pockets.
- 2 spacious hand pockets at front.
- Chest pocket with 2 spacious inner lining pockets.
- Adjustable hem with elastic and toggle on both sides.





Black (90), Navy (89)

PERFORMANCE







WARMTH

WATERPROOFNESS







PACKABLE

KEY BENEFITS



MILITHING

LYNX PACKABLE DOWN JACKET

Lynx packable down jacket 659138 • XS, S, M, L, XL, 2XL, 3XL

Lynx packable down jacket W 659139 • XS, S, M, L, XL, 2XL

DESCRIPTION:

Use as a light jacket for cool dry weather or as a very warm mid layer.

FEATURES AND TECHNOLOGIES:

- Drawcord hem adjustment in pockets.
- Microfleece and Spandex at underarm vents.
- Down-blend insulation with high compression.
- · Shaped sleeves.
- Sold with stowable pocket.
- Ultralight Water repellent material
- Insulation: Primaloft down blend
- Packable design is great for on-the-go and travel!

PERFORMANCE









BREATHABILITY

WARMTH

KEY BENEFITS







REGULATE WARMTH **MULTI USE** (men) / \$0,01 (women)



MEN



Black (90), Charcoal Grey (07)

WOMEN



DESIGN





Black (90), Charcoal Grey (07)

LYNX TECLAYER HYBRID JACKET

659180 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Light and versatile mid layer jacket for active riders.

FEATURES AND TECHNOLOGIES:

- 80g Primaloft® Black Insulation.
- Ultralight water repellent material.
- Strategically placed elastic knit material and panels with insulation.
- YKK® zippers.

PERFORMANCE







WATERPROOFNESS

KEY BENEFITS

Æ









Black (90)

LYNX HYBRID SHORTS

659137 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Light and versatile mid layer shorts for active riders.

FEATURES AND TECHNOLOGIES:

- 80g Primaloft® Black Insulation.
- Ultralight water repellent material
- Strategically placed elastic knit material and panels with insulation.
- Higher back waist and knee length
- 2-way YKK® zippers.

PERFORMANCE







PACKABILITY

LITY WARMTH

KEY BENEFITS







Black (90)

LYNX HYBRID OPS

650146 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Light and versatile insulated mid layer onepiece for our riders. This removable liner is a perfect piece to add versatility and warmth for under shell onepiece.

FEATURES AND TECHNOLOGIES:

- Ultralight Water repellent fabric
- Strategically placed elastic knit material and panels with insulation
- Breathable panels
- 80g Primaloft® Black Insulation.
- Zipper drop seat for easy access
- Full-lengt legs
- YKK zippers
- Packable design is great for on-the-go and travel!

PERFORMANCE







KEY BENEFITS



REGULATE WARMTH



MAX MOBILITY

PACKABILITY



LYNX ONE PIECE MID LAYER

659126 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Ideal under Onepiece suit. Thermal fleece midlayer onepiece for cold riding conditions and after adventures.

FEATURES AND TECHNOLOGIES:

- Constructed from super soft stretchy Performance Fleece.
- YKK Two Way Open front zipper with semi-lock sliders.
- Rear zipper for easy seat opening.
- Flatlock seams.





With over 120 years of combined expertise on Nordic winters, Svala and Lynx bring you products designed to keep you warm and comfortable in even the most demanding conditions.

The Lynx x Svala collaboration highlights our commitment to premium layering principles.

NYLON REINFORCED MERINO MATERIAL! Merino properties with Cordura durability!

CORDURA

Advanced Fabrics

Polyamide Cordura Filament

Wool Fibre

By using a special spinning technique, where Cordura filament is twisted around Merino yarn, the result is a groundbreaking durable and lightweight natural Merino base layers.

Warm, Comfortable (no itch), Extremely Durable, Odour-resistant.

- Unisex
- Slim-fit
- Flat seams
- Round neckline
- Longer hem at the back
- UV blocking Merino/Cordura knit

KEY FEATURES



Groundbreaking durable Merino Cordura knit



Lightweight Natural merino with all the exceptional Merino wool properties

KEY BENEFITS

Enhanced abrasion resistance
Extremely durable proven by testing
Warm, comfortable -breathable
Moisture management
Thermal regulation





LYNX X SVALA CORDURA MERINO BASE LAYER

TOP 659190 BOTTOM 659191

XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Warm, comfortable -no itching, breathable, odour-resistant, extremely durable, UV blocking Merino/Cordura knit.

FEATURES AND TECHNOLOGIES:

- New Nylon reinforced Merino material
- Merino properties with Cordura durability
- Unisex
- Slim-fit
- Flat seams
- Round neckline
- Longer hem at back
- Elastic waistband



Black (90) Black (90)

LYNX X SVALA MERINO BASE LAYER
TOP BOTTOM
659149 659150

2XS, XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

The knit has a technical two-layer construction with an inner layer of moisture-wicking polypropylene and an outer layer of SuperWash and moth-protected Merino wool. Inherently antibacterial.

FEATURES AND TECHNOLOGIES:

- Unisex
- Slim-fit
- Flat seams
- Round neckline
- Longer hem at back

воттом

• Elastic waistband





Grey (09) Grey (09)

LYNX X SVALA ACTIVE BASE LAYER TOP BOTTOM 659151 659152

2XS, XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

This Merino and Tencel blend base layer is perfect for both cooler conditions and summer temperatures. Merino Active base layer wicks moisture from the skin while the outer layer of Merino wool warms and stores the heat generated by the body. Inherently antibacterial.

FEATURES AND TECHNOLOGIES:

- Unisex
- Slim-fit
- Flat seams
- Round neckline
- Longer hem at back

воттом

• Elastic waistband





LYNX X SVALA MESH BASE LAYER PRO TOP TOP воттом 659147 659148

2XS, XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Worn against the skin, the moisture-wicking antibacterial mesh knit stores air in its loops, which means that the product has a heat-balancing effect regardless of the level of activity. This means that it stays cool in the heat and provides warmth in the cold. This garment performs superbly as a base layer during heavy exercise, even if temperatures drop as low as -15°C. can be worn underneath a thermal layer in which case it wicks moisture to the external clothing layer, airs and creates a warming air layer on top of your skin.

FEATURES AND TECHNOLOGIES:

- Unisex
- Slim-fit
- Flat seams
- · Round neckline
- Longer hem at back
- воттом
- Elastic waistband



Black (90), Wine (32)

LYNX X SVALA GRAPHIC T-SHIRT

662300 • 2XS, XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

This 100% Merino T-Shirt is perfect for a base layer in both cooler conditions and summer temperatures. It can be used as a work shirt for home chores or activities and now with large Lynx Chest print.

FEATURES AND TECHNOLOGIES:

- Merino wool
- Unisex
- Slim-fit · Flat seams
- · Fitted sleeves
- · Round neckline · Lynx Character Print



Black (90)

LYNX X SVALA MERINO HOODIE

659145 • 2XS, XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Elastic and cosy Merino hoodie for leisure. It's actually so Trendy that you want to wear it at town and everywhere. This hoodie is made of 100% high-quality Merino wool knit.

FEATURES AND TECHNOLOGIES:

- Unisex
- Slim-fit
- Front zipper
- Chest pocket
- Two Front pockets
- Flat seams
- Thumb loops



Black (90), Grey (09)

LYNX X SVALA MERINO T-SHIRT

662099 • 2XS, XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

The Merino T-Shirt is perfect for a base layer in both cooler conditions and summer temperatures. It can be used as a work shirt for home chores or activities. This Merino T-shirt wicks moisture from the skin while the outer layer of Merino wool warms and stores the heat generated by the body.

FEATURES AND TECHNOLOGIES:

- Unisex
- Slim-fit
- Flat seams
- Fitted sleeves
- Round neckline
- Longer hem at back



Black (90), Wine (32)

LYNX X SVALA MERINO COLLEGE HOODIE

659500 • S, M, L, XL

DESCRIPTION:

New Trendy and Comfortable Merino College hoodie for leisure and everyday use.

FEATURES AND TECHNOLOGIES:

- 83% High-quality and Mulesing-Free Merino wool and 17% Recycled Polyester.
- Unisex
- Slim-fit
- Hood
- Lynx Charcacter Craphics



Black (90)

LYNX X SVALA MERINO HYBRID JACKET

659144 • 2XS, XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Comfortable Hybrid jacket for multiuse. This jacket is made of high-quality Extra warm merino knit and added windproofness with panels in colla, neck, chest and front sleeves.

FEATURES AND TECHNOLOGIES:

- Merino knit and windproof panels
- Unisex
- Slim-fit
- Front zipper
- Two Front pockets with zipper
- Flat seams
- Thumb loops



Black (90)

LYNX X SVALA POWERSTRETCH PRO JACKET

659143 • 2XS, XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

An elastic and warm Fleece jacket for work and leisure. This jacket is made of high-quality Polartec Power Stretch Pro with a moisture-wicking fleece on the inside and a wear-resistant lint-free polyester on the outside.

FEATURES AND TECHNOLOGIES:

- Unisex
- Slim-fit
- Front zipper
- Chest pocket
- Two Front pockets
- Flat seams
- Thumb loops



LYNX X SVALA MERINO LOUNGE PANTS

659146 • 2XS, XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Elastic and cosy Merino pants for leisure. They are actually so Trendy that you want to wear them at town and everywhere. These pants are made of 100% high-quality Merino wool knit.

FEATURES AND TECHNOLOGIES:

- Unisex
- Slim-fit
- Side pockets
- Elastic waistband
- Flat seams

Black (90)



Black (90)

LYNX X SVALA MERINO SOCKS

667116 • S, M, L, XL

DESCRIPTION:

Technical warm merino socks especially for colder conditions.

FEATURES AND TECHNOLOGIES:

- Long elastic cuff keeps socks in place.
- The inner surface with comfortable merino terry keeps the feet dry and warm.
- Socks stay dry, odorless and fresh for longer.



Black (90)

LYNX X SVALA MERINO ACTIVE SOCKS

667117 • S, M, L, XL

DESCRIPTION:

Warm Merino Socks for Active riding and varying conditions. The soft Merino knit keeps the feet dry and warm. Socks stay odorless and fresh for longer

FEATURES AND TECHNOLOGIES:

- Elastic structure of cuff keeps socks in place.
- Seamless foot prevents abrasion.



Grey (09), Red (30)

LYNX X SVALA MERINO URBAN BEANIE

665308 · S, M, L

DESCRIPTION:

Extra fine Merino beanie, equally at home in the city, the forest or whatever the temperature or time of year. There is no prickliness or itching under this beanie there is no hair itching thanks to the natural properties of Merino wool.

FEATURES AND TECHNOLOGIES:

Fold over cuff



Black (90), Grev (09)

LYNX X SVALA MERINO BEANIE 665307 • S, M, L

DESCRIPTION:

Double layer merino beanie for winter use. The knitted fabric has a double layer structure with an inner layer of polypropylene that efficiently wicks moisture from your skin and an external heat-binding layer of merino wool that has gone through SuperWash and anti-moth treatments.

FEATURES AND TECHNOLOGIES:

Flat seams



Black (90)

LYNX X SVALA POWERSTRETCH PRO BEANIE

665306 • S, M, L

DESCRIPTION:

- -The Power Stretch Pro hat will warm you up even when your activity levels are low.
- -A warm and snug fit headwear made of high quality Polartec Power Stretch Pro. The inside is made of moisture-wicking fleece and the outside is lint-free polyester.

FEATURES AND TECHNOLOGIES:

Flat seams

RIDE WITH YOUR TRIBE. AHEAD OF THE PACK.



RACING







NEW

Camo (37), Fire Red (06)

LYNX WARM-UP JACKET

652120 • S/M, L/XL

DESCRIPTION:

- Warm coat to wear over.
- Used by the Lynx racing team members.

FEATURES AND TECHNOLOGIES:

- Ultimate protection from freezing wind and cold weather.
- \bullet NEW S/M and L/XL sizes available.
- **NEW** 2 color options available.
- NEW D-Ring.
- Fixed hood and spacious pockets on both sides.

PERFORMANCE







WATERPROOFNESS BREATHABILITY

WARMTH

Autumn Red (14)

LYNX RACE SNOWCROSS JACKET

650154 • XS, S, M, L, XL, 2XL

DESCRIPTION:

• Racing look shell.

FEATURES AND TECHNOLOGIES:

- Watertight zippers throughout.
- 2 large pockets at front.
- Front and rear zippered vent

PERFORMANCE







WATERPROOFNESS BREATHABILITY

WARMTH NON-INSULATED

Autumn Red (14)

LYNX RACE SNOWCROSS PANTS

651142 • XS, S, M, L, XL, 2XL

DESCRIPTION:

• Shell pants with a LYNX racing look.

FEATURES AND TECHNOLOGIES:

- \bullet 85% Polyester, 13% Nylon, 2% aramid fiber
- Reinforcement fabric at inseam and high wear areas.
- Higher back and lower front shape for optimal comfort.
- Pre-shaped knees.
- Extra grip stripes added to seating area.
- D-rings at crotch and at waist.

PERFORMANCE







WATERPROOFNESS

BREATHABILITY

WARMTH NON-INSULATED



ACTIVE

The original Lynx Active range sees you through off-season, dialing up the technical details that keep your engine running all year round. You will stay comfortable and protected from the top of

the mountain down to the trails and in different activities. Keeps you dry and prevents overheating. With this lightweight, breathable and waterproof outerwear, you are ready to go!



Black (90), Grey (09)

LYNX ACTIVE JACKET 650148 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

• Lynx Active jacket is lightweight, waterproopf and breathable jacket for all-purpose use, for example cycling, hiking and trail running.

FEATURES AND TECHNOLOGIES:

- Long-lasting weather protection
- Waterproof & breathable
- · Cycling specific fit
- Back and underarm ventilation with mesh inserts
- Hand pocket for easy access (jacket can be packed into pocket)
- Reflective prints for visibility



LYNX ACTIVE PANTS

651136 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

Lynx Active pants for all-purpose use, for example cycling, hiking and trail running. These performance pants provide comfort when pedalling with light weight stretch fabric and many technical features. Pants for ultimate comfort when riding downhill and trail.

FEATURES AND TECHNOLOGIES:

- Dirt and water-repellent, breathable
- Strech softshell fabric with elastic panels
- Pre-shaped fit for optimal ride comfort and use with knee pads
- · Tapered fitting
- · Hand pockets with zippers
- · Zipped security pocket on leg
- Full lenght side zippers to be used for ventilation also
- Lynx logo details



LYNX ACTIVE CAP

665287 · Onesize

DESCRIPTION:

Light weight cap for off-season activities.

FEATURES AND TECHNOLOGIES:

• 97% polyester 3% elastane

OXYGEN FLOW HELMET

THE OXYGEN BETTER THAN EVER

Our best-selling helmet now better than ever with a new adjustable ventilation system. Manage the temperature by up to 10 degrees inside the helmet. Aim for the best comfort in a high-tech, feature-rich package.

Safety and comfort combine in a high-tech, feature-rich package in the Oxygen Flow Helmet. This DOT-certified helmet is built with a lightweight M-FORGE composite shell in two sizes for a better, more comfortable fit. When visibility is key, the maskless experience offers an unobstructed panoramic field of vision, while anti-fog and anti-scratch lenses let you see clearly. The heated visor and retractable heating amber chamber for the sun visor help keep your sight lines clear regardless of the conditions. The Oxygen Helmet also boasts noise-reducing technology, an optional front LED and battery-free rear LED, and it's ready to receive a communication system so you can stay in touch with your fellow riders.



PERFORMANCE:







WARMTH

KEY BENEFITS:







DOT AND ECE CERTIFIED









HELMETS

OXYGEN







NEW White (01), Black (90), Matte Black (93)

OXYGEN FLOW HELMET (DOT)

929087 • XS, S, M, L, XL, 2XL, 3XL

OXYGEN FLOW HELMET FEATURES AND TECHNOLOGIES:

- Visor equipped with an adjustable ventilation system to adjust the temperature inside the helmet according to the weather conditions. Our tests have shown a temperature reduction up to 10°C compared to the visor without a vent.
- Includes a rear removable curtain and a vent in the chin curtain for extra airflow
- Neck skirt to reduce air intrusion.
- 1850 g ± for size large.

Black (90)

OXYGEN FLOW CARBON HELMET (DOT)

929095 • XS, S, M, L, XL, 2XL, 3XL

OXYGEN FLOW CARBON HELMET FEATURES AND TECHNOLOGIES:

- Visor equipped with an adjustable ventilation system to adjust the temperature inside the helmet according to the weather conditions. Our tests have shown a temperature reduction up to 10°C compared to the visor without a vent.
- Large neck skirt with vent.
- Rear removeable curtain
- 1750 g ± for size large.

Black (90)

OXYGEN CARBON HELMET (DOT)

929028 • XS, S, M, L, XL, 2XL, 3XL

OXYGEN CARBON HELMET FEATURES AND TECHNOLOGIES:

- Adjustable humidity extractor vents.
- Unobstructed panoramic field of vision for an incredible maskless riding experience.
- · Large neck skirt with vent.
- Rear removeable curtain
- Unique remote control with visor heat indicators.
- 1750 g ± for size large.

OXYGEN HELMET - COMMON FEATURES AND TECHNOLOGIES:

- 4-vear limited warranty.
- Lightweight M-FORGE® Composite shell
- Adjustable humidity extractor vents.
- Unobstructed panoramic field of vision for an incredible maskless riding experience.
- Sun visor heated chamber.
- Amplified heated visor with pivot contact system.
- Retractable amber sun visor.
- Prescription eyeglasses friendly.

- Durable anti-fog and antiscratch coatings.
- NCS System: Reduces noise
- Robust detents allow precise opening adjustments for airflow.
- Optional front LED utility light.
 Lightweight battery-less rear LEI
- Lightweight battery-less rear LED light for added rider safety.
- eLinQ rear magnet connector.
- Offered with amber sun visor for best vision in snow conditions.
- Ready to receive the communication system.
- Operate all features with gloved hands.
- 2 shell sizes for better fit and comfort.
- Ratcheting quick-release chin strap.
- Recyclable helmet shell for minimal environmental impact.
- Aerodynamic shape to reduce neck fatique.
- D.O.T. certified

ADVEX HELMET







PERFORMANCE:







KEY BENEFITS:







KEY TECHNOLOGIES (ADVEX VS OXYGEN)













What differentiates the Advex Helmet from the Oxygen? For one, the Advex is designed for the more active rider. Thanks to the M-FORCE composite shell, it delivers the same incredible performance and protection. But where it shines is in versatility: with a superior humidity management system, the Advex excels in a variety of weather conditions. Plus, the Advex's Jet-Style design means easier face access, guarantees an improved noise reduction system and gives an edgy look.

HELMETS

ADVEX



Autumn Red (14)

LYNX ADVEX SPORT HELMET (DOT/ECE)

664070 • XS, S, M, L, XL, 2XL, 3XL



Black (90), Orange (12), White (01)

ADVEX SPORT HELMET

929079, 929125, 929129 XS, S, M, L, XL, 2XL, 3XL

ADVEX SPORT HELMET FEATURES AND TECHNOLOGIES:

- Dual lens anti-fog visor with integrated adjustable vent
- Optional VIBE Mesh made for winter integrated communication system
- 1825 g ± for size large.
- 1895 g ± for size large with peak
- D.O.T. and ECE 2206 certified



Fire Red (06)

LYNX ADVEX SPORT RADIANT HELMET (DOT/ECE)

664071 • XS, S, M, L, XL, 2XL, 3XL



Black (90), Orange (12), White (01)

ADVEX SPORT RADIANT HELMET 929081, 929126, 929130

XS, S, M, L, XL, 2XL, 3XL

ADVEX SPORT RADIANT HELMET FEATURES AND TECHNOLOGIES:

- Advex Sport Radiant Helmet (DOT/ECE) with M-FORGE Composite shell.
- Amplified heated visor visor with pivot contact system with integrated adjustable vent
- Sun visor heated chamber.
- eLinQ rear magnet connector.
- Lightweight battery-less rear LED light for added rider safety.
- Optional VIBE Mesh made for winter integrated communication system, with never lose power feature when plugged in
- \bullet 1895 g \pm for size large.
- 1965 g ± for size large with peak
- D.O.T. and ECE 2206 certified

ADVEX HELMET - COMMON FEATURES AND TECHNOLOGIES:

- 4-year limited warranty.
- Lightweight M-FORGE® Composite shell.
- Innovative and safe fullface access opening.
- Adjustable and easily removable peak.
- Retractable amber sun visor for the best vision in snow conditions.
- Prescription eyeglasses friendly.
- Adjustable humidity extractor vents.
- NCS System: Reduces noise.
- Optional side LED utility light.
- Neck skirt to reduce air intrusion.
- Humidity control with a breath guard mask system.
- Operate all features with gloved hands.
- 2 shell sizes and 4 EPS sizes for a better fit and comfort.
- Ratcheting quick-release chin strap.
- Recyclable helmet shell for minimal environmental impact.
- Aerodynamic shape to reduce neck fatigue.

VIBE COMMUNICATION SYSTEMS KEY TECHNOLOGIES

Built in partnership with Sena for BRP, the Vibe communication systems delivers unparalled connectivity and versatility when you ride. Working as an extension of the vehicle's ecosystem. Use the 10.25" touchscreen display of your Lynx sled to access unique functions to go above and beyond.

Opt for the Vibe Universal comm system for the most vesatility. Compatible with most helmets. Go one step further with the fully integrated vibe and the advex plus the Lynx exclusive E-LinQ accessory system.



DID YOU KNOW ABOUT VIBE AND THE BRP GO! APP?

Ready, set, go! Set up and manage the Vibe communication system in no time directly in the free BRP GO! mobile app. You can check the battery level, change the device language, and much more!

- INCREDIBLE MESH RANGE BY SENA (2 KM)
- UNPARALLED TALK TIME UP TO 12 HOURS
- UNIVERSAL FIT AND EASY TOOL-LESS ASSEMBLY ON ALL BRP HELMETS
- AMAZING SOUND BY HARMAN/KARDON®
- UNLIMITED TALK TIME WITH E-LING POWER (VIBE PAIRED WITH ADVEX)





SENA OPEN MESH INTERCOM



GROUP MESH INTERCOM: UP TO 24 RIDERS




INTERCOM UP TO 2KM IN OPEN TERRAIN



MULTI-LANGUAGE





COMMUNICATION SYSTEM AND HELMET ACCESSORIES



Matte Black (93)

VIBE UNIVERSAL COMM SYSTEM BY BRP

929105 • One size

- VIBE UNIVERSAL Comm System with superior audio quality for every BRP helmet.
- Sound by harman/kardon®.
- Mesh 2.0: Robust Reliability compatible with all Sena Mesh devices.
- Largest battery capacity with 8 hours talk time at -20°C/-4°F.
- One-Click-to-Connect simplicity.
- Mesh Intercom[™] features superior audio quality.
- 1 antenna for 1 mile/1.6 km in open terrain.
- Multi-channel protocol in Open Mesh allows users to switch between 9 comm channels.
- Bluetooth® 5.1 enabled.
- Convenience of voice-activated digital assistant access ("Hey Google"/"Hey Siri").
- 30% faster Rapid-Charging.
- Glove-friendly interface.
- Compatible with most BRP helmets.
- Compatible with numerous new BRP snowmobile handle bar controls to mute/unmute, volume up or down and information display such as the battery status and mesh channel.



Matte Black (93)

VIBE COMMUNICATION SYSTEM BY BRP

929086 • One size

- VIBE Bluetooth Mesh Comm System with superior audio quality for the Advex helmet.
- Premium Speakers & Microphone with SOUND BY Harman Kardon®.
- Mesh 2.0: Robust reliability compatible with all Sena Mesh devices.
- One-Click-to-Connect simplicity.
- Mesh Intercom[™] features superior audio quality compatible with all Sena Mesh devices.
- 2 antennas for 1 mile/1.6 km in open terrain.
- Multi-channel protocol in Open Mesh allows users to switch between 9 comm channels.
- Bluetooth® 5.1 enabled.
- Convenience of voice-activated digital assistant access ("Hey Google"/"Hey Siri").
- Fast charging.
- Glove-friendly interface.
- Compatible with all Advex helmets.
- Never run out of power when installed in ADVEX Radiant helmet version and plugged in your Lynx.
- Largest battery capacity with 8 hours talk time at -20°C/-4°F.



Black (90)

ADVEX HELMET-INTEGRATED LED UTILITY LIGHT

929085 • One size

- Accessory for Advex helmet.
- · Utility flashlight.
- Tool-free installation.
- 3 power modes.
- 3 AAA batteries (battery box to install in the helmet, batteries not included).
- Using the Vibe Communication System Battery.
- Connection of the Vibe communication system by eLinQ (electric power supplied by the vehicle).
- Easy one-handed on/off without a button (by opening/closing).
- High level of illumination, over 100 lumens.
- ECE 22.06 certification for helmet.

For safety reasons, the battery cannot be charged while riding. Considering the increased risks inherent when charging a battery, BRP has chosen NOT to make this action possible to guarantee maximum user safety. Features may vary depending on the vehicle.



OXYGEN LED UTILITY LIGHT 929006 • One size

- Accessory for Oxygen helmet.
- Oxygen Chin LEDBEAM Utility Light.
- 2 AAA batteries (batteries not included).



PYRA HELMET (DOT/ECE)

KEY BENEFITS







USAGE

DEEP SNOW, RACING

PRODUCT PERFORMANCE







WARMTH

ERT Energy reduction technology helps absorb the shock in the case of a fall from both direct and rotational impacts.

AIRFLOW LIGHTWEIGHT



929041 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Pyra Helmet (DOT/ECE) with plastic Composite shell.

- 4-year limited warranty.
- Advanced plastic composite shell with rotational impact absorbing system (ERT).
- Adjustable peak system.
- Removable wind deflector
- Front and rear hi-max air vent system to maximize cooling.
 Removable, washable and replaceable moisture-wicking liner.
- Lightweight double-D chin strap.
- Weight: ±1310 grams for size Large
- DOT/ECE 2206 certified.





929041 Yellow (10)



929041 Red (30)



929041 Indigo Blue (82)



929041 Charcoal Grey (07)



929041 Grey (09)

EXOME HELMET

KEY BENEFITS







CERTIFIED

DOT

TRAIL

USAGE



PRODUCT PERFORMANCE



WARMTH

AIRFLOW

LOW LIGHTWEIGHT

EXOME HELMET (DOT)

929035 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

HEATED AND

NON HEATED

 Exome Helmet (DOT) with plastic Composite shell.

FEATURES AND TECHNOLOGIES:

- 4-year limited warranty.
- · Advanced plastic composite shell
- Modular helmet
- Breath Evac fog-resistant mask system.
- Dual lens anti-fog visor.
- Offered with amber sun visor for best vision in snow conditions.
- 2 shell sizes for better fit and comfort.
- · Quick-release chin strap.
- Eyeglasses ready.
- Includes 5 absorbent pads for the breath Evac mask
- D.O.T. certified

EXOME SPORT HELMET (DOT)

929036 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Exome Sport Helmet (DOT) with plastic Composite shell.

FEATURES AND TECHNOLOGIES:

- 4-year limited warranty.
- Advanced plastic composite shell
- Modular helmet
- Breath Evac fog-resistant mask system.
- Removeable peak
- · Dual lens anti-fog visor.
- Offered with amber sun visor for best vision in snow conditions.
- 2 shell sizes for better fit and comfort.
- Quick-release chin strap.
- · Eyeglasses ready.
- Includes 5 absorbent pads for the breath Evac mask
- D.O.T. certified

EXOME SPORT RADIANT HELMET (DOT)

929037 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Exome Sport Radiant Helmet (DOT) with plastic Composite shell.

FEATURES AND TECHNOLOGIES:

- 4-year limited warranty.
- Advanced plastic composite shell
- Modular helmet
- Breath Evac fog-resistant mask system.
- Removeable peak
- Dual lens Radiant electric heated anti-fog visor.
- Offered with amber sun visor for best vision in snow conditions.
- 2 shell sizes for better fit and comfort.
- · Quick-release chin strap.
- Eyeglasses ready.
- Includes 5 absorbent pads for the breath Evac mask
- D.O.T. certified

EXOME HELMET (DOT)



929035 Black (90)

AIRFLOW

The optimized mask system sucks out the moisture within your helmet for a fog free experience. The vents also allow for you to customize the air intake easily.

MODULARITY

This modular helmet makes it easy for you to talk, eat and ride without taking your helmet off! Open the visor, the chin and the interior mask to adapt to your ride.



EXOME SPORT HELMET (DOT)



929036 Yellow (10)



929036 Red (30)



Indigo Blue (82)



929036 Charcoal Grey (07)



929036 Grey (09)

EXOME SPORT RADIANT HELMET (DOT)



929037 Yellow (10)



929037 Red (30)



929037 Indigo Blue (82)



929037 Charcoal Grey (07)



Grey (09)

RADIEN





Black with Graphics (94)

LYNX RADIEN 2.0 RACE EDITION (DOT/ECE)

664056 • XS, S, M, L, XL, 2XL

DESCRIPTION:

The Lynx Radien snocross-style helmet delivers protection beyond typical helmet performance thanks to its advanced M-FORGE* Composite technology construction.

FEATURES AND TECHNOLOGIES:

- The ultimate helmet for lightweight protection and superior rider comfort.
- Double-D closure.
- Face Mask included.
- Soft interior lining material.

Black (90), Red (30), Royal Blue (83)

RADIEN 2.0 CROSS HELMET (DOT/ECE)

664055 • XS, S, M, L, XL, 2XL

DESCRIPTION:

The Lynx Radien snocross-style helmet delivers protection beyond typical helmet performance thanks to its advanced M-FORGE* Composite technology construction.

FEATURES AND TECHNOLOGIES:

- The ultimate helmet for lightweight protection and superior rider comfort.
- Fidlock closure system.
- Face Mask included.
- Soft interior lining material.

LYNX RADIEN HELMET REPLACEMENT PARTS



Black (90), Black with Graphics (94), Red (30), Royal Blue (83)

LYNX RADIEN CROSS HELMET PEAK

669165 • onesize

DESCRIPTION:

Replacement part.



Grey (09

LYNX RADIEN CHIN CURTAIN

669167 • Onesize

DESCRIPTION:

Soft interior lining material.



Grey (09)

LYNX RADIEN CHEEK PADS

669166 • XS, S, M, L, XL, 2XL

DESCRIPTION:

Soft interior lining material.

www.m-forge.com



THE MATERIAL OF CHOICE FOR PREMIUM HELMETS

LIGHT. STRONG. SUSTAINABLE.



Lightweight



Excellent impact performance



Eco-friendly



ELINQ

As snowmobilers, we love the freedom our sleds bring us. It's addictive. And that's why we continue to add ways to find more of it in every ride.

eLinQ is an innovative solution that connects your heated gear and accessories to your snowmobile without adding more corded connections.

eLinQ combines your Lynx DESS tether into both a tether and a 12-volt accessory connection in one cord. A magnetic connector mounts to the sled next to the DESS post to provide the electric connection necessary to power any 12-volt accessory like heated shields, gloves, boots, and more.



FIDLOCK SYSTEM

with single-handed use and comfort, even with gloves, for innovative head protection. The magnetic, automatic closing mechanism makes fastening a helmet as easy as possible for users. The single handed use allows our helmet buckles for sports, work and other activities to be opened quickly and intuitively.



RADIEN 2.0 GOGGLES

669162 · onesize

DESCRIPTION:

Interchangeable lens technology gives you the option to change lenses out on your goggles. Having the option to easily swap lenses if the weather takes a turn means the option to customize your goggle for the most optimal visual experience!

Innovative magnetic quick-change lens system with 8 connection points. Anti-fog and anti-smudge coating and wide field of view, both horizontal and vertical. All radien lenses are UVA/UVB protected

FEATURES AND TECHNOLOGIES:

Double cylindrical mirror or grey lens placed in a nano-frame. Additional cylindrical clear lens for low light conditions and goggle pouch included in the package. Lynx cypher Graphic design on the strap One piece lens concept: noseguard integrated to the lens

Innovative magnetic quickchange lens system 8 connection points, 16 magnets (placed in frame and lens)

- Wide field of view, both horizontal and vertical
- Anti-fog and anti-smudge coating



RADIEN 2.0 SPECIAL EDITION GOGGLES

669160 · onesize

DESCRIPTION:

Interchangeable lens technology gives you the option to change lenses out on your goggles. Having the option to easily swap lenses if the weather takes a turn means the option to customize your goggle for the most optimal visual experience!

Innovative magnetic quick-change lens system with 8 connection points. Anti-fog and anti-smudge coating and wide field of view, both horizontal and vertical. All radien lenses are UVA/UVB protected

FEATURES AND TECHNOLOGIES:

Double cylindrical mirror or grey lens placed in a nano-frame. Additional cylindrical clear lens for low light conditions and goggle pouch included in the package. Lynx cypher Graphic design on the strap One piece lens concept: noseguard integrated to the lens Innovative magnetic quickchange lens system 8 connection points, 16 magnets (placed in frame and lens)

- · Wide field of view, both horizontal and vertical
- Anti-fog and anti-smudge coating



Blue (80), Clear (00), Fire Red (06), Gold (11), Green (70), Pink (36), Smoke (57), Yellow (10)

LYNX RADIEN 2.0 BLACK SPARE LENS (NOSEGUARD)

669152 • Onesize

DESCRIPTION:

Interchangeable lens technology gives you the option to change lenses out on your goggles. Having the option to easily swap lenses if the weather takes a turn means the option to customize your goggle for the most optimal visual experience

FEATURES AND TECHNOLOGIES:

Spare lenses with black frame (noseguard) for Lynx Radien 2.0 goggles. Available on different lens color. All radien lenses are UVA/UVB protected



Clear (00), Yellow (10)

RADIEN GOGGLES SPARE LENS (BLACK FRAME)

669142 • Onesize

DESCRIPTION:

Interchangeable lens technology gives you the option to change lenses out on your goggles. Having the option to easily swap lenses if the weather takes a turn means the option to customize your goggle for the most optimal visual experience

FEATURES AND TECHNOLOGIES:

Spare lenses with black frame (without noseguard) for Lynx Radien 2.0 goggles. Available on different lens color. All radien lenses are UVA/UVB protected.

RADIEN INTERCHANGEABLE LENSES CUSTOMIZE YOUR GOGGLE EXPERIENCE!

Interchangeable lens technology gives you the option to change lenses out on your goggles. Having the option to easily swap lenses if the weather takes a turn means the option to customize your goggle for the most optimal visual experience!

HOW TO CHOOSE LENS COLORS?

On brighter days, a darker or mirror lens will help to protect your eyes more from the harsh reflections of the sun on the snow. Flat light conditions require a lens that will allow more light through so you can use all the available light to your advantage. Medium tint lenses are made to be adaptable to a variety of

conditions. Lightly tinted lenses allows as much light in as possible and provides you with enhanced contrast throughout those darker days and snowfall. Clear lenses also for snowfall and dark conditions.

All Radien lenses are UV (UVA/UVB) protected.



BY OGIO



HANDWEAR



Fire Red (06)

STAMINA EXPEDITION GLOVES

669051 · XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

- Extra warm gloves for comfort in all riding conditions.
- Use for trail and deep snow riding.

FEATURES AND TECHNOLOGIES:

- Top hand: 200 g PrimaLoft® Gold Palm: 133g PrimaLoft® Gold.
- Waterproof, windproof and breathable glove insert.
- Naturally moisture-wicking and antimicrobial wool blend lining.
- Leather palm and fingers with grip reinforcement.
- Touch screen index finger.
- Nose wipe on thumb.



Fire Red (06)

STAMINA CLAW MITT

669052 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

- Extra warm claw mitts for comfort in all riding conditions.
- Use for trail, crossover and adventure

FEATURES AND TECHNOLOGIES:

- Waterproof, windproof and breathable glove insert.
- Naturally moisture-wicking and antimicrobial wool blend lining.
- Leather palm and fingers with grip reinforcement.
- Touch screen index finger.
- · Nose wipe on thumb.



Black with Graphics (94)

LYNX ACTIVE GLOVES

660047 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

A lightweight glove without insulation for warm weather riding or for hand protection during short stops. Perfect also for off-season activities.



Black (90)

LYNX QUANTUM LITE GLOVES

666041 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Gloves for high-activity riding in warm conditions. Lightweight, windproof warmth, and ultimate breathability.

- Genuine Goat leather palm with grip reinforcement.
- Waterguard membrane.
- Adjustable Velcro tab at wrist.
- Reflective detailing.



Black (90)

LYNX QUANTUM 2.0 GLOVES STX

666044 • XS, S, M, L, XL, 2XL

DESCRIPTION AND TERRAIN:

Light and warm gloves for Deep snow riding.

FEATURES AND TECHNOLOGIES:

- Sympatex insert with 100% waterproof, windproof and breathability.
- Full leather fingers and palm for perfect fit and feel.
- 2 layer Shell fabric with Sympatex insert.
- Thinsulate (40g) insulation.
- Micro Active lining.
- Full leather fingers.
- Powder Cuff, Wristband, Stopper system.
- Pull and penetrate loop.



Black (90)

LYNX STAMINA 2.0 GLOVES

666045 • XS, S, M, L, XL, 2XL

DESCRIPTION AND TERRAIN:

Warm performance gloves for riding trail and off trail. These gloves with Sympatex insert and mid-weight insulation to keep you warm and dry in varying conditions.

FEATURES AND TECHNOLOGIES:

- Waterproof and breathable gloves with durable shell material.
- Warm Primaloft insulation.
- Pre-curved shape for optimal fit.
- Long, adjustable gauntlet.
- · Hanging loops.



Black (90)


LYNX SQUADRON MITTEN KIDS

666043 • 6-8, 10-12, 14-16

DESCRIPTION:

Classic kids Mitts for cold conditions.

- Waterproof and breathable membrane.
- Drawstring closure.
- Adjustable hook and loop web strap with slip keep.
- Micropolyester lining with Microban antimicrobial product protection.
- Heat pack pocket built into inner mitt lining.
- Shell: Nylon, Polyurethane, Stretch Polyester
- Insulation: Top hand: 240 g Thermal Loft
- Palm: 140 g Thermal Loft



HEADWEAR



Autumn Red (14), Black (90)

LYNX SIGNATURE KNIT BEANIE

665450 • Onesize

DESCRIPTION:

Lifestyle hat with Lynx logo.

FEATURES AND TECHNOLOGIES:

- 100% Acrylic.
- Hat with Lynx knit logo and patches.
- Foldover cuff.



Charcoal Grey (07), Orange (12), Wine (32)

LYNX REVERSIBLE BEANIE

665300 • Onesize

DESCRIPTION:

2 in 1 reversible beanie.

FEATURES AND TECHNOLOGIES:

- 95% Acrylic, 4% Nylon, 1% Spandex
- Knit in Lynx logos.



Blue (80), Orange (12)

LYNX KIDS BEANIE

665330 • onesize

DESCRIPTION:

Lifestyle hat for kids with Pom-Pom and woven Lynx logo.

FEATURES AND TECHNOLOGIES:

Knitted hat with micro fleece lining.



Black (90), Fire Red (06)

LYNX PREMIUM FLAT CAP

665045 • onesize

DESCRIPTION:

- Flat cap with an embroidery at front.
- Perfect to wear everyday.

- Black and Indigo Blue: 100% Cotton.
- White: 60% Cotton, 40% Polyester.
- Adjustable twill cap.
- Lynx Camo design



LYNX RE CAP

665296 • Onesize

DESCRIPTION:

Cap with Lynx Racing spirit.

FEATURES AND TECHNOLOGIES:

• 100% cotton





Black (90)

LYNX SIGNATURE CAP

665333 • Onesize

- Classic signature cap with Lynx embroidery.
- Perfect to wear everyday.

FEATURES AND TECHNOLOGIES:

- Lynx embroidery at front.
- Plastic adjustment at back.
- Lynx fold up label at back.



Black (90)

LYNX STAMINA FUR HAT

665340 • S/M, L/XL

DESCRIPTION:

• Insulated hat for optimized warmth.

- 90% Polyester, 10% Wool.
- Lined with Sherpa.
- Lynx fold up label at back.
- Adjustable clip attachment



LYNX X SVALA TUNDRA BALACLAVA

665302 • 2XS, XS, S, M, L, XL

DESCRIPTION:

The most protective hood in Windproof hood range, which allows you to get active even in the coldest conditions.

FEATURES AND TECHNOLOGIES:

- Coolmax fabric on top of head breathes and transports moisture.
- Wind and waterproof double layer special knit with warm fleece on the inside, neck and throat.
- Longer collar part protects neck/chin well.
- All seams are flat sewn for comfortable to wear.



Black (90)

LYNX X SVALA HYBRID BALACLAVA

665304 • 2XS, XS, S, M, L, XL

DESCRIPTION:

Highly versatile Balaclava, that is ideal for winter use and variety of conditions and functions.

FEATURES AND TECHNOLOGIES:

- Hinged hood effectively protects the face from the cold.
- Hood can be easily pull down out of the way, the head area folded back or pulled under the chin.
- The seam placement has been refined
- Constructed with comibination of materials all in the name of comfort.



Black (90)

LYNX X SVALA BASE BALACLAVA 665305 • 2XS, XS, S, M, L, XL

DESCRIPTION:

This shaped wind-protective helmet hood is ideal for snowmobiling, wherever you're going.

FEATURES AND TECHNOLOGIES:

- Longer collar part protects neck/chin well.
- The balaclava keeps its shape and sits firmly in place without slipping down.
- The forehead, ears, chin, neck and neck are all protected with our special windproof fabric that is both breathable and moisture-wicking.
- Coolmax fabric around the head and forehead breathes and transfers moisture away from the skin.



Black (90)

LYNX X SVALA RACE BALACLAVA

665303 • 2XS, XS, S, M, L, XL

DESCRIPTION:

This shaped wind-protective helmet hood is ideal for racing and active riding.

- Hood is windproof and breathable.
- Coolmax fabric breathes and transfers moisture away from the skin.
- Keeps its shape perfectly
- All seams are flat sewn for the comfort.

SPORTSWEAR



Black (90), Charcoal Grey (07), Mixed Color (18)

LYNX RE T-SHIRT MEN'S

662285 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Lynx T-Shirt.

FEATURES AND TECHNOLOGIES:

- 95% cotton 5% spandex
- Lynx RE artwork at front.
- Crew neck.
- Mixed color option with Rave GLS Anniversary graphics



Fire Red (06), Grey (09)

LYNX RE MICRO-FLEECE

659402 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Mid weight microfleece excellent for warmth as a second layer.

FEATURES AND TECHNOLOGIES:

- 100% polyester micro fleece.
- Moisture-wicking fabric.
- Zippered hand pockets.
- Lynx Racing graphics and details.
- Lynx embossed binding at collar, cuff and hem.



Fire Red (06), Heather Charcoal (29)

LYNX RE MICRO FLEECE W

659401 • XS, S, M, L, XL, 2XL

DESCRIPTION:

Mid weight microfleece excellent for warmth as a second layer.

- 100% polyester micro fleece.
- Moisture-wicking fabric.
- Zippered hand pockets.
- Lynx Racing graphics and details.
- Lynx embossed binding at collar, cuff and hem.



Charcoal Grey (07), Wine (32)

LYNX RET-SHIRT WOMEN'S

662280 • XS, S, M, L, XL, 2XL

DESCRIPTION:

Crew neck T-Shirt.

FEATURES AND TECHNOLOGIES:

- 95% cotton 5% elastane
- Squared graphic at front.



Grey (09), Sand (03)

LYNX RE ZIP-UP HOODIE

659270 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Heavy weight fleece for maximum warmth.

FEATURES AND TECHNOLOGIES:

- 96% Polyester, 4% Spandex.
- Adjusted fit.
- Lynx Racing graphics and details.



Fire Red (06), Indigo Blue (82)

LYNX RE FLEECE JACKET JUNIOR

661020 • 5-6, 7-8, 10-12, 14-16

DESCRIPTION:

• Mid weight microfleece excellent for warmth as a second layer.

FEATURES AND TECHNOLOGIES:

- Moisture-wicking fabric
- 2 hand pockets
- Lynx Racing graphics and logos



Black (90), Wine (32)

LYNX SIGNATURE ZIP-UP HOODIE MEN'S

659275 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Semi-fitted hooded sweatshirt with zip-up.

- 60% Cotton, 40% Polyester.
- Lynx print at chest.
- Full zip.
- Dropped sleeves.
- Rib at cuffs and hem.
- Drawstring hood.
- Split kangaroo pocket



LYNX SIGNATURE CREW SWEATSHIRT

659173 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Signature sweatshirt with Lynx logo.

FEATURES AND TECHNOLOGIES:

- 60% Cotton, 40% Polyester.
- · Relaxed fit.
- Dropped, set-in sleeves.
- Rib on collar, cuffs and hem.
- Printed Lynx logo



Charcoal Grey (07)

LYNX SIGNATURE TEDDY FLEECE JACKET

659160 • S, M, L, XL, 2XL, 3XL

DESCRIPTION AND TERRAIN:

- Sweatshirt.
- Use everyday and as a mid layer on trails.

FEATURES AND TECHNOLOGIES:

- 100% Polyester with anti-microbial.
- Heavy weight fleece for maximum warmth.
- · Adjusted fit.
- Lynx embroidery logo at front chest.
- Handwarmer kangaroo pockets.



Beige (02)

LYNX SIGNATURE TEDDY FLEECE JACKET W

659161 • XS, S, M, L, XL, 2XL

DESCRIPTION AND TERRAIN:

- Semi-fitted sweatshirt.
- \bullet Use everyday and as a mid layer on trails.

FEATURES AND TECHNOLOGIES:

- 100% Polyester with anti-microbial.
- Heavy weight fleece for maximum warmth.
- · Adjusted fit.
- \bullet Lynx embroidery logo at front chest.
- Handwarmer kangaroo pockets.



Deep Purple (42), Heather Grey (27)

LYNX SIGNATURE ZIP-UP HOODIE W

659165 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Semi-fitted hooded sweatshirt.

- 60% Cotton, 40% Polyester,.
- Full zip.
- Split, inset kangaroo hand pocket.
- Rib on cuffs and hem.
- Drawstring hood.



Black (90), Navy (89)

LYNX SIGNATURE LS SHIRT

660055 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Long sleeve t-shirt with classic Lynx print.

FEATURES AND TECHNOLOGIES:

Crew neck long sleeves T-Shirt Lynx Graphic at Back



Deep Purple (42), Navy (89)

LYNX SIGNATURE LS SHIRT W

660056 • XS, S, M, L, 2XL

DESCRIPTION:

• Crew neck long sleeves T-Shirt.

FEATURES AND TECHNOLOGIES:

• Lynx Graphic at back



Camo (37), Smoke (57)

LYNX PREMIUM PULLOVER HOODIE

659171 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Comfortable Premium Pullover hoodie.

FEATURES AND TECHNOLOGIES:

- 72% Cotton, 23% Polyester, 5% Spandex.
- One side brushed fleece.
- Handwarmer kangaroo pocket.
- 3D heat transfer Lynx logo.
- Rib at cuff and hem.
- Lynx Camo design



Black (90), Heather Grey (27)

LYNX PREMIUM ZIP-UP HOODIE

659170 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Semi-fitted hooded sweatshirt with zip-up.

- 72% Cotton, 23% Polyester, 5% Spandex.
- One side brushed fleece.
- Handwarmer kangaroo pocket.
- Lynx artwork.
- 3D heat transfe Lynx logo at left chest.
- Rib at cuff and hem.



Charcoal Grey (07), Dark Navy (16)

LYNX PREMIUM SOLID FLANNEL SHIRT

660050 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Warm and comfortable Flannel shirt.

FEATURES AND TECHNOLOGIES:

- 4-hole plastic side engraved button.
- Corduroy inside stand collar.



NEW

Black (90), Charcoal Grey (07)

LYNX SIGNATURE GRAPHICS T-SHIRT

662185 • S, M, L, XL, 2XL, 3XL

Casual T-Shirt for everyday wear.

FEATURES AND TECHNOLOGIES:

- 100% Cotton.
- Large Lynx artwork at Back.



Black (90), Heather Grey (27)

LYNX PREMIUM UNISEX T-SHIRT

662122 • XS, S, M, L, XL, 2XL

DESCRIPTION:

• Technical, premium T-Shirt designed for everyday use.

FEATURES AND TECHNOLOGIES:

- 90% Polyester, 10% Wool.
- Heat transferred Lynx symbol logo at front and Lynx slogan at center back.
- Lynx fold up label on bottom.



NEW

Autumn Red (14)

LYNX PLAID FLANNEL SHIRT MEN'S

660202 • S, M, L, XL, 2XL, 3XL

• Comfortable Plaid Flannel shirt.

- 100% Cotton.
- 4-hole plastic Lynx engraved button.
- Chest pocket with small Lynx patch.
- · Lynx details.



NEW

Black (90)

LYNX SIGNATURE FLEECE MEN'S

659177 • S, M, L, XL, 2XL, 3XL

- Technical Fleece for warmth and mobility.
- Use everyday and as a mid layer on trails.

FEATURES AND TECHNOLOGIES:

- CVC Fleece 300GSM.
- Lynx logo at left chest.
- Retro inspired design.



Beige (02), Smoke (57)

LYNX PREMIUM PULLOVER HOODIE W

659172 • XS, S, M, L, XL, 2XL, 3XL

DESCRIPTION:

• Comfortable Premium Pullover hoodie.

FEATURES AND TECHNOLOGIES:

- 72% Cotton, 23% Polyester, 5% Spandex.
- One side brushed fleece.
- Handwarmer kangaroo pocket.
- 3D embossed artwork at left chest.
- Rib at cuff and hem.
- Lynx Camo design



Black (90)

LYNX SIGNATURE KNIT

660039 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Lynx heritage spirited knit for casual days.

FEATURES AND TECHNOLOGIES:

- Round neckline
- Rib hem and cuffs
- Lynx heritage patch on chest



Black (90), Wine (32)

LYNX SIGNATURE T-SHIRT MEN'S

662290 • S, M, L, XL, 2XL, 3XL

DESCRIPTION:

Casual T-Shirt for everyday wear.

- 95% cotton 5% spandex
- Lynx artwork at center front.

FOOTWEAR



Black (90)

TEC+ REC BOOTS

444240 • 5, 6, 7, 8, 9, 10, 11, 12, 13

DESCRIPTION:

• Tec + Rec Boots with Tough abrasion resistant leather outer.

FEATURES AND TECHNOLOGIES:

- Tough abrasion resistant leather outer.
- Breathable waterproof membrane.
- Limit of comfort temperature range: -40°F to -58°F or -40°C to -50°C*.
- Rugged ultra-grip outsole design.
- Removable/inner liner.



Black (90)

LADIES' TEC+ REC BOOTS

444241 • 6, 7, 8, 9, 10

DESCRIPTION:

• Ladies' Tec + Rec boots with Tough abrasion resistant leather outer.

FEATURES AND TECHNOLOGIES:

- Tough abrasion resistant leather outer and textile.
- Sympatex breathable waterproof membrane.
- Performance liner that will provide warmth and added comfort by shaping to your foot.
- Limit of comfort temperature range: -58°F to -76°F or -50°C to -60°C.
- Rugged ultra-grip outsole design.
- Removable/inner liner.



TEC+ BOOTS

444253 • 5, 6, 7, 8, 9, 10, 11, 12, 13

DESCRIPTION:

• Tec + Boots with moisture-wicking inner liner material.

- Improved comfort and flex
- Removable insole.
- Unisex, smaller sizes added for ladies.
- · Kevlar reinforced laces.
- 600 g PrimaLoft ECO FOOTWEAR insulation for maximum comfort.
- Leather outer layer incorporates HydroGuard[†] waterproof membrane.
- Tapered rear shape for better achilles and ankle support.
- Abrasion and impact resistant ice breaker toe piece.
- Aggressive, durable anti-slip outsole for running board traction.



LYNX JUNIOR BOOTS

667111 • 1, 2, 3, 4, 5, 6

DESCRIPTION:

Warm boots for kids and juniors

FEATURES AND TECHNOLOGIES:

- Unisex boots
- Waterproof
- Rubber outline
- 6mm thick removable liner
- Height: 12" (30.5 cm)
- Comfort-rated to -61°F (-52 °C)

Black (90)



Black (90)

TEC+ ULTRA BOOTS

444258 • 5, 6, 7, 8, 9, 10, 11, 12, 13

DESCRIPTION:

• Tec + Ultra Boots with Tough abrasion resistant outer material and performant liner.

- Removable inner liner.
- Tough abrasion resistant leather outer and textile.
- $\bullet \ {\tt Sympatex} \ {\tt breathable} \ {\tt waterproof} \ {\tt membrane}.$
- Performance liner that will provide warmth and added comfort by shaping to your foot.
- Limit of comfort temperature range: *TBD*-40°F to -58°F or -40°C to -50°C*.
- Rugged ultra-grip outsole design.

HOW TO MEASURE

SIZING CHART

HEIGHT: without shoes, standing with heels and back against a wall.

HEAD: around your head, from the center of the forehead, above the ears and over the natural bump at the back of the head.

ARM LENGTH: let the hands hang down on the side in a slightly bent position. Measure from the center of the back of your neck, along the length of your arm, to the wrist.

CHEST: measure under your arm, around the fullest part of your chest.

WAIST: immediately below the lowest rib.

HIPS: across the fullest part of the seat.

INSEAM: without shoes, from crotch to the floor.

GLOVES: Measure palm width.

BOOTS: Foot lenght from heel to toe.

- For best results, have someone else take measurements.
- Measure body in underwear.
- Tape must be snug but not tight.
- If measurements fall between two sizes, order the larger size.

| MEN'S | | | | | | | | | | |
|-------------|-----|---------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | xxs | xs | S | М | L | XL | 2XL | 3XL | 4XL | 5XL |
| Chest | | 84 - 89 | 89 - 94 | 94 - 102 | 102 - 112 | 112 - 122 | 122 - 132 | 132 - 142 | 142 - 150 | 150 - 160 |
| Waist | | 69 - 74 | 74 - 79 | 79 - 86 | 86 - 97 | 97 - 107 | 107 - 117 | 117 - 127 | 127 - 135 | 135 - 158 |
| Hips (Seat) | | 84 - 89 | 89 - 94 | 94 - 102 | 102 - 112 | 112 - 122 | 122 - 132 | 132 - 142 | 142 - 150 | 150 - 173 |
| Arm Length | | 76 - 79 | 79 - 81 | 81 - 84 | 84 - 86 | 86 - 89 | 89 | 89 - 91 | 91 | 91 |
| Inseam | | 79 - 81 | 81 | 81 | 81 | 81 | 81 | 81 - 83 | 83 - 84 | 84 |

| LADIES' | | | | | | | | |
|-------------|-----|---------|---------|----------|-----------|-----------|-----------|-----------|
| | xxs | xs | s | М | L | XL | 2XL | 3XL |
| Chest | | 81 - 86 | 86 - 91 | 91 - 97 | 97 - 107 | 107 - 114 | 114 - 124 | 124 - 134 |
| Waist | | 61 - 66 | 66 - 71 | 71 - 76 | 76 - 86 | 86 - 94 | 94 - 104 | 104 - 114 |
| Hips (Seat) | | 86 - 91 | 91 - 97 | 97 - 102 | 102 - 112 | 112 - 119 | 119 - 132 | 132 - 140 |
| Arm Length | | 79 | 79 - 81 | 81 | 81 - 84 | 84 | 84 - 86 | 86 |
| Inseam | | 76 | 76 | 76 | 76 | 76 | 76 | 76 |


| KIDS & TEEN | | | | | | | | | | | |
|-------------|------|----|----|------|------|------|------|------|------|------|------|
| | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 10 | 12 | 14 | 16 |
| Height | 0.92 | 1 | 1 | 1.16 | 1.24 | 1.28 | 1.37 | 1.46 | 1.56 | 1.58 | 1.68 |
| Chest | 53 | 56 | 58 | 61 | 64 | 66 | 69 | 72 | 76 | 80 | 84 |
| Waist | 51 | 52 | 53 | 55 | 56 | 57 | 58 | 61 | 64 | 66 | 69 |
| Hips (Seat) | 53 | 56 | 58 | 61 | 64 | 66 | 69 | 72 | 76 | 80 | 84 |
| Arm Length | 39 | 43 | 47 | 51 | 55 | 58 | 62 | 72 | 76 | 80 | 84 |
| Inseam | 34 | 39 | 44 | 50 | 53 | 58 | 62 | 67 | 71 | 75 | 79 |

| HELMETS | | | | | | | | | | |
|-----------------|-------------|-----------------------|-------------|-------------|-------------|-----------------------|-------------|--|--|--|
| | xs | S | М | L | XL | 2XL | 3XL | | | |
| Men & Ladies | | | | | | | | | | |
| Hat Size | 65/8 - 63/4 | 6 ⁷ /8 - 7 | 71/8 - 71/4 | 73/8 - 71/2 | 75/8 - 73/4 | 7 ⁷ /8 - 8 | 81/8 - 81/4 | | | |
| Head (cm) | 53 - 54 | 55 - 56 | 57 - 58 | 59 - 60 | 61 - 62 | 63 - 64 | 65 - 66 | | | |
| Junior | | 49 - 50 | 51 - 52 | 53 - 54 | | | | | | |

| GLOVES | /ES Measure Palm Width | | | | | | | | | |
|--------|-------------------------------|---|---|----|-------|-------|-----|--|--|--|
| | xs | s | М | L | XL | 2XL | 3XL | | | |
| Men | | | | | | | | | | |
| cm | 71/2 | 8 | 9 | 10 | 111/2 | 13 | 14 | | | |
| Ladies | | | | | | | | | | |
| cm | 6 | 7 | 8 | 9 | 10 | 111/2 | - | | | |

| SOCKS | | | | | |
|--------|-------|-----|---------|------------|------|
| M | en | La | adies | Ki | ds |
| M | L | s | M | S/M | L/XL |
| 6-91/2 | 10-13 | 4-8 | 81/2-12 | 91/2-121/2 | 13-3 |

| BOOTS | | | | | | | | | | | | | | | | | | | | |
|-------------------------|----|----|------|------|------|----|--------|----|------|------|----|----|------|------|------|------|------|------|----|----|
| Men | | | | | | | Ladies | | | | | Ki | ds | | | | | | | |
| | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 6 | 7 | 8 | 9 | 10 | 1 | 2 | 3 | 4 | 5 | 6 |
| EU-Unisex Shoes Size | 37 | 38 | 39.5 | 41 | 42 | 43 | 44.5 | 46 | 47 | 35.5 | 37 | 38 | 39.5 | 41 | 32 | 33 | 34 | 35.5 | 37 | 38 |
| Foot (cm) | 23 | 24 | 24.5 | 25.5 | 26.5 | 27 | 28 | 29 | 29.5 | 22 | 23 | 24 | 24.5 | 25.5 | 19.5 | 20.5 | 21.5 | 22 | 23 | 24 |



WHAT CODE REPRESENTS YOUR SIZE?

- 1 Find your size.
- 2 The corresponding code is
 THE CODE you use to complete
 the part number on your order.
 Example: 440 227_____90
 Size: M = code "**06**", Therefore
 440 227 **06** 90

| SIZE | CODE | SIZE | CODE | SIZE | CODE |
|----------|------|------|------|-------|------|
| One Size | 00 | 1 | 20 | 13 | 33 |
| XXS | 01 | 2 | 21 | 14 | 34 |
| XS | 02 | 3 | 22 | 16 | 35 |
| S | 04 | 4 | 23 | 3-4 | 79 |
| М | 06 | 5 | 24 | 5-6 | 52 |
| L | 09 | 6 | 25 | 6-8 | 48 |
| XL | 12 | 7 | 27 | 7-8 | 54 |
| 2XL | 14 | 8 | 28 | 10-12 | 49 |
| 3XL | 16 | 9 | 29 | 14-16 | 50 |
| 4XL | 18 | 10 | 30 | S/M | 72 |
| | | 11 | 31 | M/L | 91 |
| | | 12 | 32 | L/XL | 73 |







BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD

Lynx is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you.

Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-DOO. LYNX: SEC-200. Can-am. ROTAX. ALUMACraft. MANITOL. QUINTREX.

www.brp.com



CONTINUE THE JOURNEY AT BRPLYNX.COM





For advertising purposes, some scenes depicted in this brochure include professional riders and racers executing maneuvers or performances under ideal and/or controlled conditions. Do not attempt any of these or any other risky maneuvers if they be epony our level of riding ability, as well as your understanding and respect for the performance of your snownholle. Always ride responsibly and safely, Always observe applicable local laws and regulations. Always wear the appropriate protective clothing, including a helmet. And remember, if you're going to drink, please don't ride. Because of its ongoing commitment to product quality and innovation, Bombardier Recreational Products Inc. (BRP) reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring any obligation. Some models depicted herein may include optional equipment. Prices are based on Manufacturer Suggested Retail Prices. Dealer may self for a different price, as a rent included RRP is a proud member of the SSCC (snowmpholing Safety Cartification Committee). Machine Safety Standard, Operator Safety Training, Safe Trails, ISMM (International Snowmobile Manufacturers Association), National Snowmobile Foundation and Tread Lightly! Inc. By being a member of these important snowmobiling associations, we recognize and support their efforts in sharing the responsibility in promoting the growth of our sport. Isoffilia is a registered trademark of Yarns and Threads For Textle. mcFill is a registered trademark of MoTECH Corporation. PrimaLotf Sold, PrimaLotf Silver and PrimaLoff Black are egistered trademarks of Albany International Corp. Sympatex is a registered trademark of Sympatex (Papel PrimaLotf Sold) and the School Corp. Sympatex is a registered trademark of Sympatex (Papel PrimaLotf Sold) and the School Corp. Sympatex is a registered trademark of Sympatex of Sympatex (Papel PrimaLotf Sold) and the School Corp. Sympatex is a registered trademark of Sympatex (Papel PrimaLotf Sold)

